



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	150	PM _{2.5}	1
2	Agra	Moderate	199	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	151	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	89	PM ₁₀	1
5	Ajmer	Moderate	126	PM _{2.5}	1
6	Alwar	Satisfactory	87	PM ₁₀	1
7	Amaravati	Satisfactory	79	O ₃	1
8	Ambala	Very Poor	303	PM _{2.5}	1
9	Amritsar	Moderate	135	PM ₁₀	1
10	Ankleshwar	Poor	229	PM _{2.5}	1
11	Araria	Poor	279	PM _{2.5}	1
12	Arrah	Poor	289	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	217	PM _{2.5}	1
14	Aurangabad	Moderate	106	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Poor	235	PM _{2.5}	1
17	Ballabgarh	Poor	217	PM _{2.5}	1
18	Bengaluru	Moderate	108	PM _{2.5} , PM ₁₀	9
19	Bettiah	Moderate	187	PM ₁₀	1
20	Bhagalpur	Very Poor	363	PM ₁₀ , PM _{2.5}	2
21	Bhilai	Good	46	PM ₁₀	1
22	Bhiwadi	Poor	285	PM _{2.5}	1
23	Bhiwani	Poor	273	PM _{2.5}	1
24	Bhopal	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	104	PM ₁₀	1
26	Bihar Sharif	Poor	263	PM _{2.5}	1
27	Bilaspur	Satisfactory	53	PM ₁₀	1
28	Brajrajnagar	Satisfactory	70	O ₃	1
29	Bulandshahr	Very Poor	302	PM _{2.5}	1
30	Buxar	Very Poor	379	PM _{2.5}	1
31	Chamarajanagar	Good	32	PM ₁₀	1
32	Chandigarh	Poor	252	PM _{2.5} , PM ₁₀	2
33	Chandrapur	Moderate	131	PM _{2.5} , PM ₁₀	2
34	Chennai	Satisfactory	75	PM ₁₀ , PM _{2.5} , CO	7
35	Chhapra	Very Poor	391	PM _{2.5}	1
36	Chikkaballapur	Moderate	122	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	40	PM ₁₀	1
38	Coimbatore	Moderate	103	PM _{2.5}	1
39	Damoh	Satisfactory	52	PM _{2.5}	1
40	Darbhanga	Very Poor	324	PM _{2.5}	1
41	Davanagere	Moderate	118	PM ₁₀	1
42	Delhi	Very Poor	319	PM ₁₀ , PM _{2.5}	38
43	Dewas	Moderate	133	PM _{2.5}	1
44	Dharuhera	Poor	279	PM _{2.5}	1
45	Durgapur	Poor	275	PM ₁₀	1
46	Eloor	Satisfactory	80	CO	1
47	Ernakulam	Satisfactory	86	NO ₂	1
48	Faridabad	Poor	282	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Moderate	122	PM _{2.5}	1
50	Firozabad	Poor	290	PM _{2.5}	1
51	Gadag	Satisfactory	84	PM _{2.5}	1
52	Gandhinagar	Moderate	138	PM _{2.5} , PM ₁₀	3
53	Gaya	Moderate	177	PM ₁₀ , PM _{2.5}	3
54	Ghaziabad	Very Poor	339	PM _{2.5}	4
55	Gorakhpur	Moderate	102	PM ₁₀	1
56	Greater Noida	Poor	300	PM _{2.5}	2
57	Gummidipoondi	Satisfactory	62	PM ₁₀	1
58	Gurugram	Poor	271	PM _{2.5}	3
59	Guwahati	Moderate	110	PM _{2.5}	2
60	Gwalior	Poor	255	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Satisfactory	86	PM _{2.5}	1
62	Haldia	Satisfactory	94	PM ₁₀	1
63	Hapur	Very Poor	317	PM _{2.5}	1
64	Hisar	Poor	225	PM _{2.5}	1
65	Howrah	Poor	255	PM _{2.5}	2
66	Hubballi	Moderate	136	PM ₁₀	1
67	Hyderabad	Moderate	162	PM _{2.5}	3
68	Indore	Poor	217	PM ₁₀	1
69	Jabalpur	Moderate	191	PM ₁₀	1
70	Jaipur	Moderate	142	PM ₁₀ , PM _{2.5}	3
71	Jalandhar	Moderate	136	PM ₁₀	1
72	Jind	Moderate	178	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	142	PM ₁₀	1
74	Kaithal	Moderate	147	PM _{2.5}	1
75	Kalaburgi	Moderate	148	PM ₁₀	1
76	Kalyan	Poor	275	PM _{2.5}	1
77	Kannur	Satisfactory	70	PM ₁₀	1
78	Kanpur	Moderate	189	PM _{2.5}	3
79	Karnal	Moderate	190	PM _{2.5}	1
80	Katni	Moderate	193	PM ₁₀	1
81	Khanna	Moderate	122	PM ₁₀	1
82	Kishanganj	Very Poor	376	PM _{2.5}	1
83	Kochi	Moderate	192	PM _{2.5}	1
84	Kohima	Satisfactory	75	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Moderate	141	PM _{2.5} , PM ₁₀	3
86	Koppal	Moderate	157	O ₃	1
87	Kota	Moderate	132	PM _{2.5}	1
88	Kozhikode	Satisfactory	54	PM ₁₀	1
89	Kurukshetra	Poor	231	PM _{2.5}	1
90	Lucknow	Moderate	187	PM _{2.5}	6
91	Ludhiana	Moderate	108	PM ₁₀	1
92	Madikeri	Satisfactory	79	PM ₁₀	1
93	Maihar	Good	26	PM ₁₀	1
94	Mandi Gobindgarh	Poor	293	PM _{2.5}	1
95	Mandideep	Moderate	128	PM _{2.5}	1
96	Mandikhera	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Very Poor	325	PM _{2.5}	1
98	Manglore	Satisfactory	52	CO	1
99	Meerut	Very Poor	343	PM _{2.5}	3
100	Moradabad	Poor	242	PM _{2.5}	4
101	Mumbai	Moderate	179	PM _{2.5} , PM ₁₀	16
102	Munger	Very Poor	397	PM _{2.5}	1
103	Muzaffarnagar	Very Poor	345	PM _{2.5}	1
104	Muzaffarpur	Very Poor	336	PM _{2.5}	2
105	Mysuru	Moderate	178	O ₃	1
106	Nagpur	Satisfactory	80	CO	1
107	Nandesari	Satisfactory	70	CO	1
108	Navi Mumbai	Poor	231	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	300	PM _{2.5}	4
110	Pali	Moderate	122	PM _{2.5}	1
111	Palwal	Moderate	118	PM ₁₀	1
112	Panchkula	Poor	286	PM _{2.5}	1
113	Patiala	Moderate	141	PM _{2.5}	1
114	Patna	Very Poor	332	PM _{2.5} , PM ₁₀	6
115	Pithampur	Moderate	103	PM _{2.5}	1
116	Prayagraj	Moderate	126	PM _{2.5} , PM ₁₀	3
117	Puducherry	Satisfactory	54	PM ₁₀	1
118	Pune	Moderate	129	PM _{2.5}	3
119	Purnia	Very Poor	315	PM _{2.5}	1
120	Raichur	Moderate	182	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Satisfactory	81	PM ₁₀	1
122	Rajgir	Very Poor	346	PM _{2.5}	1
123	Ramanagara	Moderate	102	PM ₁₀	1
124	Ratlam	Moderate	118	PM ₁₀	1
125	Rohtak	Poor	300	PM _{2.5}	1
126	Rupnagar	Moderate	107	PM ₁₀	1
127	Sagar	Satisfactory	54	PM _{2.5}	1
128	Saharsa	Very Poor	352	PM _{2.5}	1
129	Sasaram	Very Poor	307	PM _{2.5}	1
130	Satna	Satisfactory	69	PM ₁₀	1
131	Shillong	Good	41	PM _{2.5}	1
132	Shivamogga	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Poor	256	PM ₁₀	1
134	Sirsa	Moderate	125	PM ₁₀	1
135	Siwan	Very Poor	354	PM _{2.5}	1
136	Solapur	Satisfactory	80	PM _{2.5}	1
137	Sonipat	Moderate	187	PM ₁₀	1
138	Srinagar	Moderate	143	PM ₁₀	1
139	Talcher	Poor	224	PM _{2.5}	1
140	Thane	Poor	211	O ₃	1
141	Thiruvananthapuram	Satisfactory	87	PM _{2.5} , PM ₁₀	2
142	Thoothukudi	Satisfactory	56	PM ₁₀	1
143	Tirupati	Moderate	102	PM _{2.5}	1
144	Udaipur	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	165	PM ₁₀	1
146	Vapi	Moderate	152	PM ₁₀	1
147	Varanasi	Satisfactory	94	PM ₁₀ , PM _{2.5}	2
148	Vatva	Poor	227	PM _{2.5}	1
149	Vijayapura	Good	47	PM ₁₀	1
150	Visakhapatnam	Moderate	115	PM ₁₀	1
151	Vrindavan	Moderate	197	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Charkhi Dadri, Hassan, Jorapokhar, Katihar, Kolar, Kollam, Manguraha, Motihari, Naharlagun, Narnaul, Nashik, Panipat, Siliguri, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.