

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	75	PM _{2.5} , PM ₁₀	2
2	Agra	Moderate	148	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Satisfactory	97	PM _{2.5} , PM ₁₀	6
4	Aizawl	Satisfactory	53	PM ₁₀	1
5	Ajmer	Moderate	105	PM ₁₀	1
6	Alwar	Satisfactory	100	PM ₁₀	1
7	Amaravati	Good	38	O ₃	1
8	Ambala	Moderate	155	PM ₁₀	1
9	Amritsar	Moderate	140	NO ₂	1
10	Ankleshwar	Moderate	144	PM _{2.5}	1
11	Arrah	Poor	269	PM ₁₀	1
12	Asansol	Moderate	184	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok, Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia, Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Poor	292	PM ₁₀	1
14	Aurangabad	Moderate	106	PM ₁₀	1
15	Baddi	Moderate	168	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Baghpat	Poor	217	PM _{2.5}	1
18	Bahadurgarh	Poor	225	PM ₁₀	1
19	Ballabgarh	Moderate	116	PM ₁₀	1
20	Bengaluru	Satisfactory	71	PM ₁₀ , CO, PM _{2.5}	8
21	Bettiah	Moderate	151	PM _{2.5}	1
22	Bhagalpur	Poor	283	PM ₁₀	1
23	Bhiwadi	Very Poor	307	PM _{2.5}	1
24	Bhiwani	Poor	263	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok, Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia, Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	121	PM ₁₀	1
26	Bihar Sharif	Very Poor	309	PM ₁₀	1
27	Bilaspur	Satisfactory	59	СО	1
28	Bulandshahr	Poor	273	PM ₁₀	1
29	Buxar	Very Poor	383	PM ₁₀	1
30	Chamarajanagar	Good	42	PM ₁₀	1
31	Chandigarh	Moderate	143	O ₃ , PM ₁₀	3
32	Chandrapur	Satisfactory	82	O ₃	2
33	Charkhi Dadri	Poor	278	PM _{2.5}	1
34	Chennai	Good	43	CO, O ₃ , PM ₁₀	8
35	Chhapra	Poor	262	PM ₁₀	1
36	Chikkaballapur	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok, Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia, Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	48	PM ₁₀	1
38	Damoh	Satisfactory	66	PM ₁₀	1
39	Darbhanga	Poor	270	PM ₁₀	1
40	Davanagere	Satisfactory	67	PM ₁₀	1
41	Dehradun	Moderate	119	PM ₁₀	1
42	Delhi	Poor	261	PM ₁₀	37
43	Dewas	Satisfactory	85	PM _{2.5}	1
44	Durgapur	Very Poor	319	PM ₁₀	1
45	Eloor	Satisfactory	65	PM ₁₀	1
46	Ernakulam	Good	43	PM ₁₀	1
47	Faridabad	Poor	224	PM ₁₀	1
48	Fatehabad	Poor	230	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok, Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia, Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	148	PM _{2.5}	1
50	Gadag	Good	45	PM _{2.5}	1
51	Gandhinagar	Moderate	128	PM _{2.5} , PM ₁₀	3
52	Gaya	Moderate	147	PM ₁₀ , PM _{2.5}	3
53	Ghaziabad	Poor	249	PM ₁₀	3
54	Gorakhpur	Moderate	114	PM ₁₀	1
55	Greater Noida	Poor	260	PM ₁₀	1
56	Gummidipoondi	Good	19	PM ₁₀	1
57	Gurugram	Poor	272	PM ₁₀	3
58	Guwahati	Moderate	117	PM ₁₀	2
59	Gwalior	Moderate	145	PM ₁₀	1
60	Hajipur	Poor	293	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda,
 Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok,
 Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia,
 Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	50	PM ₁₀	1
62	Hapur	Very Poor	304	PM ₁₀	1
63	Hassan	Satisfactory	72	PM ₁₀	1
64	Haveri	Satisfactory	93	СО	1
65	Hisar	Poor	201	PM ₁₀	1
66	Howrah	Moderate	119	O ₃ , PM _{2.5}	3
67	Hubballi	Satisfactory	75	PM ₁₀	1
68	Hyderabad	Satisfactory	93	PM ₁₀	5
69	Imphal	Satisfactory	78	PM ₁₀ , SO ₂	2
70	Indore	Moderate	123	PM ₁₀	1
71	Jabalpur	Moderate	174	PM ₁₀	1
72	Jaipur	Moderate	160	PM _{2.5} , NO ₂ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok, Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia, Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	103	PM ₁₀	1
74	Jhansi	Moderate	152	PM ₁₀	1
75	Jind	Moderate	191	PM ₁₀	1
76	Jodhpur	Moderate	164	PM _{2.5}	1
77	Kaithal	Poor	215	PM ₁₀	1
78	Kalaburgi	Satisfactory	94	PM ₁₀	1
79	Kannur	Satisfactory	53	PM _{2.5}	1
80	Kanpur	Moderate	122	PM ₁₀	3
81	Karnal	Moderate	136	PM ₁₀	1
82	Katihar	Poor	280	PM ₁₀	1
83	Katni	Poor	260	PM ₁₀	1
84	Khanna	Moderate	150	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda,
 Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok,
 Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia,
 Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Very Poor	306	O ₃	1
86	Kochi	Satisfactory	97	PM _{2.5}	1
87	Kohima	Moderate	123	PM ₁₀	1
88	Kolar	Satisfactory	61	PM ₁₀	1
89	Kolkata	Moderate	122	O ₃ , PM ₁₀	7
90	Kollam	Satisfactory	92	PM ₁₀	1
91	Koppal	Satisfactory	54	PM ₁₀	1
92	Kota	Moderate	106	PM _{2.5}	1
93	Kozhikode	Satisfactory	58	PM ₁₀	1
94	Kurukshetra	Poor	210	PM _{2.5}	1
95	Lucknow	Poor	203	PM _{2.5} , PM ₁₀	6
96	Ludhiana	Moderate	114	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok, Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia, Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Good	48	03	1
98	Mandi Gobindgarh	Poor	239	PM _{2.5}	1
99	Mandideep	Satisfactory	75	PM ₁₀	1
100	Mandikhera	Moderate	101	PM ₁₀	1
101	Manglore	Satisfactory	55	со	1
102	Meerut	Poor	216	PM ₁₀	2
103	Moradabad	Moderate	139	O ₃ , PM ₁₀	4
104	Motihari	Poor	267	PM _{2.5}	1
105	Mumbai	Moderate	104	PM ₁₀ , PM _{2.5}	13
106	Munger	Very Poor	356	PM ₁₀	1
107	Muzaffarnagar	Poor	234	PM ₁₀	1
108	Muzaffarpur	Very Poor	327	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda,
 Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok,
 Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia,
 Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Good	43	PM ₁₀	1
110	Nagpur	Moderate	107	O ₃	1
111	Nandesari	Good	47	PM _{2.5}	1
112	Narnaul	Moderate	170	PM _{2.5}	1
113	Navi Mumbai	Satisfactory	59	PM ₁₀	1
114	Noida	Poor	283	PM ₁₀	3
115	Pali	Moderate	103	PM ₁₀	1
116	Palwal	Moderate	163	PM ₁₀	1
117	Panchkula	Moderate	182	PM _{2.5}	1
118	Panipat	Moderate	200	PM ₁₀	1
119	Patiala	Moderate	130	PM ₁₀	1
120	Patna	Very Poor	363	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok, Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia, Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	110	PM ₁₀	1
122	Prayagraj	Moderate	123	PM ₁₀	3
123	Puducherry	Good	27	O ₃	1
124	Pune	Moderate	108	PM _{2.5} , PM ₁₀	4
125	Raichur	Satisfactory	99	PM ₁₀	1
126	Rajamahendravaram	Good	27	PM ₁₀	1
127	Rajgir	Moderate	192	PM ₁₀	1
128	Ramanagara	Good	43	PM ₁₀	1
129	Ratlam	Satisfactory	75	PM ₁₀	1
130	Rohtak	Poor	222	PM _{2.5}	1
131	Rupnagar	Satisfactory	95	PM ₁₀	1
132	Sagar	Satisfactory	80	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok, Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia, Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Poor	267	PM ₁₀	1
134	Samastipur	Poor	287	PM _{2.5}	1
135	Sasaram	Moderate	171	PM ₁₀	1
136	Satna	Satisfactory	82	PM ₁₀	1
137	Shillong	Satisfactory	85	O ₃ , PM ₁₀	2
138	Singrauli	Very Poor	344	PM ₁₀	1
139	Sirsa	Moderate	192	PM ₁₀	1
140	Solapur	Satisfactory	68	со	1
141	Talcher	Moderate	105	со	1
142	Thane	Moderate	132	PM ₁₀	1
143	Thiruvananthapuram	Good	38	CO, PM _{2.5}	2
144	Thoothukudi	Good	24	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bathinda,
 Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok,
 Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia,
 Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Satisfactory	59	со	1
146	Tirupati	Satisfactory	53	PM ₁₀	1
147	Udaipur	Satisfactory	92	PM ₁₀	1
148	Udupi	Good	48	со	1
149	Varanasi	Moderate	111	PM ₁₀	4
150	Vatva	Satisfactory	66	PM ₁₀	1
151	Vijayapura	Good	50	PM ₁₀	1
152	Visakhapatnam	Satisfactory	78	PM ₁₀	1
153	Vrindavan	Moderate	168	PM _{2.5}	1
154	Yadgir	Satisfactory	66	PM ₁₀	1
155	Yamunanagar	Moderate	185	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bathinda,
 Begusarai, Bhilai, Bidar, Brajrajnagar, Coimbatore, Dharuhera, Gangtok,
 Jorapokhar, Kalyan, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia,
 Shivamogga, Siliguri, Siwan, Sonipat, Srinagar, Ujjain, Vapi as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.