Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	231	$PM_{2.5}$	1
2	Agra	Good	45	NO_2, PM_{10}	6
3	Ahmedabad	Moderate	117	PM_{10}	7
4	Aizawl	Moderate	109	PM_{10}	1
5	Ajmer	Satisfactory	90	PM_{10}	1
6	Alwar	Moderate	101	$PM_{2.5}$	1
7	Amaravati	Moderate	108	PM_{10}	1
8	Ambala	Moderate	105	PM_{10}	1
9	Amritsar	Moderate	168	$PM_{2.5}$	1
10	Anantapur	Moderate	156	O_3	1
11	Ankleshwar	Moderate	130	$PM_{2.5}$	1
12	Araria	Moderate	195	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	58	$PM_{2.5}$	1
14	Arrah	Poor	243	$PM_{2.5}$	1
15	Asansol	Moderate	158	PM_{10}	1
16	Aurangabad (Bihar)	Poor	209	$PM_{2.5}$	1
17	Aurangabad (Maharashtra)	Moderate	101	PM_{10}	1
18	Bagalkot	Good	49	PM_{10}	1
19	Baghpat	Moderate	190	$PM_{2.5}$	1
20	Bahadurgarh	Moderate	107	$PM_{2.5}$	1
21	Ballabgarh	Moderate	108	CO	1
22	Bareilly	Satisfactory	88	PM_{10}	2
23	Baripada	Moderate	152	$PM_{2.5}$	1
24	Begusarai	Very Poor	309	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	133	PM_{10}	1
26	Bengaluru	Satisfactory	72	PM_{10}	8
27	Bettiah	Poor	244	$PM_{2.5}$	1
28	Bhagalpur	Very Poor	301	$PM_{2.5}$	2
29	Bhilai	Satisfactory	92	O_3	3
30	Bhiwadi	Moderate	182	PM_{10}	1
31	Bhiwani	Moderate	112	PM_{10}	1
32	Bhopal	Poor	231	PM_{10}	2
33	Bidar	Satisfactory	80	CO	1
34	Bileipada	Poor	295	$PM_{2.5}$	1
35	Brajrajnagar	Moderate	122	PM_{10}	1
36	Bulandshahr	Moderate	180	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Very Poor	351	$PM_{2.5}$	1
38	Chamarajanagar	Good	38	PM_{10}	1
39	Chandigarh	Poor	212	$PM_{2.5}$	3
40	Chandrapur	Moderate	147	O_3	2
41	Charkhi Dadri	Moderate	149	$PM_{2.5}$	1
42	Chengalpattu	Moderate	101	PM_{10}	1
43	Chennai	Moderate	113	$PM_{2.5}$, PM_{10}	8
44	Chhapra	Very Poor	302	$PM_{2.5}$	1
45	Chikkaballapur	Moderate	113	PM_{10}	1
46	Chikkamagaluru	Satisfactory	64	PM_{10}	1
47	Coimbatore	Moderate	119	$PM_{2.5}$	1
48	Damoh	Satisfactory	58	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Davanagere	Satisfactory	67	PM_{10}	1
50	Delhi	Poor	236	$PM_{2.5}$	37
51	Dewas	Moderate	133	$PM_{2.5}$	1
52	Dharuhera	Moderate	184	$PM_{2.5}$	1
53	Durgapur	Satisfactory	84	$PM_{2.5}$	1
54	Eloor	Satisfactory	92	PM_{10}	1
55	Faridabad	Poor	232	$PM_{2.5}$	4
56	Fatehabad	Moderate	199	$PM_{2.5}$	1
57	Firozabad	Satisfactory	100	PM_{10}, $PM_{2.5}$	2
58	Gadag	Good	45	O_3	1
59	Gandhinagar	Moderate	134	$PM_{2.5}$, SO_2	3
60	Gangtok	Satisfactory	95	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Moderate	190	$PM_{2.5}$	3
62	Ghaziabad	Moderate	174	$PM_{2.5}$	4
63	Gorakhpur	Moderate	110	PM_{10}	1
64	Greater Noida	Moderate	168	$PM_{2.5}$	2
65	Gummidipoondi	Moderate	170	$PM_{2.5}$	1
66	Gurugram	Moderate	192	$PM_{2.5}$	4
67	Guwahati	Poor	293	$PM_{2.5}$	4
68	Gwalior	Poor	246	$PM_{2.5}$	3
69	Hajipur	Poor	238	$PM_{2.5}$	1
70	Hapur	Satisfactory	72	O_3	1
71	Hassan	Satisfactory	69	PM_{10}	1
72	Haveri	Satisfactory	82	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Moderate	112	PM_{10}	1
74	Howrah	Moderate	188	$PM_{2.5}$	3
75	Hubballi	Satisfactory	86	PM_{10}	2
76	Hyderabad	Moderate	114	$PM_{2.5}$, PM_{10}	13
77	Imphal	Moderate	160	$PM_{2.5}$, SO_2	2
78	Indore	Moderate	116	PM_{10}	1
79	Jabalpur	Poor	208	$PM_{2.5}$	1
80	Jaipur	Moderate	148	$PM_{2.5}$, NO_2	3
81	Jalandhar	Satisfactory	75	$PM_{2.5}$	1
82	Jhansi	Moderate	112	PM_{10}	1
83	Jind	Moderate	108	$PM_{2.5}$	1
84	Jodhpur	Moderate	129	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jorapokhar	Moderate	131	PM_{10}	1
86	Kadapa	Moderate	188	$PM_{2.5}$	1
87	Kaithal	Moderate	107	$PM_{2.5}$	1
88	Kalaburgi	Satisfactory	70	$PM_{2.5}$	1
89	Kalyan	Poor	220	PM_{10}	1
90	Kanchipuram	Satisfactory	67	PM_{10}	1
91	Kannur	Satisfactory	94	$PM_{2.5}$	1
92	Kanpur	Satisfactory	88	PM_{10}	3
93	Karnal	Satisfactory	82	$PM_{2.5}$	1
94	Katihar	Poor	229	PM_{10}	1
95	Keonjhar	Poor	281	$PM_{2.5}$	1
96	Khanna	Satisfactory	87	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khurja	Moderate	122	$PM_{2.5}$	1
98	Kishanganj	Poor	223	$PM_{2.5}$	1
99	Kochi	Poor	202	$PM_{2.5}$	1
100	Kohima	Moderate	157	$PM_{2.5}$	1
101	Kolar	Moderate	164	SO_2	1
102	Kolkata	Moderate	147	$PM_{2.5}$	7
103	Kollam	Moderate	124	PM_{10}	1
104	Koppal	Satisfactory	67	O_3	1
105	Korba	Satisfactory	86	PM_{10}, $PM_{2.5}$	2
106	Kota	Moderate	178	$PM_{2.5}$	1
107	Kozhikode	Satisfactory	75	$PM_{2.5}$	1
108	Kurukshetra	Moderate	117	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Lucknow	Moderate	118	$PM_{2.5}$	6
110	Ludhiana	Moderate	196	$PM_{2.5}$	1
111	Madikeri	Good	39	$PM_{2.5}$	1
112	Maihar	Satisfactory	57	PM_{10}	1
113	Mandideep	Moderate	133	NO_2	1
114	Mandikhera	Satisfactory	67	PM_{10}	1
115	Manesar	Moderate	177	$PM_{2.5}$	1
116	Mangalore	Moderate	130	PM_{10}	1
117	Manguraha	Moderate	144	$PM_{2.5}$	1
118	Meerut	Poor	231	$PM_{2.5}$	3
119	Moradabad	Satisfactory	76	$PM_{2.5}$	6
120	Motihari	Moderate	145	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Poor	244	$PM_{2.5}$, PM_{10}	20
122	Munger	Poor	240	$PM_{2.5}$	1
123	Muzaffarnagar	Poor	282	$PM_{2.5}$	1
124	Muzaffarpur	Poor	225	$PM_{2.5}$	3
125	Mysuru	Good	48	PM_{10}	1
126	Nagpur	Poor	221	$PM_{2.5}$	1
127	Naharlagun	Satisfactory	56	PM_{10}	1
128	Nalbari	Poor	258	$PM_{2.5}$	1
129	Nandesari	Satisfactory	57	$PM_{2.5}$	1
130	Narnaul	Moderate	170	$PM_{2.5}$	1
131	Nashik	Satisfactory	74	PM_{10}	1
132	Navi Mumbai	Very Poor	309	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nayagarh	Poor	262	$PM_{2.5}$	1
134	Noida	Moderate	169	$PM_{2.5}$	4
135	Ooty	Satisfactory	75	PM_{10}	1
136	Pali	Satisfactory	82	$PM_{2.5}$	1
137	Palwal	Satisfactory	64	PM_{10}	1
138	Panchkula	Poor	205	$PM_{2.5}$	1
139	Panipat	Moderate	109	PM_{10}	1
140	Patiala	Satisfactory	98	PM_{10}	1
141	Patna	Poor	213	$PM_{2.5}$	6
142	Pithampur	Poor	202	$PM_{2.5}$	1
143	Prayagraj	Satisfactory	80	PM_{10}	3
144	Puducherry	Satisfactory	62	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pune	Poor	206	$PM_{2.5}$, PM_{10}	4
146	Purnia	Poor	274	$PM_{2.5}$	1
147	Raichur	Moderate	109	PM_{10}	1
148	Raipur	Moderate	103	PM_{10}	4
149	Rajamahendravaram	Moderate	144	$PM_{2.5}$	1
150	Rajgir	Poor	296	$PM_{2.5}$	1
151	Ramanagara	Satisfactory	77	PM_{10}	1
152	Ramanathapuram	Good	41	$PM_{2.5}$	1
153	Ratlam	Moderate	109	$PM_{2.5}$	1
154	Rohtak	Moderate	111	$PM_{2.5}$	1
155	Rourkela	Moderate	184	$PM_{2.5}$	3
156	Rupnagar	Moderate	131	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sagar	Poor	215	$PM_{2.5}$	2
158	Saharsa	Poor	274	$PM_{2.5}$	1
159	Samastipur	Poor	207	$PM_{2.5}$	1
160	Sasaram	Poor	215	$PM_{2.5}$	1
161	Satna	Satisfactory	68	O_3	1
162	Shillong	Moderate	141	$PM_{2.5}$	1
163	Shivamogga	Satisfactory	54	O_3	1
164	Siliguri	Moderate	120	PM_{10}	1
165	Sirsa	Moderate	118	O_3	1
166	Siwan	Very Poor	319	$PM_{2.5}$	1
167	Solapur	Moderate	119	PM_{10}	1
168	Srinagar	Good	24	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Suakati	Poor	294	$PM_{2.5}$	1
170	Surat	Moderate	115	PM_{10}	1
171	Talcher	Satisfactory	70	SO_2	1
172	Tensa	Poor	224	$PM_{2.5}$	1
173	Thiruvananthapuram	Satisfactory	85	$PM_{2.5}$	2
174	Thoothukudi	Good	39	PM_{10}	1
175	Thrissur	Moderate	128	PM_{10}	1
176	Tirupati	Moderate	113	$PM_{2.5}$	1
177	Tirupur	Satisfactory	75	$PM_{2.5}$	1
178	Udaipur	Moderate	129	PM_{10}	1
179	Ujjain	Poor	210	NO_2	1
180	Vapi	Poor	279	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Varanasi	Satisfactory	51	PM_{10}, O_3	4
182	Vatva	Moderate	102	$PM_{2.5}$	1
183	Vijayapura	Good	46	PM_{10}	1
184	Visakhapatnam	Poor	294	PM_{10}	1
185	Vrindavan	Poor	249	PM_{10}	1
186	Yadgir	Satisfactory	76	PM_{10}	1
187	Yamunanagar	Moderate	157	$PM_{2.5}$	1
188	vellore	Satisfactory	89	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baddi, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Haldia, Hosur, Katni, Kunjemura, Mandi Gobindgarh, Milupara, Rairangpur, Salem, Silchar, Singrauli, Sivasagar, Sonipat, Thane, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.