

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	206	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	64	PM ₁₀	6
3	Ahmedabad	Moderate	155	PM _{2.5} , NO ₂	7
4	Ajmer	Satisfactory	95	PM ₁₀	1
5	Alwar	Satisfactory	93	PM ₁₀	1
6	Amaravati	Satisfactory	74	PM ₁₀	1
7	Ambala	Moderate	115	PM ₁₀	1
8	Amritsar	Satisfactory	99	PM _{2.5}	1
9	Anantapur	Satisfactory	63	PM ₁₀	1
10	Ankleshwar	Poor	212	PM _{2.5}	1
11	Araria	Poor	279	PM _{2.5}	1
12	Ariyalur	Satisfactory	71	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	255	PM _{2.5}	1
14	Asansol	Moderate	156	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	190	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	166	PM _{2.5}	1
17	Baddi	Moderate	122	PM ₁₀	1
18	Bagalkot	Good	49	PM ₁₀	1
19	Baghpat	Poor	202	PM _{2.5}	1
20	Bahadurgarh	Moderate	180	PM _{2.5}	1
21	Ballabgarh	Moderate	153	PM _{2.5}	1
22	Bareilly	Moderate	108	PM ₁₀	2
23	Baripada	Moderate	150	O ₃	1
24	Bathinda	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk,

Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Very Poor	357	PM _{2.5}	1
26	Belgaum	Moderate	163	PM ₁₀	1
27	Bengaluru	Satisfactory	90	PM ₁₀	10
28	Bettiah	Very Poor	321	PM _{2.5}	1
29	Bhagalpur	Poor	262	PM _{2.5}	2
30	Bharatpur	Poor	218	PM _{2.5}	1
31	Bhilai	Moderate	141	03	2
32	Bhiwadi	Poor	275	PM ₁₀	1
33	Bhiwani	Moderate	107	PM ₁₀	1
34	Bhopal	Moderate	121	PM ₁₀ , O ₃	3
35	Bihar Sharif	Moderate	135	PM ₁₀	1
36	Bilaspur	Satisfactory	87	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	173	PM ₁₀	1
38	Brajrajnagar	Moderate	109	PM ₁₀	1
39	Bulandshahr	Moderate	126	PM ₁₀	1
40	Chamarajanagar	Good	50	со	1
41	Chandigarh	Moderate	148	PM _{2.5}	3
42	Chandrapur	Moderate	164	PM _{2.5}	1
43	Charkhi Dadri	Moderate	179	PM _{2.5}	1
44	Chengalpattu	Satisfactory	92	PM ₁₀	1
45	Chennai	Satisfactory	84	PM _{2.5} , CO	8
46	Chhapra	Very Poor	309	PM ₁₀	1
47	Chikkaballapur	Satisfactory	68	PM ₁₀	1
48	Chikkamagaluru	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	66	03	1
50	Damoh	Good	37	PM ₁₀	1
51	Dehradun	Satisfactory	100	PM ₁₀	1
52	Delhi	Poor	218	PM _{2.5}	37
53	Dewas	Satisfactory	96	PM ₁₀	1
54	Dhanbad	Poor	236	PM _{2.5}	1
55	Dharuhera	Poor	272	PM _{2.5}	1
56	Durgapur	Moderate	188	PM _{2.5}	1
57	Eloor	Satisfactory	64	PM ₁₀	1
58	Faridabad	Poor	262	PM _{2.5}	3
59	Fatehabad	Moderate	154	PM ₁₀	1
60	Firozabad	Satisfactory	99	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gadag	Satisfactory	79	O ₃	1
62	Gandhinagar	Moderate	145	PM _{2.5} , PM ₁₀	3
63	Gangtok	Satisfactory	58	PM ₁₀	1
64	Gaya	Moderate	187	PM ₁₀ , PM _{2.5}	3
65	Ghaziabad	Moderate	179	PM ₁₀	4
66	Gorakhpur	Moderate	118	PM ₁₀	1
67	Greater Noida	Poor	238	PM ₁₀	2
68	Gurugram	Poor	219	PM _{2.5}	4
69	Guwahati	Moderate	170	PM _{2.5} , PM ₁₀	4
70	Gwalior	Moderate	181	PM ₁₀ , PM _{2.5}	3
71	Hajipur	Poor	211	PM _{2.5}	1
72	Haldia	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hapur	Satisfactory	100	PM _{2.5}	1
74	Hassan	Satisfactory	70	PM ₁₀	1
75	Haveri	Satisfactory	96	PM _{2.5}	1
76	Hisar	Poor	207	PM _{2.5}	1
77	Howrah	Moderate	127	PM _{2.5} , PM ₁₀	3
78	Hubballi	Moderate	126	PM ₁₀	2
79	Hyderabad	Satisfactory	92	PM ₁₀	14
80	Imphal	Satisfactory	86	SO ₂	2
81	Indore	Satisfactory	73	NO ₂	1
82	Jabalpur	Moderate	134	PM ₁₀	1
83	Jaipur	Moderate	123	PM _{2.5}	3
84	Jalandhar	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhansi	Moderate	120	PM ₁₀	1
86	Jind	Satisfactory	73	PM _{2.5}	1
87	Jodhpur	Moderate	147	O ₃ , PM _{2.5}	2
88	Jorapokhar	Poor	209	PM ₁₀	1
89	Kadapa	Satisfactory	78	PM _{2.5}	1
90	Kaithal	Moderate	102	PM ₁₀	1
91	Kalaburgi	Moderate	110	PM ₁₀	1
92	Kalyan	Poor	219	PM _{2.5}	1
93	Kannur	Satisfactory	81	PM ₁₀	1
94	Kanpur	Moderate	146	PM ₁₀ , PM _{2.5}	3
95	Karnal	Satisfactory	82	PM ₁₀	1
96	Kashipur	Moderate	114	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Katihar	Poor	255	PM ₁₀	1
98	Katni	Moderate	106	PM ₁₀	1
99	Keonjhar	Moderate	171	PM _{2.5}	1
100	Khanna	Satisfactory	67	PM ₁₀	1
101	Khurja	Moderate	124	PM _{2.5}	1
102	Kishanganj	Poor	227	PM ₁₀	1
103	Kochi	Moderate	147	PM _{2.5}	1
104	Kohima	Moderate	164	PM _{2.5}	1
105	Kolar	Moderate	164	SO ₂	1
106	Kolkata	Moderate	119	O ₃ , PM _{2.5}	7
107	Kollam	Satisfactory	81	PM ₁₀	1
108	Koppal	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake

website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

of simplicity this method is being followed. For AQI of monitoring locations,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Moderate	124	PM ₁₀	1
110	Kota	Moderate	183	PM _{2.5}	3
111	Kozhikode	Moderate	107	NH ₃	1
112	Kurukshetra	Moderate	114	PM _{2.5}	1
113	Lucknow	Moderate	185	PM _{2.5} , PM ₁₀	6
114	Ludhiana	Moderate	118	PM ₁₀	1
115	Madikeri	Good	41	O ₃	1
116	Maihar	Good	45	PM ₁₀	1
117	Mandi Gobindgarh	Moderate	146	PM _{2.5}	1
118	Mandideep	Moderate	156	PM ₁₀	1
119	Mandikhera	Moderate	111	PM ₁₀	1
120	Manesar	Moderate	167	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk,

Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mangalore	Moderate	127	PM ₁₀	1
122	Manguraha	Poor	220	O ₃	1
123	Meerut	Poor	236	PM ₁₀ , PM _{2.5}	3
124	Moradabad	Satisfactory	94	PM _{2.5} , PM ₁₀	6
125	Mumbai	Moderate	188	PM _{2.5} , PM ₁₀	18
126	Munger	Poor	233	PM ₁₀	1
127	Muzaffarnagar	Moderate	141	PM _{2.5}	1
128	Muzaffarpur	Poor	297	PM _{2.5}	3
129	Mysuru	Good	46	PM ₁₀	1
130	Nagaon	Poor	202	PM _{2.5}	1
131	Nagpur	Moderate	198	PM _{2.5}	1
132	Naharlagun	Good	44	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is I

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner,
Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad,
Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura
Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk,
Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available #Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nalbari	Moderate	156	PM ₁₀	1
134	Nandesari	Satisfactory	99	PM _{2.5}	1
135	Narnaul	Moderate	151	PM ₁₀	1
136	Nashik	Satisfactory	88	PM ₁₀	1
137	Navi Mumbai	Poor	276	PM _{2.5} , PM ₁₀	3
138	Nayagarh	Poor	232	PM ₁₀	1
139	Noida	Poor	201	PM ₁₀ , PM _{2.5}	4
140	Ooty	Satisfactory	54	PM ₁₀	1
141	Pali	Satisfactory	97	PM ₁₀	1
142	Palwal	Satisfactory	85	PM ₁₀	1
143	Panchkula	Moderate	120	PM _{2.5}	1
144	Panipat	Moderate	131	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patiala	Moderate	107	PM ₁₀	1
146	Patna	Poor	293	PM ₁₀ , PM _{2.5}	6
147	Pithampur	Moderate	105	PM ₁₀	1
148	Prayagraj	Moderate	119	PM ₁₀	3
149	Puducherry	Satisfactory	57	PM ₁₀	1
150	Pune	Moderate	144	PM _{2.5}	2
151	Purnia	Moderate	199	PM _{2.5}	1
152	Raichur	Moderate	123	PM ₁₀	1
153	Raipur	Moderate	126	PM _{2.5} , PM ₁₀	4
154	Rairangpur	Moderate	180	PM _{2.5}	1
155	Rajamahendravaram	Moderate	118	PM _{2.5}	1
156	Rajgir	Moderate	182	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk,
 - Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanagara	Satisfactory	85	PM ₁₀	1
158	Ramanathapuram	Good	42	PM ₁₀	1
159	Ratlam	Satisfactory	96	PM _{2.5}	1
160	Rishikesh	Satisfactory	67	PM ₁₀	1
161	Rohtak	Satisfactory	77	PM _{2.5}	1
162	Rourkela	Moderate	160	PM ₁₀	3
163	Rupnagar	Moderate	138	PM ₁₀	1
164	Sagar	Satisfactory	95	O ₃	2
165	Saharsa	Poor	284	PM _{2.5}	1
166	Samastipur	Very Poor	317	PM ₁₀	1
167	Sasaram	Moderate	117	PM ₁₀	1
168	Satna	Satisfactory	77	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shivamogga	Satisfactory	55	O ₃	1
170	Siliguri	Moderate	112	PM ₁₀	1
171	Singrauli	Moderate	193	PM _{2.5}	1
172	Sirsa	Satisfactory	98	PM ₁₀	1
173	Sivasagar	Good	38	PM _{2.5}	1
174	Siwan	Very Poor	311	PM _{2.5}	1
175	Solapur	Moderate	118	PM ₁₀	1
176	Sonipat	Moderate	149	PM ₁₀	1
177	Srinagar	Satisfactory	54	PM ₁₀	1
178	Suakati	Moderate	150	PM _{2.5}	1
179	Surat	Moderate	161	PM _{2.5}	1
180	Talcher	Moderate	129	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tensa	Moderate	106	PM ₁₀	1
182	Thiruvananthapuram	Satisfactory	66	PM ₁₀ , PM _{2.5}	2
183	Thoothukudi	Good	41	PM ₁₀	1
184	Thrissur	Moderate	151	PM _{2.5}	1
185	Tirupati	Satisfactory	88	PM ₁₀ , NO ₂	2
186	Tirupur	Satisfactory	99	PM ₁₀	1
187	Udaipur	Moderate	116	PM ₁₀	1
188	Udupi	Moderate	106	СО	1
189	Ujjain	Moderate	117	PM ₁₀	1
190	Varanasi	Satisfactory	82	PM ₁₀	4
191	Vatva	Moderate	153	PM _{2.5}	1
192	Vijayapura	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk, Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Visakhapatnam	Moderate	154	PM ₁₀	1
194	Vrindavan	Moderate	125	PM ₁₀	1
195	Yadgir	Moderate	116	PM ₁₀	1
196	Yamunanagar	Moderate	146	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bikaner,
Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad,
Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hosur, Kanchipuram, Kunjemura
Milupara, Motihari, Salem, Shillong, Silchar, Sirohi, Thane, Tonk,
Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available.

Tumakuru, Tumidih, Vapi, Vijayawada, vellore as data was not available. #Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.