

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------|--------------|-------------|---------------------|--|
| 1 | Agra | Moderate | 102 | PM ₁₀ | 6 |
| 2 | Ahmedabad | Satisfactory | 73 | PM ₁₀ | 6 |
| 3 | Aizawl | Good | 18 | со | 1 |
| 4 | Ajmer | Satisfactory | 75 | PM ₁₀ | 1 |
| 5 | Alwar | Satisfactory | 79 | PM ₁₀ | 1 |
| 6 | Amaravati | Good | 37 | 03 | 1 |
| 7 | Ambala | Satisfactory | 59 | PM ₁₀ | 1 |
| 8 | Amravati | Satisfactory | 70 | PM ₁₀ | 2 |
| 9 | Amritsar | Moderate | 103 | PM ₁₀ | 1 |
| 10 | Anantapur | Good | 38 | PM ₁₀ | 1 |
| 11 | Ankleshwar | Moderate | 126 | O ₃ | 1 |
| 12 | Araria | Satisfactory | 66 | PM ₁₀ | 1 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

-Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuhe Dharwad, Eloor, Ernakulam, Fatehabad, Hanumangarh, Imphal, Jind,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-----------------------------|--------------|-------------|---------------------|--|
| 13 | Ariyalur | Good | 34 | NO ₂ | 1 |
| 14 | Arrah | Moderate | 132 | PM ₁₀ | 1 |
| 15 | Asansol | Moderate | 104 | PM ₁₀ | 1 |
| 16 | Aurangabad (Bihar) | Moderate | 166 | PM ₁₀ | 1 |
| 17 | Aurangabad (Maharashtra) | Good | 42 | со | 1 |
| 18 | Baddi | Moderate | 169 | O ₃ | 1 |
| 19 | Bagalkot | Good | 46 | PM ₁₀ | 1 |
| 20 | Baghpat | Moderate | 176 | PM ₁₀ | 1 |
| 21 | Bahadurgarh | Moderate | 106 | PM ₁₀ | 1 |
| 22 | Banswara | Satisfactory | 65 | O ₃ | 1 |
| 23 | Bareilly | Satisfactory | 84 | PM ₁₀ | 2 |
| 24 | Baripada | Satisfactory | 80 | O ₃ | 1 |

Possible Health Impacts Notes:

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

- Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuho Dharwad, Eloor, Ernakulam, Fatehabad, Hanumangarh, Imphal, Jind,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-----------|--------------|-------------|-----------------------------------|--|
| 25 | Barmer | Satisfactory | 82 | PM ₁₀ | 1 |
| 26 | Bathinda | Moderate | 174 | PM ₁₀ | 1 |
| 27 | Begusarai | Moderate | 116 | PM ₁₀ | 1 |
| 28 | Belgaum | Good | 47 | со | 1 |
| 29 | Bengaluru | Good | 43 | CO, PM ₁₀ | 12 |
| 30 | Bhagalpur | Moderate | 106 | PM ₁₀ | 2 |
| 31 | Bharatpur | Moderate | 144 | PM ₁₀ | 1 |
| 32 | Bhilai | Good | 42 | PM ₁₀ | 3 |
| 33 | Bhilwara | Satisfactory | 51 | PM ₁₀ | 1 |
| 34 | Bhiwadi | Moderate | 125 | PM _{2.5} | 1 |
| 35 | Bhiwani | Moderate | 104 | PM ₁₀ | 1 |
| 36 | Bhopal | Satisfactory | 60 | O ₃ , PM ₁₀ | 3 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuher Dharwad, Eloor, Ernakulam, Fatehabad, Hanumangarh, Imphal, Jind, Jorapokhar, Kashipur, Katni, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Naharlagun, Nalbari, Nandesari, Palkalaiperur,

Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Sasaram, Sawai Madhopur, Sonipat, Srinagar, Surat, Talcher, Tensa, Thane, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|-----------------------------------|--|
| 37 | Bihar Sharif | Moderate | 107 | PM ₁₀ | 1 |
| 38 | Bilaspur | Satisfactory | 97 | со | 1 |
| 39 | Bulandshahr | Moderate | 109 | PM ₁₀ | 1 |
| 40 | Bundi | Satisfactory | 79 | 03 | 1 |
| 41 | Chamarajanagar | Good | 44 | PM ₁₀ | 1 |
| 42 | Chandigarh | Moderate | 112 | O ₃ , PM ₁₀ | 3 |
| 43 | Chandrapur | Moderate | 106 | PM ₁₀ | 1 |
| 44 | Charkhi Dadri | Moderate | 106 | PM _{2.5} | 1 |
| 45 | Chennai | Satisfactory | 67 | NO ₂ , O ₃ | 7 |
| 46 | Chhal | Satisfactory | 65 | PM ₁₀ | 1 |
| 47 | Chhapra | Moderate | 178 | PM ₁₀ | 1 |
| 48 | Chikkaballapur | Good | 22 | PM ₁₀ | 1 |

Notes:

Possible Health Impacts

| Good |
|-------------------------|
| Satisfactory |
| Moderate |
| Poor |
| Very Poor |
| Severe |
| Moderate Poor Very Poor |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuhe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|--------------------------------------|--|
| 49 | Chittoor | Satisfactory | 53 | O ₃ | 1 |
| 50 | Chittorgarh | Satisfactory | 57 | O ₃ | 1 |
| 51 | Churu | Poor | 247 | PM ₁₀ | 1 |
| 52 | Cuddalore | Good | 20 | PM _{2.5} | 1 |
| 53 | Damoh | Good | 21 | PM ₁₀ | 1 |
| 54 | Dausa | Moderate | 140 | PM ₁₀ | 1 |
| 55 | Davanagere | Good | 18 | O ₃ | 1 |
| 56 | Dehradun | Satisfactory | 91 | PM ₁₀ | 1 |
| 57 | Delhi | Moderate | 130 | PM _{2.5} , PM ₁₀ | 37 |
| 58 | Dewas | Satisfactory | 75 | PM ₁₀ | 1 |
| 59 | Dhanbad | Moderate | 153 | СО | 1 |
| 60 | Dholpur | Moderate | 130 | PM ₁₀ | 1 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuhe Dharwad, Eloor, Ernakulam, Fatehabad, Hanumangarh, Imphal, Jind,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|--------------------------------------|--|
| 61 | Dindigul | Good | 37 | O ₃ | 1 |
| 62 | Durgapur | Satisfactory | 88 | PM ₁₀ | 1 |
| 63 | Faridabad | Moderate | 102 | PM _{2.5} | 4 |
| 64 | Firozabad | Moderate | 123 | PM ₁₀ | 2 |
| 65 | Gadag | Satisfactory | 89 | PM ₁₀ | 1 |
| 66 | Gandhinagar | Satisfactory | 68 | PM ₁₀ , PM _{2.5} | 3 |
| 67 | Gangtok | Good | 46 | SO ₂ | 1 |
| 68 | Gaya | Moderate | 112 | PM _{2.5} | 3 |
| 69 | Ghaziabad | Moderate | 140 | PM ₁₀ | 4 |
| 70 | Gorakhpur | Satisfactory | 92 | PM ₁₀ | 1 |
| 71 | Greater Noida | Moderate | 164 | PM ₁₀ | 2 |
| 72 | Gummidipoondi | Satisfactory | 82 | PM _{2.5} | 1 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuha

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------|--------------|-------------|--------------------------------------|--|
| 73 | Gurugram | Moderate | 158 | PM _{2.5} | 4 |
| 74 | Guwahati | Good | 32 | SO ₂ , O ₃ | 3 |
| 75 | Gwalior | Satisfactory | 86 | PM ₁₀ , PM _{2.5} | 4 |
| 76 | Hajipur | Moderate | 102 | PM ₁₀ | 1 |
| 77 | Haldia | Good | 49 | PM ₁₀ | 1 |
| 78 | Hapur | Satisfactory | 85 | O ₃ | 1 |
| 79 | Hassan | Good | 40 | PM ₁₀ | 1 |
| 80 | Haveri | Good | 36 | СО | 1 |
| 81 | Hisar | Satisfactory | 71 | O ₃ | 1 |
| 82 | Hosur | Good | 29 | PM ₁₀ | 1 |
| 83 | Howrah | Satisfactory | 55 | PM ₁₀ | 3 |
| 84 | Hubballi | Good | 46 | СО | 2 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

-Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuhe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-----------|--------------|-------------|------------------------------------|--|
| 85 | Hyderabad | Satisfactory | 57 | PM ₁₀ , NO ₂ | 13 |
| 86 | Indore | Good | 49 | O ₃ | 2 |
| 87 | Jabalpur | Moderate | 106 | PM ₁₀ | 1 |
| 88 | Jaipur | Moderate | 110 | PM ₁₀ | 5 |
| 89 | Jaisalmer | Satisfactory | 80 | со | 1 |
| 90 | Jalandhar | Satisfactory | 76 | PM ₁₀ | 1 |
| 91 | Jhalawar | Good | 46 | O ₃ | 1 |
| 92 | Jhansi | Satisfactory | 55 | SO ₂ | 1 |
| 93 | Jhunjhunu | Moderate | 173 | PM ₁₀ | 1 |
| 94 | Jodhpur | Satisfactory | 99 | PM _{2.5} | 5 |
| 95 | Kadapa | Good | 34 | O ₃ | 1 |
| 96 | Kaithal | Satisfactory | 79 | PM ₁₀ | 1 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuho Dharwad, Eloor, Ernakulam, Fatehabad, Hanumangarh, Imphal, Jind, Jorapokhar, Kashipur, Katni, Khurja, Kishanganj, Kolar, Kollam, Koppal,

Kozhikode, Kunjemura, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Sasaram, Sawai Madhopur, Sonipat, Srinagar, Surat, Talcher, Tensa, Thane, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 97 | Kalaburgi | Good | 41 | co | 1 |
| 98 | Kalyan | Satisfactory | 58 | PM ₁₀ | 1 |
| 99 | Kanchipuram | Good | 19 | PM ₁₀ | 1 |
| 100 | Kannur | Satisfactory | 78 | PM ₁₀ | 1 |
| 101 | Kanpur | Moderate | 134 | PM ₁₀ | 3 |
| 102 | Karauli | Satisfactory | 87 | O ₃ | 1 |
| 103 | Karnal | Satisfactory | 64 | PM ₁₀ | 1 |
| 104 | Katihar | Poor | 300 | O ₃ | 1 |
| 105 | Keonjhar | Satisfactory | 85 | PM ₁₀ | 1 |
| 106 | Khanna | Satisfactory | 67 | PM ₁₀ | 1 |
| 107 | Kochi | Satisfactory | 68 | СО | 1 |
| 108 | Kohima | Good | 40 | SO ₂ | 1 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

-Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuhe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|-----------------------------------|--|
| 109 | Kolhapur | Good | 39 | PM ₁₀ | 1 |
| 110 | Kolkata | Satisfactory | 73 | O ₃ , PM ₁₀ | 7 |
| 111 | Korba | Satisfactory | 88 | PM ₁₀ | 2 |
| 112 | Kota | Satisfactory | 82 | PM ₁₀ | 3 |
| 113 | Kurukshetra | Satisfactory | 79 | O ₃ | 1 |
| 114 | Latur | Satisfactory | 60 | PM _{2.5} | 1 |
| 115 | Lucknow | Moderate | 172 | PM _{2.5} | 6 |
| 116 | Ludhiana | Satisfactory | 91 | PM _{2.5} | 1 |
| 117 | Madikeri | Good | 16 | PM ₁₀ | 1 |
| 118 | Maihar | Good | 37 | PM ₁₀ | 1 |
| 119 | Mandi Gobindgarh | Moderate | 119 | PM ₁₀ | 1 |
| 120 | Mandideep | Satisfactory | 67 | PM ₁₀ | 1 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Ceimbatere, Darbhanga, Dharuhe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|-----------------------|--|
| 121 | Mandikhera | Satisfactory | 59 | PM ₁₀ | 1 |
| 122 | Manesar | Satisfactory | 98 | PM ₁₀ | 1 |
| 123 | Mangalore | Good | 39 | PM _{2.5} | 1 |
| 124 | Manguraha | Satisfactory | 92 | 03 | 1 |
| 125 | Meerut | Moderate | 142 | PM ₁₀ | 2 |
| 126 | Milupara | Satisfactory | 79 | PM ₁₀ | 1 |
| 127 | Moradabad | Moderate | 116 | PM ₁₀ | 6 |
| 128 | Motihari | Satisfactory | 92 | PM ₁₀ | 1 |
| 129 | Mumbai | Satisfactory | 85 | CO, PM ₁₀ | 16 |
| 130 | Munger | Moderate | 160 | PM ₁₀ | 1 |
| 131 | Muzaffarnagar | Moderate | 132 | PM ₁₀ | 1 |
| 132 | Muzaffarpur | Moderate | 117 | PM ₁₀ , CO | 3 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuhe Dharwad, Eloor, Ernakulam, Fatehabad, Hanumangarh, Imphal, Jind,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|------------------------------------|--|
| 133 | Mysuru | Good | 48 | O ₃ | 1 |
| 134 | Nagaon | Good | 46 | O ₃ | 1 |
| 135 | Nagaur | Poor | 239 | PM ₁₀ | 1 |
| 136 | Nagpur | Satisfactory | 67 | 03 | 1 |
| 137 | Narnaul | Satisfactory | 97 | PM ₁₀ | 1 |
| 138 | Nashik | Satisfactory | 58 | PM ₁₀ | 3 |
| 139 | Navi Mumbai | Satisfactory | 96 | PM ₁₀ | 2 |
| 140 | Nayagarh | Moderate | 127 | PM ₁₀ | 1 |
| 141 | Noida | Moderate | 166 | NO ₂ , PM ₁₀ | 4 |
| 142 | Ooty | Good | 50 | SO ₂ | 1 |
| 143 | Pali | Moderate | 102 | PM _{2.5} | 1 |
| 144 | Palwal | Satisfactory | 85 | O ₃ | 1 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuhe Dharwad, Eloor, Ernakulam, Fatehabad, Hanumangarh, Imphal, Jind,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|------------------------------------|--|
| 145 | Panipat | Moderate | 102 | PM ₁₀ | 1 |
| 146 | Patiala | Satisfactory | 64 | PM ₁₀ | 1 |
| 147 | Patna | Moderate | 141 | PM _{2.5} | 6 |
| 148 | Pimpri Chinchwad | Satisfactory | 55 | PM ₁₀ | 2 |
| 149 | Pithampur | Satisfactory | 67 | PM ₁₀ | 1 |
| 150 | Pratapgarh | Satisfactory | 56 | 03 | 1 |
| 151 | Prayagraj | Satisfactory | 78 | PM ₁₀ | 3 |
| 152 | Puducherry | Good | 49 | PM ₁₀ | 1 |
| 153 | Pune | Moderate | 103 | NO ₂ | 3 |
| 154 | Purnia | Satisfactory | 74 | PM ₁₀ | 1 |
| 155 | Raichur | Good | 48 | O ₃ | 1 |
| 156 | Raipur | Satisfactory | 76 | PM ₁₀ , NO ₂ | 4 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuhe Dharwad, Eloor, Ernakulam, Fatehabad, Hanumangarh, Imphal, Jind, Jorapokhar, Kashipur, Katni, Khurja, Kishanganj, Kolar, Kollam, Koppal,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|---------------------|--|
| 157 | Rajamahendravaram | Satisfactory | 60 | PM ₁₀ | 1 |
| 158 | Rajgir | Moderate | 106 | PM ₁₀ | 1 |
| 159 | Rajsamand | Satisfactory | 60 | со | 1 |
| 160 | Ramanagara | Good | 42 | 03 | 1 |
| 161 | Ratlam | Satisfactory | 60 | PM ₁₀ | 1 |
| 162 | Rishikesh | Satisfactory | 73 | PM ₁₀ | 1 |
| 163 | Rohtak | Good | 50 | PM _{2.5} | 1 |
| 164 | Rourkela | Moderate | 136 | PM ₁₀ | 2 |
| 165 | Sagar | Satisfactory | 82 | PM ₁₀ | 1 |
| 166 | Saharsa | Satisfactory | 94 | PM ₁₀ | 1 |
| 167 | Satna | Moderate | 103 | PM ₁₀ | 1 |
| 168 | Shillong | Good | 26 | SO ₂ | 1 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuho Dharwad, Eloor, Ernakulam, Fatehabad, Hanumangarh, Imphal, Jind, Jorapokhar, Kashipur, Katni, Khurja, Kishanganj, Kolar, Kollam, Koppal,

Kozhikode, Kunjemura, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Sasaram, Sawai Madhopur, Sonipat, Srinagar, Surat, Talcher, Tensa, Thane, Tumidih, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|---------------------|--|
| 169 | Shivamogga | Satisfactory | 57 | O ₃ | 1 |
| 170 | Sikar | Poor | 210 | PM ₁₀ | 1 |
| 171 | Silchar | Good | 3 | PM ₁₀ | 1 |
| 172 | Siliguri | Good | 47 | PM ₁₀ | 1 |
| 173 | Singrauli | Satisfactory | 77 | PM ₁₀ | 1 |
| 174 | Sirohi | Satisfactory | 63 | O ₃ | 1 |
| 175 | Sirsa | Satisfactory | 68 | PM ₁₀ | 1 |
| 176 | Sivasagar | Good | 14 | NO ₂ | 1 |
| 177 | Siwan | Moderate | 149 | PM ₁₀ | 1 |
| 178 | Solapur | Satisfactory | 83 | PM ₁₀ | 2 |
| 179 | Sri Ganganagar | Moderate | 115 | PM ₁₀ | 1 |
| 180 | Suakati | Moderate | 115 | PM ₁₀ | 1 |

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharul

Dharwad Floor Frnakulam Fatehabad Hanumangarh Imphal Jind

Dharwad, Eloor, Ernakulam, Fatehabad, Hanumangarh, Imphal, Jind, Jorapokhar, Kashipur, Katni, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Sasaram, Sawai Madhopur, Sonipat, Srinagar, Surat, Talcher, Tensa, Thane, Tumidih, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 181 | Thiruvananthapuram | Good | 24 | PM ₁₀ | 2 |
| 182 | Thoothukudi | Good | 48 | 03 | 1 |
| 183 | Thrissur | Satisfactory | 56 | PM ₁₀ | 1 |
| 184 | Tirupati | Good | 48 | NO ₂ | 1 |
| 185 | Tirupur | Good | 32 | PM ₁₀ | 1 |
| 186 | Tonk | Moderate | 119 | PM ₁₀ | 1 |
| 187 | Tumakuru | Satisfactory | 76 | PM ₁₀ | 1 |
| 188 | Udaipur | Satisfactory | 72 | PM ₁₀ | 1 |
| 189 | Ujjain | Satisfactory | 60 | PM _{2.5} | 1 |
| 190 | Vapi | Good | 46 | PM ₁₀ | 1 |
| 191 | Varanasi | Satisfactory | 92 | PM ₁₀ | 4 |
| 192 | Vatva | Satisfactory | 62 | PM ₁₀ | 1 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,

Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuho

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 193 | Vijayapura | Good | 49 | PM ₁₀ | 1 |
| 194 | Vijayawada | Good | 46 | O ₃ | 1 |
| 195 | Visakhapatnam | Moderate | 136 | PM ₁₀ | 1 |
| 196 | Vrindavan | Moderate | 165 | PM ₁₀ | 1 |
| 197 | Yadgir | Good | 31 | со | 1 |
| 198 | Yamunanagar | Satisfactory | 74 | PM ₁₀ | 1 |

Notes:

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Byrnihat, Chengalpattu, Chikkamagaluru, Ceimbatere, Darbhanga, Dharuher

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ballabgarh, Baran, Bettiah, Bidar, Bikaner, Bileipada, Brajrajnagar, Buxar,