

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	66	NO <sub>2</sub>	1
2	Ahmedabad	Moderate	140	NO <sub>2</sub>	1
3	Ajmer	Satisfactory	72	PM <sub>10</sub>	1
4	Alwar	Satisfactory	69	OZONE	1
5	Amaravati	Satisfactory	82	PM <sub>2.5</sub>	1
6	Ambala	Moderate	199	PM <sub>2.5</sub>	1
7	Amritsar	Very Poor	307	PM <sub>2.5</sub>	1
8	Ankleshwar	Moderate	197	PM <sub>2.5</sub>	1
9	Asanol	Moderate	193	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	95	PM <sub>2.5</sub>	1
11	Baghpat	Poor	291	PM <sub>2.5</sub>	1
12	Bahadurgarh	Moderate	144	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bulandshahr, Kalaburagi, Muzaffarnagar, Palwal, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	228	PM <sub>10</sub>	1
14	Bathinda	Moderate	120	PM <sub>2.5</sub>	1
15	Bengaluru	Satisfactory	54	CO, PM <sub>10</sub>	10
16	Bhiwadi	Poor	266	PM <sub>2.5</sub>	1
17	Bhiwani	Moderate	111	PM <sub>2.5</sub>	1
18	Bhopal	Moderate	167	PM <sub>10</sub>	1
19	Brajrajnagar	Moderate	131	PM <sub>10</sub>	1
20	Chandigarh	Moderate	147	PM <sub>2.5</sub>	1
21	Chandrapur	Moderate	120	PM <sub>2.5</sub> , PM <sub>10</sub>	2
22	Chennai	Satisfactory	54	PM <sub>2.5</sub> , PM <sub>10</sub>	3
23	Chikkaballapur	Good	38	PM <sub>10</sub>	1
24	Coimbatore	Good	37	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bulandshahr, Kalaburagi, Muzaffarnagar, Palwal, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	127	PM <sub>10</sub>	1
26	Delhi	Poor	242	PM <sub>2.5</sub>	33
27	Dewas	Moderate	152	OZONE	1
28	Dharuhera	Moderate	174	PM <sub>2.5</sub>	1
29	Eloor	Good	40	со	1
30	Faridabad	Moderate	192	PM <sub>2.5</sub>	1
31	Fatehabad	Moderate	155	PM <sub>10</sub>	1
32	GandhiNagar	Satisfactory	78	PM <sub>10</sub>	1
33	Gaya	Moderate	145	PM <sub>2.5</sub>	1
34	Ghaziabad	Very Poor	330	PM <sub>2.5</sub>	3
35	Greater_Noida	Poor	272	PM <sub>2.5</sub>	2
36	Gurugram	Moderate	125	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bulandshahr, Kalaburagi, Muzaffarnagar, Palwal, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Poor	282	PM <sub>2.5</sub>	1
38	Haldia	Moderate	119	PM <sub>10</sub>	1
39	Hapur	Poor	249	PM <sub>10</sub>	1
40	Hisar	Moderate	142	PM <sub>2.5</sub>	1
41	Howrah	Poor	275	PM <sub>2.5</sub>	3
42	Hubballi	Moderate	116	PM <sub>2.5</sub>	1
43	Hyderabad	Moderate	171	PM <sub>2.5</sub>	6
44	Indore	Poor	213	PM <sub>2.5</sub>	1
45	Jabalpur	Moderate	162	PM <sub>2.5</sub>	1
46	Jaipur	Satisfactory	79	PM <sub>10</sub> , OZONE	3
47	Jalandhar	Moderate	172	PM <sub>2.5</sub>	1
48	Jind	Poor	228	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bulandshahr, Kalaburagi, Muzaffarnagar, Palwal, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	121	PM <sub>10</sub>	1
50	Jorapokhar	Moderate	150	PM <sub>2.5</sub>	1
51	Kaithal	Moderate	112	PM <sub>10</sub>	1
52	Kalyan	Moderate	184	PM <sub>2.5</sub>	1
53	Kanpur	Poor	288	PM <sub>2.5</sub>	1
54	Karnal	Poor	222	PM <sub>2.5</sub>	1
55	Katni	Poor	251	PM <sub>10</sub>	1
56	Khanna	Moderate	160	PM <sub>10</sub>	1
57	Kolkata	Poor	229	PM <sub>2.5</sub> , PM <sub>10</sub>	6
58	Kota	Moderate	124	PM <sub>2.5</sub>	1
59	Kurukshetra	Poor	213	PM <sub>2.5</sub>	1
60	Lucknow	Poor	216	PM <sub>2.5</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bulandshahr, Kalaburagi, Muzaffarnagar, Palwal, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Moderate	190	PM <sub>2.5</sub>	1
62	Maihar	Good	40	PM <sub>10</sub>	1
63	Mandi Gobindgarh	Poor	212	PM <sub>10</sub>	1
64	Mandideep	Poor	219	PM <sub>10</sub>	1
65	Mandikhera	Moderate	103	PM <sub>10</sub>	1
66	Manesar	Moderate	150	PM <sub>2.5</sub>	1
67	Meerut	Poor	294	PM <sub>2.5</sub>	3
68	Moradabad	Poor	300	PM <sub>2.5</sub>	1
69	Mumbai	Moderate	192	PM <sub>2.5</sub>	9
70	Muzaffarpur	Poor	267	PM <sub>2.5</sub>	1
71	Mysuru	Satisfactory	66	PM <sub>10</sub>	1
72	Nagpur	Satisfactory	99	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bulandshahr, Kalaburagi, Muzaffarnagar, Palwal, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Satisfactory	76	PM <sub>10</sub>	1
74	Nashik	Moderate	146	PM <sub>2.5</sub>	1
75	Navi Mumbai	Poor	222	PM <sub>2.5</sub>	2
76	Noida	Poor	256	PM <sub>2.5</sub> , PM <sub>10</sub>	4
77	Pali	Satisfactory	82	PM <sub>2.5</sub>	1
78	Panchkula	Satisfactory	90	PM <sub>2.5</sub>	1
79	Panipat	Poor	289	PM <sub>10</sub>	1
80	Patiala	Moderate	130	PM <sub>10</sub>	1
81	Patna	Poor	281	PM <sub>2.5</sub>	1
82	Pithampur	Moderate	125	PM <sub>2.5</sub>	1
83	Pune	Poor	202	PM <sub>2.5</sub>	1
84	Rajamahendravaram	Satisfactory	97	OZONE	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bulandshahr, Kalaburagi, Muzaffarnagar, Palwal, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Good	43	PM <sub>10</sub>	1
86	Ratlam	Moderate	151	PM <sub>10</sub>	1
87	Rohtak	Moderate	145	PM <sub>2.5</sub>	1
88	Rupnagar	Moderate	170	PM <sub>2.5</sub>	1
89	Satna	Moderate	161	PM <sub>10</sub>	1
90	Siliguri	Poor	218	PM <sub>2.5</sub>	1
91	Sirsa	Poor	222	PM <sub>10</sub>	1
92	Solapur	Moderate	142	PM <sub>10</sub>	1
93	Sonipat	Poor	209	PM <sub>2.5</sub>	1
94	Talcher	Moderate	197	PM <sub>2.5</sub>	1
95	Thane	Moderate	105	PM <sub>10</sub>	1
96	Thiruvananthapuram	Good	50	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bulandshahr, Kalaburagi, Muzaffarnagar, Palwal, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Tirupati	Good	31	PM <sub>10</sub>	1
98	Udaipur	Satisfactory	93	PM <sub>2.5</sub>	1
99	Ujjain	Moderate	176	OZONE	1
100	Vapi	Poor	281	PM <sub>2.5</sub>	1
101	Varanasi	Poor	249	PM <sub>2.5</sub>	1
102	Vatva	Poor	228	PM <sub>2.5</sub>	1
103	Visakhapatnam	Moderate	119	PM <sub>2.5</sub>	1
104	Yadgir	Moderate	117	PM <sub>2.5</sub>	1
105	Yamunanagar	Poor	297	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bulandshahr, Kalaburagi, Muzaffarnagar, Palwal, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.