Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	222	$PM_{2.5}$	1
2	Agra	Moderate	144	$PM_{2.5}$	6
3	Ahmedabad	Satisfactory	94	PM_{10}	1
4	Aizawl	Good	17	PM_{10}	1
5	Ajmer	Moderate	118	PM_{10}	1
6	Alwar	Moderate	133	$PM_{2.5}$	1
7	Amaravati	Satisfactory	87	PM_{10}	1
8	Amritsar	Moderate	143	$PM_{2.5}$	1
9	Anantapur	Good	48	O_3	1
10	Ankleshwar	Poor	211	$PM_{2.5}$	1
11	Araria	Poor	281	$PM_{2.5}$	1
12	Asansol	Very Poor	322	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Very Poor	342	$PM_{2.5}$	1
14	Aurangabad (Maharashtra)	Moderate	130	$PM_{2.5}$	1
15	Baddi	Poor	251	$PM_{2.5}$	1
16	Bagalkot	Good	42	PM_{10}	1
17	Bahadurgarh	Poor	285	$PM_{2.5}$	1
18	Ballabgarh	Poor	249	$PM_{2.5}$	1
19	Bareilly	Moderate	186	PM_{10}	2
20	Baripada	Very Poor	302	$PM_{2.5}$	1
21	Belgaum	Moderate	145	PM_{10}	1
22	Bengaluru	Satisfactory	52	$PM_{2.5}$, PM_{10}	9
23	Bettiah	Very Poor	354	$PM_{2.5}$	1
24	Bhagalpur	Very Poor	335	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Very Poor	302	PM_{10}	1
26	Bhiwani	Poor	285	$PM_{2.5}$	1
27	Bhopal	Poor	250	$PM_{2.5}$	2
28	Bihar Sharif	Very Poor	368	$PM_{2.5}$	1
29	Bilaspur	Moderate	109	PM_{10}	1
30	Bileipada	Moderate	192	$PM_{2.5}$	1
31	Bulandshahr	Poor	285	$PM_{2.5}$	1
32	Chamarajanagar	Good	45	PM_{10}	1
33	Chandigarh	Poor	218	$PM_{2.5}$	3
34	Chandrapur	Poor	291	$PM_{2.5}$	1
35	Charkhi Dadri	Very Poor	306	$PM_{2.5}$	1
36	Chennai	Satisfactory	64	$PM_{2.5}$, CO	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Very Poor	383	PM_{10}	1
38	Chikkaballapur	Good	32	PM_{10}	1
39	Chikkamagaluru	Good	37	O_3	1
40	Chittoor	Good	33	O_3	1
41	Damoh	Satisfactory	61	$PM_{2.5}$	1
42	Darbhanga	Severe	422	PM_{10}	1
43	Davanagere	Good	43	PM_{10}	1
44	Delhi	Severe	407	$PM_{2.5}$, PM_{10}	35
45	Dewas	Moderate	160	$PM_{2.5}$	1
46	Dharuhera	Very Poor	315	$PM_{2.5}$	1
47	Durgapur	Moderate	184	PM_{10}	1
48	Eloor	Satisfactory	62	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Very Poor	360	$PM_{2.5}$	4
50	Fatehabad	Poor	249	$PM_{2.5}$	1
51	Firozabad	Moderate	138	$PM_{2.5}$	2
52	Gadag	Good	31	O_3	1
53	Gandhinagar	Satisfactory	90	$PM_{2.5}$	1
54	Gangtok	Good	37	PM_{10}	1
55	Gaya	Very Poor	313	$PM_{2.5}$	3
56	Ghaziabad	Very Poor	370	$PM_{2.5}$	4
57	Gorakhpur	Moderate	116	PM_{10}	1
58	Greater Noida	Severe	410	PM_{10}, $PM_{2.5}$	2
59	Gurugram	Very Poor	318	$PM_{2.5}$	4
60	Guwahati	Moderate	157	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Very Poor	358	$PM_{2.5}$	2
62	Hajipur	Poor	275	$PM_{2.5}$	1
63	Haldia	Moderate	153	PM_{10}	1
64	Hapur	Poor	238	$PM_{2.5}$	1
65	Hassan	Good	30	$PM_{2.5}$	1
66	Haveri	Satisfactory	62	PM_{10}	1
67	Hisar	Poor	284	$PM_{2.5}$	1
68	Hosur	Moderate	119	CO	1
69	Howrah	Poor	267	$PM_{2.5}$	3
70	Hubballi	Satisfactory	68	CO	1
71	Hyderabad	Satisfactory	98	$PM_{2.5}$, PM_{10}	13
72	Imphal	Satisfactory	97	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Moderate	169	PM_{10}	1
74	Jabalpur	Poor	294	$PM_{2.5}$	1
75	Jaipur	Moderate	174	$PM_{2.5}$, PM_{10}	3
76	Jalandhar	Moderate	137	PM_{10}	1
77	Jhansi	Poor	231	$PM_{2.5}$	1
78	Jind	Very Poor	336	$PM_{2.5}$	1
79	Jodhpur	Moderate	162	$PM_{2.5}$	1
80	Kaithal	Poor	287	$PM_{2.5}$	1
81	Kalyan	Moderate	195	PM_{10}	1
82	Kanchipuram	Satisfactory	56	SO_2	1
83	Kannur	Satisfactory	69	PM_{10}	1
84	Kanpur	Moderate	200	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
\# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Karnal	Poor	286	$PM_{2.5}$	1
86	Katihar	Very Poor	391	$PM_{2.5}$	1
87	Katni	Poor	273	$PM_{2.5}$	1
88	Keonjhar	Poor	253	$PM_{2.5}$	1
89	Khanna	Moderate	122	PM_{10}	1
90	Khurja	Poor	254	$PM_{2.5}$	1
91	Kishanganj	Poor	252	$PM_{2.5}$	1
92	Kochi	Moderate	131	$PM_{2.5}$	1
93	Kohima	Good	44	PM_{10}	1
94	Kolar	Satisfactory	75	PM_{10}	1
95	Kolkata	Poor	278	$PM_{2.5}$	7
96	Kollam	Satisfactory	70	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Satisfactory	74	PM_{10}	1
98	Kota	Moderate	175	PM_{10}	1
99	Kozhikode	Good	38	CO	1
100	Kurukshetra	Very Poor	304	$PM_{2.5}$	1
101	Lucknow	Moderate	195	$PM_{2.5}$	6
102	Ludhiana	Poor	207	$PM_{2.5}$	1
103	Madikeri	Good	23	SO_2	1
104	Maihar	Satisfactory	87	PM_{10}	1
105	Mandi Gobindgarh	Moderate	160	$PM_{2.5}$	1
106	Mandideep	Moderate	169	PM_{10}	1
107	Mandikhera	Moderate	147	PM_{10}	1
108	Manesar	Poor	292	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mangalore	Satisfactory	71	PM_{10}	1
110	Manguraha	Satisfactory	91	$PM_{2.5}$	1
111	Meerut	Moderate	200	$PM_{2.5}$	3
112	Moradabad	Moderate	189	$PM_{2.5}$	6
113	Motihari	Poor	298	PM_{10}	1
114	Mumbai	Poor	249	$PM_{2.5}$, PM_{10}	18
115	Munger	Very Poor	301	$PM_{2.5}$	1
116	Muzaffarnagar	Moderate	197	$PM_{2.5}$	1
117	Muzaffarpur	Poor	273	$PM_{2.5}$	3
118	Mysuru	Good	32	PM_{10}	1
119	Nagpur	Very Poor	334	$PM_{2.5}$	1
120	Nalbari	Moderate	136	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Narnaul	Poor	217	$PM_{2.5}$	1
122	Nashik	Moderate	159	$PM_{2.5}$	1
123	Navi Mumbai	Poor	238	$PM_{2.5}$	3
124	Nayagarh	Moderate	188	$PM_{2.5}$	1
125	Noida	Very Poor	371	$PM_{2.5}$	4
126	Ooty	Good	49	SO_2	1
127	Pali	Moderate	157	O_3	1
128	Palwal	Good	44	PM_{10}	1
129	Panchkula	Moderate	162	$PM_{2.5}$	1
130	Patiala	Poor	211	$PM_{2.5}$	1
131	Patna	Very Poor	378	$PM_{10}, PM_{2.5}$	6
132	Pithampur	Poor	258	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Prayagraj	Moderate	126	$PM_{2.5}$	3
134	Puducherry	Good	40	CO	1
135	Purnia	Severe	423	$PM_{2.5}$	1
136	Raichur	Satisfactory	67	PM_{10}	1
137	Rairangpur	Poor	280	$PM_{2.5}$	1
138	Rajamahendravaram	Moderate	144	$PM_{2.5}$	1
139	Rajgir	Very Poor	360	$PM_{2.5}$	1
140	Ramanagara	Good	47	PM_{10}	1
141	Ramanathapuram	Good	16	CO	1
142	Ratlam	Moderate	154	$PM_{2.5}$	1
143	Rohtak	Poor	292	$PM_{2.5}$	1
144	Rourkela	Poor	225	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rupnagar	Moderate	159	PM_{10}	1
146	Sagar	Moderate	130	$PM_{2.5}$, CO	2
147	Saharsa	Very Poor	362	$PM_{2.5}$	1
148	Samastipur	Very Poor	345	$PM_{2.5}$	1
149	Sasaram	Very Poor	329	$PM_{2.5}$	1
150	Satna	Satisfactory	52	PM_{10}	1
151	Shillong	Good	31	$PM_{2.5}$	1
152	Shivamogga	Satisfactory	65	PM_{10}	1
153	Siliguri	Moderate	127	PM_{10}	1
154	Singrauli	Very Poor	305	$PM_{2.5}$	1
155	Sirsa	Poor	240	$PM_{2.5}$	1
156	Sivasagar	Satisfactory	60	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sonipat	Poor	283	PM_{10}	1
158	Suakati	Poor	256	$PM_{2.5}$	1
159	Surat	Poor	281	$PM_{2.5}$	1
160	Talcher	Poor	225	$PM_{2.5}$	1
161	Tensa	Poor	259	$PM_{2.5}$	1
162	Thane	Poor	238	O_3	1
163	Thiruvananthapuram	Good	42	$PM_{2.5}$	2
164	Thoothukudi	Good	24	NO_2	1
165	Thrissur	Satisfactory	67	$PM_{2.5}$	1
166	Tirupati	Satisfactory	57	$NO_2, PM_{2.5}$	2
167	Tirupur	Satisfactory	51	PM_{10}	1
168	Udaipur	Poor	241	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Udupi	Satisfactory	96	CO	1
170	Ujjain	Poor	240	$PM_{2.5}$	1
171	Varanasi	Satisfactory	95	$PM_{2.5}$, PM_{10}	4
172	Vatva	Moderate	152	$PM_{2.5}$	1
173	Vijayapura	Satisfactory	79	PM_{10}	1
174	Visakhapatnam	Poor	247	$PM_{2.5}$	1
175	Vrindavan	Moderate	133	PM_{10}	1
176	Yadgir	Satisfactory	54	$PM_{2.5}$	1
177	Yamunanagar	Poor	288	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Baghpat, Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Salem, Siwan, Solapur, Srinagar, Vapi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.