

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	88	PM <sub>2.5</sub>	1
2	Agra	Very Poor	400	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	172	PM <sub>2.5</sub>	1
4	Aizawl	Moderate	151	PM <sub>2.5</sub>	1
5	Ajmer	Satisfactory	100	PM <sub>10</sub>	1
6	Alwar	Moderate	126	03	1
7	Amaravati	Moderate	118	PM <sub>2.5</sub>	1
8	Ambala	Poor	291	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	56	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	184	PM <sub>10</sub>	1
11	Asansol	Very Poor	338	PM <sub>2.5</sub>	1
12	Aurangabad	Satisfactory	88	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	354	PM <sub>2.5</sub>	1
14	Bahadurgarh	Very Poor	305	PM <sub>2.5</sub>	1
15	Ballabgarh	Very Poor	332	PM <sub>2.5</sub>	1
16	Bathinda	Moderate	138	PM <sub>10</sub>	1
17	Bengaluru	Good	50	CO, PM <sub>10</sub> , NO <sub>2</sub>	9
18	Bhiwani	Moderate	194	PM <sub>10</sub>	1
19	Bhopal	Moderate	132	PM <sub>10</sub>	1
20	Brajrajnagar	Moderate	144	PM <sub>2.5</sub>	1
21	Bulandshahr	Severe	414	PM <sub>2.5</sub>	1
22	Chandigarh	Moderate	147	PM <sub>2.5</sub>	1
23	Chandrapur	Moderate	153	PM <sub>2.5</sub> , PM <sub>10</sub>	2
24	Charkhi Dadri	Very Poor	318	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Good	50	PM <sub>2.5</sub> , PM <sub>10</sub>	7
26	Chikkaballapur	Good	35	со	1
27	Chikkamagaluru	Good	44	03	1
28	Damoh	Moderate	121	PM <sub>10</sub>	1
29	Delhi	Very Poor	358	PM <sub>2.5</sub>	36
30	Dewas	Moderate	184	03	1
31	Dharuhera	Severe	440	PM <sub>2.5</sub>	1
32	Eloor	Good	37	со	1
33	Ernakulam	Satisfactory	52	со	1
34	Faridabad	Very Poor	395	PM <sub>10</sub> , PM <sub>2.5</sub>	4
35	Fatehabad	Poor	213	PM <sub>2.5</sub>	1
36	Gandhinagar	Moderate	125	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	170	PM <sub>2.5</sub>	2
38	Ghaziabad	Severe	418	PM <sub>2.5</sub>	3
39	Greater Noida	Severe	404	PM <sub>10</sub> , PM <sub>2.5</sub>	2
40	Gurugram	Poor	296	PM <sub>2.5</sub>	4
41	Guwahati	Moderate	177	PM <sub>2.5</sub>	1
42	Gwalior	Poor	300	PM <sub>2.5</sub>	1
43	Hajipur	Moderate	102	PM <sub>10</sub>	1
44	Hapur	Moderate	127	PM <sub>10</sub>	1
45	Hisar	Very Poor	319	PM <sub>2.5</sub>	1
46	Howrah	Poor	288	PM <sub>2.5</sub>	3
47	Hubballi	Satisfactory	57	PM <sub>10</sub>	1
48	Hyderabad	Moderate	142	PM <sub>2.5</sub> , PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Poor	206	PM <sub>2.5</sub>	1
50	Jabalpur	Moderate	185	PM <sub>10</sub>	1
51	Jaipur	Moderate	145	PM <sub>10</sub> , PM <sub>2.5</sub>	3
52	Jalandhar	Satisfactory	97	PM <sub>10</sub>	1
53	Jind	Poor	297	PM <sub>2.5</sub>	1
54	Jodhpur	Poor	211	PM <sub>2.5</sub>	1
55	Jorapokhar	Satisfactory	95	PM <sub>10</sub>	1
56	Kaithal	Poor	291	PM <sub>2.5</sub>	1
57	Kalaburgi	Satisfactory	79	PM <sub>10</sub>	1
58	Kalyan	Moderate	151	PM <sub>2.5</sub>	1
59	Kannur	Satisfactory	60	PM <sub>10</sub>	1
60	Kanpur	Very Poor	399	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Poor	218	PM <sub>2.5</sub>	1
62	Katni	Poor	243	PM <sub>2.5</sub>	1
63	Khanna	Moderate	123	PM <sub>10</sub>	1
64	Kochi	Good	43	PM <sub>10</sub>	1
65	Kohima	Satisfactory	90	PM <sub>2.5</sub>	1
66	Kolkata	Very Poor	326	PM <sub>2.5</sub>	7
67	Kota	Moderate	144	PM <sub>2.5</sub>	1
68	Kozhikode	Satisfactory	57	со	1
69	Kurukshetra	Very Poor	335	PM <sub>2.5</sub>	1
70	Lucknow	Very Poor	382	PM <sub>2.5</sub> , PM <sub>10</sub>	4
71	Ludhiana	Satisfactory	94	PM <sub>10</sub>	1
72	Maihar	Satisfactory	69	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Poor	239	PM <sub>2.5</sub>	1
74	Mandideep	Poor	256	PM <sub>10</sub>	1
75	Mandikhera	Poor	205	PM <sub>2.5</sub>	1
76	Manesar	Very Poor	311	PM <sub>2.5</sub>	1
77	Medikeri	Good	34	03	1
78	Meerut	Very Poor	352	PM <sub>2.5</sub>	2
79	Moradabad	Very Poor	385	PM <sub>2.5</sub>	1
80	Mumbai	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	15
81	Muzaffarnagar	Very Poor	379	PM <sub>2.5</sub>	1
82	Muzaffarpur	Moderate	180	PM <sub>2.5</sub> , PM <sub>10</sub>	2
83	Mysuru	Good	30	03	1
84	Nagpur	Satisfactory	84	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	113	со	1
86	Narnaul	Very Poor	331	PM <sub>2.5</sub>	1
87	Nashik	Satisfactory	98	PM <sub>2.5</sub>	1
88	Navi Mumbai	Moderate	158	PM <sub>2.5</sub> , PM <sub>10</sub>	3
89	Noida	Very Poor	394	PM <sub>2.5</sub>	4
90	Pali	Moderate	126	PM <sub>10</sub>	1
91	Palwal	Moderate	170	PM <sub>10</sub>	1
92	Panchkula	Poor	218	PM <sub>2.5</sub>	1
93	Patiala	Moderate	181	PM <sub>2.5</sub>	1
94	Patna	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub>	6
95	Pithampur	Moderate	128	PM <sub>2.5</sub>	1
96	Pune	Satisfactory	100	PM <sub>2.5</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	103	PM <sub>10</sub>	1
98	Ramanagara	Good	30	O <sub>3</sub>	1
99	Ratlam	Moderate	119	PM <sub>10</sub>	1
100	Rohtak	Poor	288	PM <sub>2.5</sub>	1
101	Rupnagar	Moderate	111	PM <sub>10</sub>	1
102	Sagar	Satisfactory	98	PM <sub>2.5</sub>	1
103	Satna	Satisfactory	97	PM <sub>10</sub>	1
104	Siliguri	Moderate	176	PM <sub>2.5</sub>	1
105	Singrauli	Poor	270	PM <sub>2.5</sub>	1
106	Sirsa	Moderate	145	PM <sub>2.5</sub>	1
107	Solapur	Satisfactory	91	PM <sub>10</sub>	1
108	Sonipat	Poor	230	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	120	PM <sub>10</sub>	1
110	Thane	Moderate	188	PM <sub>10</sub>	1
111	Thiruvananthapuram	Good	47	CO, PM <sub>10</sub>	2
112	Thoothukudi	Satisfactory	53	03	1
113	Thrissur	Good	49	03	1
114	Tirupati	Good	41	со	1
115	Udaipur	Moderate	119	PM <sub>10</sub>	1
116	Ujjain	Poor	212	PM <sub>2.5</sub>	1
117	Vapi	Poor	269	PM <sub>2.5</sub>	1
118	Varanasi	Very Poor	325	PM <sub>2.5</sub>	1
119	Vatva	Poor	231	PM <sub>10</sub>	1
120	Vijayapura	Satisfactory	52	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Moderate	175	PM <sub>10</sub>	1
122	Yadgir	Satisfactory	74	03	1
123	Yamunanagar	Very Poor	351	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Panipat, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.