Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	84	PM_{10}	2
2	Agra	Moderate	117	$PM_{2.5}$, PM_{10}	6
3	Ahmedabad	Moderate	136	$PM_{2.5}$	1
4	Aizawl	Good	21	SO_2	1
5	Ajmer	Moderate	192	$PM_{2.5}$	1
6	Alwar	Moderate	102	PM_{10}	1
7	Amaravati	Moderate	165	$PM_{2.5}$	1
8	Ambala	Moderate	121	$PM_{2.5}$	1
9	Amritsar	Moderate	175	$PM_{2.5}$	1
10	Anantapur	Moderate	109	$PM_{2.5}$	1
11	Ankleshwar	Poor	223	$PM_{2.5}$	1
12	Araria	Poor	290	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	248	PM_{10}	1
14	Asansol	Poor	284	$PM_{2.5}$	1
15	Aurangabad (Bihar)	Poor	206	$PM_{2.5}$	1
16	Aurangabad (Maharashtra)	Moderate	115	$PM_{2.5}$	1
17	Baddi	Moderate	124	$PM_{2.5}$	1
18	Bagalkot	Good	39	PM_{10}	1
19	Baghpat	Poor	263	$PM_{2.5}$	1
20	Bahadurgarh	Poor	210	$PM_{2.5}$	1
21	Ballabgarh	Poor	226	$PM_{2.5}$	1
22	Bareilly	Satisfactory	96	PM_{10}	2
23	Begusarai	Very Poor	400	$PM_{2.5}$	1
24	Belgaum	Moderate	186	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	129	$PM_{2.5}$, PM_{10}	6
26	Bettiah	Severe	423	PM_{10}	1
27	Bhagalpur	Very Poor	304	$PM_{2.5}$	2
28	Bhiwadi	Poor	243	$PM_{2.5}$	1
29	Bhiwani	Poor	250	$PM_{2.5}$	1
30	Bhopal	Poor	258	$PM_{2.5}$	2
31	Bidar	Satisfactory	73	O_3	1
32	Bihar Sharif	Poor	294	$PM_{2.5}$	1
33	Bilaspur	Satisfactory	57	PM_{10}	1
34	Brajrajnagar	Moderate	101	PM_{10}	1
35	Bulandshahr	Poor	201	$PM_{2.5}$	1
36	Buxar	Very Poor	350	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	42	PM_{10}	1
38	Chandigarh	Moderate	168	$PM_{2.5}$, O_3	3
39	Chandrapur	Moderate	180	$PM_{2.5}$	1
40	Charkhi Dadri	Poor	212	$PM_{2.5}$	1
41	Chennai	Moderate	121	$PM_{2.5}$, PM_{10}	6
42	Chhapra	Very Poor	341	$PM_{2.5}$	1
43	Chikkaballapur	Moderate	126	PM_{10}	1
44	Chikkamagaluru	Good	47	PM_{10}	1
45	Coimbatore	Moderate	131	$PM_{2.5}$	1
46	Damoh	Satisfactory	74	$PM_{2.5}$	1
47	Darbhanga	Very Poor	378	$PM_{2.5}$	1
48	Davanagere	Satisfactory	100	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Poor	264	$PM_{2.5}$	36
50	Dewas	Moderate	148	PM_{10}	1
51	Dharuhera	Very Poor	305	PM_{10}	1
52	Dindigul	Moderate	110	$PM_{2.5}$	1
53	Durgapur	Moderate	179	$PM_{2.5}$	1
54	Eloor	Satisfactory	61	PM_{10}	1
55	Ernakulam	Good	47	CO	1
56	Faridabad	Poor	266	$PM_{2.5}$	4
57	Fatehabad	Moderate	183	$PM_{2.5}$	1
58	Firozabad	Satisfactory	85	$PM_{2.5}$	2
59	Gandhinagar	Satisfactory	81	PM_{10}	1
60	Gangtok	Good	38	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Moderate	189	$PM_{2.5}$	3
62	Ghaziabad	Poor	218	$PM_{2.5}$	4
63	Gorakhpur	Moderate	122	PM_{10}	1
64	Greater Noida	Poor	234	PM_{10}	2
65	Gurugram	Poor	248	$PM_{2.5}$	4
66	Guwahati	Moderate	121	$PM_{2.5}$	3
67	Gwalior	Moderate	192	$PM_{2.5}$	2
68	Hajipur	Poor	265	$PM_{2.5}$	1
69	Hapur	Moderate	117	$PM_{2.5}$	1
70	Hassan	Satisfactory	69	$PM_{2.5}$	1
71	Haveri	Moderate	124	$PM_{2.5}$	1
72	Hisar	Poor	211	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Satisfactory	87	PM_{10}	1
74	Howrah	Poor	257	$PM_{2.5}$	3
75	Hubballi	Moderate	123	$PM_{2.5}$	1
76	Hyderabad	Moderate	106	$PM_{2.5}$, PM_{10}	13
77	Imphal	Moderate	106	$PM_{2.5}$, SO_2	2
78	Indore	Moderate	179	PM_{10}	1
79	Jabalpur	Moderate	186	$PM_{2.5}$	1
80	Jaipur	Moderate	182	$PM_{2.5}$, PM_{10}	3
81	Jalandhar	Satisfactory	93	PM_{10}	1
82	Jhansi	Moderate	137	PM_{10}	1
83	Jind	Poor	229	$PM_{2.5}$	1
84	Jodhpur	Moderate	176	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Moderate	161	$PM_{2.5}$	1
86	Kalaburgi	Moderate	170	$PM_{2.5}$	1
87	Kalyan	Moderate	161	PM_{10}	1
88	Kanchipuram	Satisfactory	85	PM_{10}	1
89	Kannur	Satisfactory	72	PM_{10}	1
90	Kanpur	Moderate	191	$PM_{2.5}$	3
91	Karnal	Moderate	129	$PM_{2.5}$	1
92	Katihar	Very Poor	382	$PM_{2.5}$	1
93	Katni	Poor	233	PM_{10}	1
94	Khanna	Moderate	120	$PM_{2.5}$	1
95	Khurja	Moderate	152	$PM_{2.5}$	1
96	Kishanganj	Poor	202	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Poor	228	$PM_{2.5}$	1
98	Kohima	Satisfactory	56	PM_{10}	1
99	Kolar	Moderate	109	PM_{10}	1
100	Kolkata	Poor	237	$PM_{2.5}$	7
101	Koppal	Satisfactory	62	PM_{10}	1
102	Kota	Poor	229	$PM_{2.5}$	1
103	Kurukshetra	Moderate	144	$PM_{2.5}$	1
104	Lucknow	Moderate	147	$PM_{2.5}$	6
105	Ludhiana	Moderate	136	$PM_{2.5}$	1
106	Madikeri	Good	34	$PM_{2.5}$	1
107	Maihar	Good	50	PM_{10}	1
108	Mandi Gobindgarh	Poor	240	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Poor	221	PM_{10}	1
110	Mandikhera	Moderate	123	PM_{10}	1
111	Manesar	Poor	214	$PM_{2.5}$	1
112	Manguraha	Satisfactory	97	$PM_{2.5}$	1
113	Meerut	Poor	225	$PM_{2.5}$	3
114	Moradabad	Moderate	112	$PM_{2.5}$	6
115	Mumbai	Moderate	190	$PM_{2.5}$, PM_{10}	17
116	Munger	Poor	254	$PM_{2.5}$	1
117	Muzaffarnagar	Poor	214	$PM_{2.5}$	1
118	Muzaffarpur	Very Poor	347	$PM_{2.5}$	2
119	Mysuru	Satisfactory	55	PM_{10}	1
120	Nagpur	Moderate	159	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nandesari	Satisfactory	54	CO	1
122	Narnaul	Moderate	165	$PM_{2.5}$	1
123	Nashik	Moderate	109	$PM_{2.5}$	1
124	Navi Mumbai	Poor	236	$PM_{2.5}$	2
125	Noida	Poor	220	$PM_{2.5}$	4
126	Ooty	Satisfactory	57	PM_{10}	1
127	Pali	Moderate	194	$PM_{2.5}$	1
128	Palwal	Satisfactory	83	PM_{10}	1
129	Panchkula	Satisfactory	90	$PM_{2.5}$	1
130	Panipat	Moderate	191	PM_{10}	1
131	Patiala	Moderate	104	$PM_{2.5}$	1
132	Patna	Very Poor	311	PM_{10}, $PM_{2.5}$	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pithampur	Moderate	156	$PM_{2.5}$	1
134	Prayagraj	Moderate	108	$PM_{2.5}$, O_3	3
135	Puducherry	Moderate	124	$PM_{2.5}$	1
136	Purnia	Severe	418	$PM_{2.5}$	1
137	Raichur	Moderate	165	PM_{10}	1
138	Rajamahendravaram	Moderate	143	$PM_{2.5}$	1
139	Rajgir	Poor	230	$PM_{2.5}$	1
140	Ramanagara	Satisfactory	95	$PM_{2.5}$	1
141	Ramanathapuram	Satisfactory	76	PM_{10}	1
142	Ratlam	Moderate	126	PM_{10}	1
143	Rohtak	Moderate	152	$PM_{2.5}$	1
144	Rupnagar	Moderate	184	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sagar	Satisfactory	95	O_3, CO	2
146	Saharsa	Very Poor	334	$PM_{2.5}$	1
147	Samastipur	Very Poor	344	$PM_{2.5}$	1
148	Sasaram	Moderate	184	$PM_{2.5}$	1
149	Satna	Good	45	PM_{10}	1
150	Shillong	Good	50	$PM_{2.5}$	1
151	Shivamogga	Satisfactory	61	O_3	1
152	Siliguri	Moderate	117	PM_{10}	1
153	Singrauli	Poor	279	$PM_{2.5}$	1
154	Sirsa	Poor	242	$PM_{2.5}$	1
155	Sivasagar	Good	40	PM_{10}	1
156	Siwan	Very Poor	394	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Solapur	Satisfactory	92	$PM_{2.5}$	1
158	Sonipat	Poor	226	PM_{10}	1
159	Srinagar	Satisfactory	63	PM_{10}	1
160	Surat	Moderate	154	PM_{10}	1
161	Talcher	Moderate	175	$PM_{2.5}$	1
162	Thane	Moderate	149	PM_{10}	1
163	Thiruvananthapuram	Good	34	PM_{10}, CO	2
164	Thoothukudi	Satisfactory	58	PM_{10}	1
165	Tirupati	Poor	263	$PM_{2.5}$	1
166	Udaipur	Moderate	141	$PM_{2.5}$	1
167	Ujjain	Poor	216	$PM_{2.5}$	1
168	Vapi	Poor	272	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Varanasi	Satisfactory	94	$PM_{2.5}$, PM_{10}	4
170	Vatva	Satisfactory	93	PM_{10}	1
171	Vijayapura	Good	46	PM_{10}	1
172	Visakhapatnam	Poor	212	$PM_{2.5}$	1
173	Vrindavan	Moderate	120	PM_{10}	1
174	Yadgir	Moderate	124	$PM_{2.5}$	1
175	Yamunanagar	Moderate	105	PM_{10}	1
176	vellore	Moderate	131	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Chengalpattu, Dehradun, Gadag, Gummidipoondi, Haldia, Jorapokhar, Kollam, Korba, Kozhikode, Manglore, Motihari, Naharlagun, Pune, Raipur, Salem, Thrissur, Tirupur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.