

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	185	PM _{2.5}	1
2	Ahmedabad	Poor	274	O ₃	1
3	Ajmer	Satisfactory	62	PM ₁₀	1
4	Alwar	Satisfactory	76	PM ₁₀	1
5	Ambala	Poor	215	PM ₁₀	1
6	Amritsar	Satisfactory	75	PM ₁₀	1
7	Ankleshwar	Satisfactory	87	PM ₁₀	1
8	Asansol	Satisfactory	69	PM ₁₀	1
9	Baghpat	Moderate	128	PM ₁₀	1
10	Bahadurgarh	Moderate	120	PM _{2.5}	1
11	Ballabgarh	Poor	236	PM _{2.5}	1
12	Bathinda	Good	35	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achitems t calculated for today's bulletin for Aizawl, Amaravati, Aurangabad, Bagalkot, Ernakulam, Fatehabad, Hubballi, Jind, Jorapokhar, Kalaburgi, Kollam, Kozhikode, Maihar, Navi Mumbai, Patiala, Rupnagar, Solapur, Udaipur, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Good	34	PM ₁₀ , PM _{2.5} , CO	8
14	Bhiwadi	Moderate	200	PM ₁₀	1
15	Bhiwani	Moderate	101	O ₃	1
16	Bhopal	Satisfactory	76	O ₃	1
17	Brajrajnagar	Moderate	108	PM _{2.5}	1
18	Bulandshahr	Moderate	177	O ₃	1
19	Chandigarh	Satisfactory	82	PM ₁₀	1
20	Chandrapur	Good	44	PM ₁₀ , PM _{2.5}	2
21	Charkhi Dadri	Poor	222	PM _{2.5}	1
22	Chennai	Satisfactory	73	PM _{2.5} , O ₃	4
23	Chikkaballapur	Good	41	PM ₁₀	1
24	Chikkamagaluru	Good	25	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Achitems t calculated for today's bulletin for Aizawl, Amaravati, Aurangabad, Bagalkot, Ernakulam, Fatehabad, Hubballi, Jind, Jorapokhar, Kalaburgi, Kollam, Kozhikode, Maihar, Navi Mumbai, Patiala, Rupnagar, Solapur, Udaipur, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Good	28	PM _{2.5}	1
26	Damoh	Good	32	PM ₁₀	1
27	Delhi	Moderate	136	O ₃ , PM _{2.5} , PM ₁₀	33
28	Dewas	Satisfactory	52	PM ₁₀	1
29	Dharuhera	Moderate	127	PM _{2.5}	1
30	Eloor	Good	17	со	1
31	Faridabad	Poor	214	PM _{2.5} , PM ₁₀	3
32	Gandhinagar	Satisfactory	74	PM ₁₀	1
33	Gaya	Satisfactory	70	PM _{2.5} , O ₃	2
34	Ghaziabad	Moderate	138	PM ₁₀ , O ₃	4
35	Greater Noida	Moderate	180	O ₃ , PM ₁₀	2
36	Gurugram	Moderate	143	PM _{2.5} , PM ₁₀	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achites calculated for today's bulletin for Aizawl, Amaravati,
 Aurangabad, Bagalkot, Ernakulam, Fatehabad, Hubballi, Jind,
 Jorapokhar, Kalaburgi, Kollam, Kozhikode, Maihar, Navi Mumbai,
 Patiala, Rupnagar, Solapur, Udaipur, Vapi, Vijayapura, Yadgir as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Satisfactory	54	PM ₁₀	1
38	Gwalior	Satisfactory	99	PM ₁₀	1
39	Hajipur	Satisfactory	81	PM _{2.5}	1
40	Hapur	Moderate	118	PM ₁₀	1
41	Hisar	Moderate	115	PM ₁₀	1
42	Howrah	Satisfactory	53	PM ₁₀	2
43	Hyderabad	Satisfactory	52	PM ₁₀ , O ₃ , NO ₂	6
44	Indore	Good	42	со	1
45	Jabalpur	Satisfactory	59	O ₃	1
46	Jaipur	Satisfactory	87	PM ₁₀	3
47	Jalandhar	Satisfactory	75	PM ₁₀	1
48	Jodhpur	Satisfactory	85	PM ₁₀	1

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * Achitems t calculated for today's bulletin for Aizawl, Amaravati, Aurangabad, Bagalkot, Ernakulam, Fatehabad, Hubballi, Jind, Jorapokhar, Kalaburgi, Kollam, Kozhikode, Maihar, Navi Mumbai, Patiala, Rupnagar, Solapur, Udaipur, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Moderate	107	PM ₁₀	1
50	Kalyan	Good	43	PM ₁₀	1
51	Kannur	Good	17	PM ₁₀	1
52	Kanpur	Moderate	123	PM _{2.5}	1
53	Karnal	Satisfactory	72	PM _{2.5}	1
54	Katni	Satisfactory	63	PM ₁₀	1
55	Khanna	Satisfactory	89	PM ₁₀	1
56	Kochi	Good	49	со	1
57	Kohima	Good	50	PM ₁₀	1
58	Kolkata	Good	36	PM ₁₀ , O ₃	6
59	Kota	Satisfactory	54	PM _{2.5}	1
60	Kurukshetra	Satisfactory	96	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Achites calculated for today's bulletin for Aizawl, Amaravati,
 Aurangabad, Bagalkot, Ernakulam, Fatehabad, Hubballi, Jind,
 Jorapokhar, Kalaburgi, Kollam, Kozhikode, Maihar, Navi Mumbai,
 Patiala, Rupnagar, Solapur, Udaipur, Vapi, Vijayapura, Yadgir as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Moderate	182	PM _{2.5} , O ₃	4
62	Ludhiana	Satisfactory	76	PM ₁₀	1
63	Mandi Gobindgarh	Moderate	185	PM _{2.5}	1
64	Mandideep	Good	47	O ₃	1
65	Mandikhera	Satisfactory	90	PM ₁₀	1
66	Manesar	Moderate	176	PM _{2.5}	1
67	Meerut	Moderate	143	PM _{2.5} , PM ₁₀	3
68	Moradabad	Moderate	179	PM _{2.5}	1
69	Mumbai	Satisfactory	68	PM ₁₀ , CO, PM _{2.5}	7
70	Muzaffarnagar	Moderate	114	PM ₁₀	1
71	Muzaffarpur	Satisfactory	70	PM ₁₀ , PM _{2.5}	2
72	Mysuru	Good	20	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Achitems t calculated for today's bulletin for Aizawl, Amaravati, Aurangabad, Bagalkot, Ernakulam, Fatehabad, Hubballi, Jind, Jorapokhar, Kalaburgi, Kollam, Kozhikode, Maihar, Navi Mumbai, Patiala, Rupnagar, Solapur, Udaipur, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nagpur	Satisfactory	70	O ₃	1
74	Nandesari	Poor	228	PM _{2.5}	1
75	Narnaul	Satisfactory	89	PM ₁₀	1
76	Nashik	Good	32	03	1
77	Noida	Moderate	136	PM ₁₀	4
78	Pali	Satisfactory	98	PM ₁₀	1
79	Palwal	Satisfactory	89	PM ₁₀	1
80	Panchkula	Satisfactory	66	PM _{2.5}	1
81	Panipat	Moderate	128	PM ₁₀	1
82	Patna	Good	49	PM _{2.5} , PM ₁₀ , CO	5
83	Pithampur	Good	50	PM ₁₀	1
84	Pune	Satisfactory	53	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achitems t calculated for today's bulletin for Aizawl, Amaravati, Aurangabad, Bagalkot, Ernakulam, Fatehabad, Hubballi, Jind, Jorapokhar, Kalaburgi, Kollam, Kozhikode, Maihar, Navi Mumbai, Patiala, Rupnagar, Solapur, Udaipur, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Satisfactory	52	03	1
86	Ramanagara	Good	31	SO ₂	1
87	Ratlam	Satisfactory	77	PM ₁₀	1
88	Rohtak	Satisfactory	62	PM _{2.5}	1
89	Sagar	Good	32	PM _{2.5}	1
90	Satna	Satisfactory	61	PM ₁₀	1
91	Shillong	Good	16	PM _{2.5}	1
92	Siliguri	Good	49	PM _{2.5}	1
93	Singrauli	Good	36	03	1
94	Sirsa	Moderate	107	PM ₁₀	1
95	Sonipat	Moderate	160	PM ₁₀	1
96	Talcher	Moderate	105	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achitems t calculated for today's bulletin for Aizawl, Amaravati, Aurangabad, Bagalkot, Ernakulam, Fatehabad, Hubballi, Jind, Jorapokhar, Kalaburgi, Kollam, Kozhikode, Maihar, Navi Mumbai, Patiala, Rupnagar, Solapur, Udaipur, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Satisfactory	69	PM ₁₀	1
98	Thiruvananthapuram	Good	50	CO, PM ₁₀	2
99	Tirupati	Good	33	со	1
100	Ujjain	Satisfactory	62	PM ₁₀	1
101	Varanasi	Satisfactory	73	PM ₁₀	1
102	Vatva	Moderate	107	PM ₁₀	1
103	Visakhapatnam	Satisfactory	72	PM ₁₀	1
104	Yamunanagar	Satisfactory	99	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * **Athities** t calculated for today's bulletin for Aizawl, Amaravati, Aurangabad, Bagalkot, Ernakulam, Fatehabad, Hubballi, Jind, Jorapokhar, Kalaburgi, Kollam, Kozhikode, Maihar, Navi Mumbai, Patiala, Rupnagar, Solapur, Udaipur, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.