Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	217	$PM_{2.5}$	1
2	Agra	Moderate	137	$PM_{2.5}$, PM_{10}	5
3	Ahmedabad	Moderate	161	$PM_{2.5}$	8
4	Aizawl	Satisfactory	77	PM_{10}	1
5	Ajmer	Moderate	126	PM_{10}	1
6	Alwar	Satisfactory	84	PM_{10}	1
7	Amaravati	Satisfactory	74	PM_{10}	1
8	Amritsar	Good	49	PM_{10}	1
9	Ankleshwar	Moderate	150	$PM_{2.5}$	1
10	Araria	Moderate	187	$PM_{2.5}$	1
11	Arrah	Moderate	171	PM_{10}	1
12	Asansol	Moderate	102	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	$PM_{2.5}$	1
14	Bahadurgarh	Poor	279	$PM_{2.5}$	1
15	Ballabgarh	Moderate	194	$PM_{2.5}$	1
16	Bathinda	Satisfactory	72	PM_{10}	1
17	Bengaluru	Satisfactory	81	CO, PM_{10}, $PM_{2.5}$	10
18	Bettiah	Poor	207	$PM_{2.5}$	1
19	Bhagalpur	Moderate	180	$PM_{2.5}$	1
20	Bhilai	Satisfactory	62	PM_{10}	1
21	Bhiwadi	Poor	295	$PM_{2.5}$	1
22	Bhiwani	Moderate	194	$PM_{2.5}$	1
23	Bhopal	Satisfactory	99	PM_{10}	1
24	Bihar Sharif	Poor	249	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	51	PM_{10}	1
26	Bulandshahr	Poor	254	PM_{10}	1
27	Buxar	Poor	287	$PM_{2.5}$	1
28	Chamarajanagar	Good	44	PM_{10}	1
29	Chandigarh	Moderate	192	$PM_{2.5}$, PM_{10}	3
30	Chandrapur	Moderate	125	$PM_{2.5}$	2
31	Charkhi Dadri	Poor	237	$PM_{2.5}$	1
32	Chennai	Satisfactory	82	PM_{10}, $PM_{2.5}$	8
33	Chhapra	Poor	230	$PM_{2.5}$	1
34	Chikkaballapur	Satisfactory	86	$PM_{2.5}$	1
35	Chikkamagaluru	Good	33	PM_{10}	1
36	Coimbatore	Satisfactory	60	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Moderate	191	$PM_{2.5}$	1
38	Davanagere	Satisfactory	72	PM_{10}	1
39	Delhi	Poor	283	$PM_{2.5}$, PM_{10}	37
40	Dewas	Moderate	105	PM_{10}	1
41	Dharuhera	Poor	298	PM_{10}	1
42	Durgapur	Poor	222	$PM_{2.5}$	1
43	Eloor	Satisfactory	78	PM_{10}	1
44	Ernakulam	Good	33	$PM_{2.5}$	1
45	Faridabad	Poor	250	PM_{10}, $PM_{2.5}$	4
46	Firozabad	Moderate	159	$PM_{2.5}$, O_3	2
47	Gandhinagar	Moderate	132	$PM_{2.5}$, PM_{10}	3
48	Gaya	Moderate	139	NO_2, $PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Very Poor	305	$PM_{2.5}$, PM_{10}	4
50	Gorakhpur	Satisfactory	72	PM_{10}	1
51	Greater Noida	Poor	263	$PM_{2.5}$, PM_{10}	2
52	Gummidipoondi	Good	38	PM_{10}	1
53	Gurugram	Poor	241	$PM_{2.5}$	3
54	Guwahati	Poor	246	$PM_{2.5}$	2
55	Gwalior	Moderate	142	$PM_{2.5}$	1
56	Hajipur	Moderate	132	$PM_{2.5}$	1
57	Haldia	Moderate	138	PM_{10}	1
58	Hapur	Poor	219	$PM_{2.5}$	1
59	Hassan	Satisfactory	54	PM_{10}	1
60	Hisar	Poor	223	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Poor	221	$PM_{2.5}$	3
62	Hubballi	Satisfactory	95	PM_{10}	1
63	Hyderabad	Satisfactory	99	PM_{10}, $PM_{2.5}$	4
64	Indore	Moderate	157	O_3	1
65	Jabalpur	Moderate	157	PM_{10}	1
66	Jaipur	Satisfactory	97	PM_{10}	3
67	Jalandhar	Moderate	106	PM_{10}	1
68	Jhansi	Moderate	120	PM_{10}	1
69	Jind	Moderate	165	$PM_{2.5}$	1
70	Jodhpur	Moderate	163	PM_{10}	1
71	Kaithal	Moderate	167	$PM_{2.5}$	1
72	Kalaburgi	Satisfactory	88	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	265	$PM_{2.5}$	1
74	Kannur	Satisfactory	57	$PM_{2.5}$	1
75	Kanpur	Moderate	144	$PM_{2.5}$, PM_{10}	3
76	Karnal	Moderate	174	$PM_{2.5}$	1
77	Katihar	Poor	289	$PM_{2.5}$	1
78	Katni	Moderate	163	PM_{10}	1
79	Khanna	Moderate	104	PM_{10}	1
80	Kishanganj	Poor	268	$PM_{2.5}$	1
81	Kochi	Good	48	$PM_{2.5}$	1
82	Kolkata	Moderate	188	$PM_{2.5}$, PM_{10}	6
83	Kollam	Satisfactory	67	$PM_{2.5}$	1
84	Koppal	Satisfactory	81	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Moderate	150	$PM_{2.5}$	1
86	Kozhikode	Satisfactory	69	PM_{10}	1
87	Kurukshetra	Poor	219	$PM_{2.5}$	1
88	Lucknow	Moderate	143	$PM_{2.5}$, PM_{10}	6
89	Ludhiana	Moderate	106	PM_{10}	1
90	Madikeri	Good	47	O_3	1
91	Mandi Gobindgarh	Moderate	173	PM_{10}	1
92	Mandideep	Moderate	123	PM_{10}	1
93	Mandikhera	Satisfactory	100	PM_{10}	1
94	Manesar	Poor	261	$PM_{2.5}$	1
95	Manglore	Satisfactory	51	CO	1
96	Manguraha	Satisfactory	86	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	253	$PM_{2.5}$, PM_{10}	3
98	Moradabad	Moderate	171	$PM_{2.5}$	4
99	Motihari	Poor	217	$PM_{2.5}$	1
100	Mumbai	Poor	204	$PM_{2.5}$, O_3, PM_{10}	19
101	Munger	Moderate	191	PM_{10}	1
102	Muzaffarnagar	Poor	295	$PM_{2.5}$	1
103	Muzaffarpur	Poor	251	$PM_{2.5}$	3
104	Mysuru	Good	40	PM_{10}	1
105	Nandesari	Good	50	CO	1
106	Narnaul	Moderate	161	$PM_{2.5}$	1
107	Nashik	Satisfactory	61	$PM_{2.5}$	1
108	Navi Mumbai	Moderate	200	$PM_{2.5}$, O_3	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	242	$PM_{2.5}$, PM_{10}	4
110	Pali	Moderate	122	$PM_{2.5}$	1
111	Palwal	Moderate	135	PM_{10}	1
112	Panchkula	Moderate	152	$PM_{2.5}$	1
113	Panipat	Moderate	157	PM_{10}	1
114	Patiala	Moderate	126	PM_{10}	1
115	Patna	Poor	219	$PM_{2.5}$, PM_{10}	5
116	Pithampur	Satisfactory	95	$PM_{2.5}$	1
117	Prayagraj	Moderate	110	PM_{10}	3
118	Puducherry	Satisfactory	77	PM_{10}	1
119	Pune	Moderate	126	$PM_{2.5}$	6
120	Purnia	Poor	231	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Moderate	108	PM_{10}	1
122	Rajamahendravaram	Satisfactory	91	PM_{10}	1
123	Rajgir	Moderate	138	$PM_{2.5}$	1
124	Rohtak	Moderate	168	$PM_{2.5}$	1
125	Rupnagar	Poor	239	$PM_{2.5}$	1
126	Sagar	Satisfactory	64	$PM_{2.5}$	1
127	Saharsa	Poor	292	PM_{10}	1
128	Sasaram	Moderate	149	$PM_{2.5}$	1
129	Satna	Satisfactory	56	PM_{10}	1
130	Shivamogga	Satisfactory	52	PM_{10}	1
131	Siliguri	Poor	230	$PM_{2.5}$	1
132	Singrauli	Poor	262	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Satisfactory	100	O_3	1
134	Solapur	Satisfactory	93	PM_{10}	1
135	Sonipat	Moderate	196	PM_{10}	1
136	Srinagar	Good	39	PM_{10}	1
137	Talcher	Moderate	125	$PM_{2.5}$	1
138	Thane	Poor	270	PM_{10}	1
139	Thiruvananthapuram	Satisfactory	56	PM_{10}, $PM_{2.5}$	2
140	Thoothukudi	Good	35	PM_{10}	1
141	Thrissur	Good	41	PM_{10}	1
142	Udaipur	Moderate	164	$PM_{2.5}$	1
143	Udupi	Satisfactory	84	O_3	1
144	Ujjain	Moderate	171	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vapi	Moderate	123	PM_{10}	1
146	Varanasi	Moderate	109	$PM_{2.5}$, PM_{10}	4
147	Vatva	Moderate	125	PM_{10}	1
148	Vijayapura	Good	50	PM_{10}	1
149	Visakhapatnam	Moderate	129	PM_{10}	1
150	Vrindavan	Moderate	146	$PM_{2.5}$	1
151	Yadgir	Satisfactory	67	PM_{10}	1
152	Yamunanagar	Poor	273	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Damoh, Fatehabad, Gadag, Jorapokhar, Kohima, Kolar, Maihar, Nagpur, Naharlagun, Ramanagara, Ratlam, Shillong, Siwan, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.