

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	221	PM <sub>2.5</sub>	1
2	Agra	Very Poor	317	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	147	PM <sub>2.5</sub>	1
4	Aizawl	Good	18	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	99	PM <sub>10</sub>	1
6	Alwar	Satisfactory	91	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	85	PM <sub>10</sub>	1
8	Ambala	Very Poor	385	PM <sub>10</sub>	1
9	Amritsar	Poor	276	PM <sub>2.5</sub>	1
10	Asansol	Moderate	179	PM <sub>2.5</sub>	1
11	Aurangabad	Satisfactory	83	PM <sub>10</sub>	1
12	Bagalkot	Good	50	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	366	PM <sub>2.5</sub>	1
14	Bahadurgarh	Very Poor	308	PM <sub>2.5</sub>	1
15	Ballabgarh	Poor	210	PM <sub>10</sub>	1
16	Bathinda	Moderate	150	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	63	PM <sub>10</sub> , CO	8
18	Bhiwadi	Very Poor	361	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	176	PM <sub>10</sub>	1
20	Bhopal	Moderate	130	PM <sub>10</sub>	1
21	Brajrajnagar	Moderate	132	PM <sub>2.5</sub>	1
22	Bulandshahr	Very Poor	390	PM <sub>2.5</sub>	1
23	Chandigarh	Moderate	146	PM <sub>2.5</sub>	1
24	Chandrapur	Moderate	106	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Poor	244	PM <sub>10</sub>	1
26	Chennai	Satisfactory	60	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	7
27	Chikkaballapur	Satisfactory	57	PM <sub>10</sub>	1
28	Chikkamagaluru	Satisfactory	69	03	1
29	Coimbatore	Satisfactory	51	PM <sub>2.5</sub>	1
30	Damoh	Moderate	102	PM <sub>2.5</sub>	1
31	Delhi	Very Poor	367	PM <sub>2.5</sub>	37
32	Dewas	Satisfactory	86	O <sub>3</sub>	1
33	Dharuhera	Very Poor	389	PM <sub>2.5</sub>	1
34	Eloor	Satisfactory	68	03	1
35	Ernakulam	Satisfactory	76	со	1
36	Faridabad	Very Poor	335	PM <sub>10</sub>	3

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Very Poor	367	PM <sub>2.5</sub>	1
38	Gandhinagar	Moderate	105	PM <sub>10</sub>	1
39	Gaya	Moderate	192	PM <sub>2.5</sub> , O <sub>3</sub>	2
40	Ghaziabad	Severe	424	PM <sub>2.5</sub>	4
41	Greater Noida	Very Poor	388	PM <sub>2.5</sub>	2
42	Gurugram	Very Poor	311	PM <sub>2.5</sub>	4
43	Guwahati	Moderate	164	PM <sub>2.5</sub>	1
44	Gwalior	Very Poor	303	PM <sub>2.5</sub>	1
45	Hajipur	Moderate	102	PM <sub>2.5</sub>	1
46	Hapur	Poor	234	O <sub>3</sub>	1
47	Hisar	Very Poor	340	PM <sub>2.5</sub>	1
48	Howrah	Poor	260	PM <sub>2.5</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	88	PM <sub>10</sub>	1
50	Hyderabad	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	6
51	Indore	Satisfactory	91	PM <sub>10</sub>	1
52	Jabalpur	Moderate	199	PM <sub>10</sub>	1
53	Jaipur	Moderate	131	PM <sub>10</sub> , PM <sub>2.5</sub>	3
54	Jalandhar	Poor	223	PM <sub>2.5</sub>	1
55	Jind	Very Poor	362	PM <sub>2.5</sub>	1
56	Jodhpur	Poor	222	PM <sub>2.5</sub>	1
57	Jorapokhar	Satisfactory	78	PM <sub>10</sub>	1
58	Kaithal	Poor	264	PM <sub>2.5</sub>	1
59	Kalaburgi	Satisfactory	98	PM <sub>10</sub>	1
60	Kalyan	Moderate	122	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	60	PM <sub>10</sub>	1
62	Kanpur	Very Poor	378	PM <sub>2.5</sub>	1
63	Karnal	Poor	239	PM <sub>2.5</sub>	1
64	Katni	Poor	227	PM <sub>2.5</sub>	1
65	Khanna	Poor	262	PM <sub>2.5</sub>	1
66	Kohima	Satisfactory	74	PM <sub>10</sub>	1
67	Kolkata	Poor	265	PM <sub>2.5</sub>	7
68	Kota	Moderate	148	PM <sub>2.5</sub>	1
69	Kozhikode	Satisfactory	58	со	1
70	Kurukshetra	Very Poor	332	PM <sub>2.5</sub>	1
71	Lucknow	Very Poor	331	PM <sub>10</sub> , PM <sub>2.5</sub>	3
72	Ludhiana	Poor	250	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Good	34	СО	1
74	Mandi Gobindgarh	Moderate	199	PM <sub>10</sub>	1
75	Mandideep	Moderate	187	PM <sub>10</sub>	1
76	Mandikhera	Moderate	172	PM <sub>2.5</sub>	1
77	Manesar	Very Poor	330	PM <sub>2.5</sub>	1
78	Medikeri	Satisfactory	52	03	1
79	Meerut	Very Poor	342	PM <sub>2.5</sub> , PM <sub>10</sub>	3
80	Moradabad	Very Poor	373	PM <sub>2.5</sub>	1
81	Mumbai	Moderate	152	O <sub>3</sub> , PM <sub>2.5</sub>	14
82	Muzaffarnagar	Very Poor	378	PM <sub>10</sub>	1
83	Muzaffarpur	Poor	261	PM <sub>2.5</sub> , PM <sub>10</sub>	2
84	Mysuru	Good	39	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Satisfactory	82	со	1
86	Narnaul	Poor	246	PM <sub>2.5</sub>	1
87	Nashik	Satisfactory	92	PM <sub>2.5</sub>	1
88	Navi Mumbai	Satisfactory	98	PM <sub>10</sub>	1
89	Noida	Very Poor	387	PM <sub>2.5</sub>	3
90	Pali	Moderate	136	PM <sub>10</sub>	1
91	Panchkula	Poor	235	PM <sub>2.5</sub>	1
92	Patiala	Poor	243	PM <sub>2.5</sub>	1
93	Patna	Poor	299	PM <sub>2.5</sub>	6
94	Pithampur	Moderate	118	03	1
95	Pune	Moderate	121	PM <sub>2.5</sub>	3
96	Rajamahendravaram	Moderate	105	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ramanagara	Good	46	PM <sub>10</sub>	1
98	Ratlam	Moderate	110	PM <sub>10</sub>	1
99	Rohtak	Poor	290	PM <sub>2.5</sub>	1
100	Rupnagar	Moderate	131	PM <sub>10</sub>	1
101	Sagar	Satisfactory	84	PM <sub>2.5</sub>	1
102	Satna	Satisfactory	67	PM <sub>10</sub>	1
103	Shillong	Good	22	O <sub>3</sub>	1
104	Shivamogga	Satisfactory	67	PM <sub>10</sub>	1
105	Singrauli	Very Poor	337	PM <sub>2.5</sub>	1
106	Sirsa	Poor	241	PM <sub>2.5</sub>	1
107	Solapur	Moderate	136	PM <sub>10</sub>	1
108	Sonipat	Poor	216	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	186	03	1
110	Thane	Moderate	145	PM <sub>10</sub>	1
111	Thiruvananthapuram	Satisfactory	52	СО	1
112	Thoothukudi	Satisfactory	62	O <sub>3</sub>	1
113	Thrissur	Satisfactory	81	O <sub>3</sub>	1
114	Tirupati	Satisfactory	53	PM <sub>2.5</sub>	1
115	Udaipur	Moderate	124	PM <sub>10</sub>	1
116	Ujjain	Moderate	150	O <sub>3</sub>	1
117	Vapi	Moderate	146	PM <sub>10</sub>	1
118	Varanasi	Poor	260	PM <sub>2.5</sub>	1
119	Vatva	Moderate	171	PM <sub>10</sub>	1
120	Vijayapura	Good	49	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Moderate	117	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Kochi, Kollam, Nagpur, Palwal, Panipat, Siliguri, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.