

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	241	PM ₁₀ , PM _{2.5}	2
2	Agra	Good	44	со	6
3	Ahmedabad	Moderate	142	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	92	PM ₁₀	1
5	Ajmer	Moderate	144	PM _{2.5}	1
6	Alwar	Satisfactory	88	PM _{2.5}	1
7	Amaravati	Satisfactory	76	PM _{2.5}	1
8	Ambala	Satisfactory	84	PM ₁₀	1
9	Amritsar	Moderate	150	PM _{2.5}	1
10	Anantapur	Satisfactory	64	03	1
11	Ankleshwar	Moderate	113	PM _{2.5}	1
12	Ariyalur	Satisfactory	54	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	336	PM _{2.5}	1
14	Aurangabad (Bihar)	Very Poor	316	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	103	PM ₁₀	1
16	Bagalkot	Good	49	PM ₁₀	1
17	Bahadurgarh	Satisfactory	92	PM _{2.5}	1
18	Ballabgarh	Moderate	140	со	1
19	Baripada	Moderate	190	PM _{2.5}	1
20	Begusarai	Severe	455	PM _{2.5}	1
21	Belgaum	Moderate	147	PM _{2.5}	1
22	Bengaluru	Satisfactory	70	со	9
23	Bhagalpur	Very Poor	385	PM _{2.5}	2
24	Bhilai	Satisfactory	100	PM ₁₀ , O ₃	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	110	PM ₁₀	1
26	Bhiwani	Moderate	116	PM ₁₀	1
27	Bhopal	Moderate	190	PM _{2.5}	2
28	Bidar	Satisfactory	80	со	1
29	Bileipada	Poor	258	PM _{2.5}	1
30	Brajrajnagar	Moderate	113	PM ₁₀	1
31	Bulandshahr	Satisfactory	71	PM _{2.5}	1
32	Byrnihat	Very Poor	381	PM _{2.5}	1
33	Chamarajanagar	Good	40	PM ₁₀	1
34	Chandigarh	Moderate	190	PM _{2.5}	3
35	Chandrapur	Satisfactory	85	O ₃ , PM _{2.5}	2
36	Charkhi Dadri	Moderate	150	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chengalpattu	Satisfactory	95	PM ₁₀	1
38	Chennai	Satisfactory	100	PM _{2.5} , PM ₁₀	8
39	Chhapra	Severe	451	PM ₁₀	1
40	Chikkaballapur	Satisfactory	96	PM ₁₀	1
41	Chikkamagaluru	Good	40	PM ₁₀	1
42	Coimbatore	Satisfactory	87	PM _{2.5}	1
43	Davanagere	Satisfactory	64	PM ₁₀	1
44	Dehradun	Satisfactory	51	PM ₁₀	1
45	Delhi	Moderate	160	PM _{2.5}	39
46	Dewas	Moderate	151	PM _{2.5}	1
47	Dharuhera	Moderate	127	PM _{2.5}	1
48	Durgapur	Moderate	186	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	180	PM _{2.5}	4
50	Fatehabad	Poor	214	PM ₁₀	1
51	Firozabad	Satisfactory	56	PM _{2.5}	2
52	Gadag	Good	50	PM ₁₀	1
53	Gandhinagar	Moderate	177	PM _{2.5} , PM ₁₀	3
54	Gangtok	Satisfactory	93	PM _{2.5}	1
55	Gaya	Very Poor	320	PM _{2.5}	3
56	Ghaziabad	Moderate	129	PM _{2.5} , PM ₁₀	4
57	Gorakhpur	Moderate	118	PM ₁₀	1
58	Greater Noida	Moderate	122	PM ₁₀ , PM _{2.5}	2
59	Gummidipoondi	Moderate	104	PM ₁₀	1
60	Gurugram	Moderate	136	PM _{2.5}	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Poor	292	PM _{2.5}	4
62	Gwalior	Poor	219	PM _{2.5}	3
63	Hajipur	Very Poor	321	PM _{2.5}	1
64	Haldia	Poor	263	03	1
65	Hapur	Satisfactory	56	со	1
66	Hassan	Satisfactory	80	PM ₁₀	1
67	Haveri	Satisfactory	84	PM ₁₀	1
68	Hisar	Satisfactory	86	PM ₁₀	1
69	Hosur	Moderate	115	O ₃	1
70	Howrah	Poor	297	PM _{2.5}	3
71	Hubballi	Moderate	128	PM _{2.5}	2
72	Hyderabad	Satisfactory	76	PM ₁₀	10

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Moderate	139	PM _{2.5} , SO ₂	2
74	Indore	Moderate	150	PM ₁₀	1
75	Jabalpur	Moderate	139	PM _{2.5}	1
76	Jaipur	Moderate	181	PM _{2.5}	3
77	Jalandhar	Satisfactory	86	PM _{2.5}	1
78	Jhansi	Moderate	103	PM ₁₀	1
79	Jind	Moderate	103	PM _{2.5}	1
80	Jodhpur	Satisfactory	86	PM ₁₀	1
81	Jorapokhar	Poor	279	PM ₁₀	1
82	Kadapa	Satisfactory	99	PM _{2.5}	1
83	Kaithal	Moderate	132	PM ₁₀	1
84	Kalaburgi	Satisfactory	52	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	193	PM ₁₀	1
86	Kanchipuram	Satisfactory	61	PM ₁₀	1
87	Kanpur	Moderate	133	PM _{2.5}	4
88	Karnal	Satisfactory	80	PM _{2.5}	1
89	Katihar	Very Poor	359	PM ₁₀	1
90	Keonjhar	Moderate	188	03	1
91	Khanna	Satisfactory	78	PM ₁₀	1
92	Khurja	Satisfactory	69	PM _{2.5}	1
93	Kishanganj	Poor	293	PM _{2.5}	1
94	Kohima	Satisfactory	93	PM ₁₀	1
95	Kolkata	Poor	220	PM _{2.5}	7
96	Kollam	Satisfactory	53	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Moderate	173	03	1
98	Korba	Poor	207	PM ₁₀	1
99	Kota	Poor	292	PM _{2.5}	1
100	Kozhikode	Satisfactory	75	PM _{2.5}	1
101	Kurukshetra	Satisfactory	88	PM _{2.5}	1
102	Lucknow	Moderate	165	PM _{2.5}	6
103	Ludhiana	Satisfactory	66	PM ₁₀	1
104	Madikeri	Good	29	03	1
105	Maihar	Satisfactory	68	PM ₁₀	1
106	Mandi Gobindgarh	Satisfactory	73	PM _{2.5}	1
107	Mandideep	Moderate	131	PM _{2.5}	1
108	Mandikhera	Satisfactory	67	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manesar	Moderate	121	PM _{2.5}	1
110	Mangalore	Moderate	104	PM ₁₀	1
111	Manguraha	Poor	288	PM _{2.5}	1
112	Meerut	Satisfactory	99	PM ₁₀ , PM _{2.5}	3
113	Moradabad	Good	38	SO ₂ , PM _{2.5}	6
114	Motihari	Very Poor	311	PM ₁₀	1
115	Mumbai	Poor	209	PM _{2.5} , PM ₁₀	19
116	Munger	Severe	410	PM ₁₀	1
117	Muzaffarnagar	Moderate	154	PM _{2.5}	1
118	Muzaffarpur	Very Poor	368	PM _{2.5}	3
119	Mysuru	Good	37	O ₃	1
120	Nagpur	Moderate	135	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Naharlagun	Satisfactory	62	PM _{2.5}	1
122	Nalbari	Poor	216	PM _{2.5}	1
123	Narnaul	Moderate	170	PM _{2.5}	1
124	Nashik	Moderate	107	PM _{2.5}	1
125	Navi Mumbai	Poor	246	PM _{2.5}	3
126	Nayagarh	Moderate	173	PM _{2.5}	1
127	Noida	Moderate	122	PM _{2.5}	4
128	Ooty	Satisfactory	52	PM _{2.5}	1
129	Pali	Moderate	133	PM ₁₀	1
130	Palwal	Good	44	PM _{2.5}	1
131	Panchkula	Satisfactory	97	PM _{2.5}	1
132	Panipat	Satisfactory	81	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Satisfactory	66	PM _{2.5}	1
134	Patna	Very Poor	390	PM ₁₀ , PM _{2.5}	6
135	Pithampur	Moderate	199	PM _{2.5}	1
136	Prayagraj	Moderate	126	PM ₁₀	3
137	Puducherry	Satisfactory	61	PM ₁₀	1
138	Pune	Poor	206	PM _{2.5} , CO	4
139	Purnia	Very Poor	385	PM _{2.5}	1
140	Raipur	Moderate	108	PM ₁₀	4
141	Rairangpur	Poor	246	PM _{2.5}	1
142	Rajamahendravaram	Moderate	136	PM _{2.5}	1
143	Rajgir	Very Poor	383	PM _{2.5}	1
144	Ramanagara	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanathapuram	Good	48	PM ₁₀	1
146	Ratlam	Moderate	128	PM ₁₀	1
147	Rohtak	Satisfactory	80	PM _{2.5}	1
148	Rourkela	Moderate	145	PM _{2.5}	3
149	Rupnagar	Moderate	169	PM ₁₀	1
150	Sagar	Satisfactory	92	PM _{2.5} , CO	2
151	Saharsa	Severe	427	PM ₁₀	1
152	Salem	Satisfactory	98	SO ₂	1
153	Samastipur	Severe	420	PM ₁₀	1
154	Sasaram	Very Poor	331	PM _{2.5}	1
155	Satna	Satisfactory	71	PM ₁₀	1
156	Shillong	Moderate	151	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shivamogga	Good	34	O ₃	1
158	Siliguri	Moderate	127	PM ₁₀	1
159	Singrauli	Poor	238	PM _{2.5}	1
160	Sirsa	Moderate	147	PM ₁₀	1
161	Siwan	Severe	437	PM _{2.5}	1
162	Solapur	Moderate	108	PM ₁₀	1
163	Srinagar	Good	33	PM ₁₀	1
164	Suakati	Moderate	161	PM ₁₀	1
165	Surat	Poor	254	PM _{2.5}	1
166	Talcher	Satisfactory	96	PM ₁₀	1
167	Tensa	Satisfactory	80	PM _{2.5}	1
168	Thiruvananthapuram	Satisfactory	56	СО	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thoothukudi	Good	36	03	1
170	Thrissur	Moderate	117	PM _{2.5}	1
171	Tirupati	Satisfactory	61	PM _{2.5}	2
172	Udaipur	Moderate	132	PM ₁₀	1
173	Ujjain	Poor	222	PM _{2.5}	1
174	Varanasi	Satisfactory	79	PM ₁₀ , PM _{2.5}	4
175	Vatva	Moderate	130	PM _{2.5}	1
176	Vijayapura	Good	46	PM ₁₀	1
177	Visakhapatnam	Poor	269	PM _{2.5}	1
178	Vrindavan	Poor	215	PM ₁₀	1
179	Yadgir	Good	46	PM ₁₀	1
180	Yamunanagar	Moderate	147	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Arrah, Baddi, Notes: Baghpat, Bareilly, Bathinda, Bettiah, Bihar Sharif, Bilaspur, Buxar, Chhal, Chittoor, Damoh, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Katni, Kochi, Kolar, Kunjemura, Milupara, Nandesari, Raichur, Silchar, Sivasagar, Sonipat, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.