



Air Quality Index on Jan 26, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 1 | Agra | Poor | 259 | PM _{2.5} | 1 |
| 2 | Ahmedabad | Satisfactory | 75 | NO ₂ | 1 |
| 3 | Ajmer | Satisfactory | 72 | PM ₁₀ | 1 |
| 4 | Alwar | Satisfactory | 70 | OZONE | 1 |
| 5 | Amaravati | Good | 45 | PM ₁₀ | 1 |
| 6 | Ambala | Moderate | 109 | PM ₁₀ | 1 |
| 7 | Amritsar | Satisfactory | 100 | PM ₁₀ | 1 |
| 8 | Asanol | Moderate | 193 | PM _{2.5} | 1 |
| 9 | Aurangabad | Satisfactory | 64 | PM _{2.5} | 1 |
| 10 | Baghpat | Poor | 239 | PM _{2.5} | 1 |
| 11 | Bahadurgarh | Moderate | 142 | PM _{2.5} | 1 |
| 12 | Bathinda | Satisfactory | 84 | PM ₁₀ | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Kanpur, Panipat, Singrauli, Ujjain, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 26, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|---|--|
| 13 | Bengaluru | Moderate | 101 | OZONE, PM _{2.5} , PM ₁₀ | 10 |
| 14 | Bhiwadi | Very Poor | 305 | PM _{2.5} | 1 |
| 15 | Bhiwani | Satisfactory | 97 | PM _{2.5} | 1 |
| 16 | Brajrajnagar | Moderate | 134 | PM _{2.5} | 1 |
| 17 | Bulandshahr | Moderate | 196 | PM _{2.5} | 1 |
| 18 | Chandrapur | Good | 48 | PM _{2.5} | 1 |
| 19 | Chennai | Good | 45 | PM _{2.5} , OZONE, CO | 3 |
| 20 | Chikkaballapur | Moderate | 124 | PM ₁₀ | 1 |
| 21 | Damoh | Moderate | 130 | PM _{2.5} | 1 |
| 22 | Delhi | Poor | 233 | PM _{2.5} | 35 |
| 23 | Dewas | Moderate | 142 | PM _{2.5} | 1 |
| 24 | Dharuhera | Moderate | 190 | PM _{2.5} | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Kanpur, Panipat, Singrauli, Ujjain, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 26, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 25 | Durgapur | Moderate | 104 | PM ₁₀ | 1 |
| 26 | Faridabad | Poor | 234 | PM _{2.5} | 1 |
| 27 | Fatehabad | Poor | 246 | PM _{2.5} | 1 |
| 28 | Gaya | Poor | 265 | PM _{2.5} | 1 |
| 29 | Ghaziabad | Poor | 267 | PM _{2.5} | 1 |
| 30 | Greater_Noida | Poor | 226 | PM _{2.5} | 1 |
| 31 | Gurugram | Moderate | 177 | PM _{2.5} | 1 |
| 32 | Haldia | Moderate | 164 | PM ₁₀ | 1 |
| 33 | Hapur | Poor | 202 | PM _{2.5} | 1 |
| 34 | Howrah | Poor | 284 | PM _{2.5} | 2 |
| 35 | Hubballi | Moderate | 116 | PM ₁₀ | 1 |
| 36 | Hyderabad | Satisfactory | 67 | PM ₁₀ | 4 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Kanpur, Panipat, Singrauli, Ujjain, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 26, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|--------------------------------------|--|
| 37 | Jaipur | Satisfactory | 85 | PM ₁₀ , PM _{2.5} | 3 |
| 38 | Jalandhar | Satisfactory | 94 | PM _{2.5} | 1 |
| 39 | Jodhpur | Moderate | 112 | PM ₁₀ | 1 |
| 40 | Jorapokhar | Moderate | 166 | PM ₁₀ | 1 |
| 41 | Kalaburgi | Moderate | 128 | PM ₁₀ | 1 |
| 42 | Khanna | Satisfactory | 85 | PM ₁₀ | 1 |
| 43 | Kolkata | Poor | 284 | PM _{2.5} | 2 |
| 44 | Kota | Satisfactory | 72 | PM ₁₀ | 1 |
| 45 | Kurushketra | Moderate | 155 | PM _{2.5} | 1 |
| 46 | Lucknow | Moderate | 136 | PM _{2.5} | 4 |
| 47 | Ludhiana | Good | 49 | PM ₁₀ | 1 |
| 48 | Mandi Gobindgarh | Poor | 238 | PM ₁₀ | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Kanpur, Panipat, Singrauli, Ujjain, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 26, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 49 | Mandideep | Moderate | 116 | PM _{2.5} | 1 |
| 50 | Manesar | Poor | 214 | PM _{2.5} | 1 |
| 51 | Moradabad | Moderate | 176 | PM _{2.5} | 1 |
| 52 | Mumbai | Moderate | 115 | PM ₁₀ | 1 |
| 53 | Muzaffarnagar | Poor | 223 | PM _{2.5} | 1 |
| 54 | Muzaffarpur | Very Poor | 335 | PM _{2.5} | 1 |
| 55 | Nagpur | Poor | 229 | OZONE | 1 |
| 56 | Nashik | Satisfactory | 77 | OZONE | 1 |
| 57 | Navi Mumbai | Moderate | 111 | CO | 1 |
| 58 | Noida | Moderate | 198 | PM _{2.5} | 2 |
| 59 | Pali | Satisfactory | 92 | PM ₁₀ | 1 |
| 60 | Palwal | Moderate | 162 | PM _{2.5} | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Kanpur, Panipat, Singrauli, Ujjain, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpqb.nic.in>) may be referred.



Air Quality Index on Jan 26, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|---------------------|--|
| 61 | Panchkula | Satisfactory | 58 | PM _{2.5} | 1 |
| 62 | Patiala | Satisfactory | 62 | PM ₁₀ | 1 |
| 63 | Patna | Very Poor | 337 | PM _{2.5} | 1 |
| 64 | Pithampur | Moderate | 152 | PM _{2.5} | 1 |
| 65 | Pune | Moderate | 139 | PM _{2.5} | 1 |
| 66 | Rajamahendravaram | Satisfactory | 63 | PM ₁₀ | 1 |
| 67 | Ratlam | Moderate | 126 | PM _{2.5} | 1 |
| 68 | Rohtak | Moderate | 137 | PM _{2.5} | 1 |
| 69 | Rupnagar | Moderate | 115 | PM _{2.5} | 1 |
| 70 | Satna | Satisfactory | 98 | CO | 1 |
| 71 | Siliguri | Moderate | 193 | PM _{2.5} | 1 |
| 72 | Solapur | Moderate | 116 | PM ₁₀ | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Kanpur, Panipat, Singrauli, Ujjain, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 26, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 73 | Sonipat | Moderate | 162 | PM _{2.5} | 1 |
| 74 | Talcher | Moderate | 195 | PM ₁₀ | 1 |
| 75 | Thane | Moderate | 130 | PM ₁₀ | 1 |
| 76 | Thiruvananthapuram | Satisfactory | 93 | PM _{2.5} | 1 |
| 77 | Tirupati | Satisfactory | 79 | PM ₁₀ | 1 |
| 78 | Udaipur | Moderate | 137 | NO ₂ | 1 |
| 79 | Varanasi | Poor | 246 | PM _{2.5} | 1 |
| 80 | Vijayawada | Satisfactory | 66 | PM ₁₀ | 1 |
| 81 | Yamunanagar | Moderate | 113 | PM _{2.5} | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Kanpur, Panipat, Singrauli, Ujjain, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.