

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	70	PM <sub>10</sub>	1
2	Ahmedabad	Moderate	163	03	1
3	Aizawl	Good	18	PM <sub>2.5</sub>	1
4	Ajmer	Satisfactory	64	PM <sub>10</sub>	1
5	Alwar	Satisfactory	53	PM <sub>10</sub>	1
6	Amaravati	Good	22	SO <sub>2</sub>	1
7	Ambala	Moderate	149	PM <sub>2.5</sub>	1
8	Amritsar	Moderate	175	PM <sub>2.5</sub>	1
9	Ankleshwar	Satisfactory	96	PM <sub>10</sub>	1
10	Asansol	Satisfactory	88	PM <sub>10</sub>	1
11	Bagalkot	Good	44	со	1
12	Baghpat	Very Poor	306	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	205	PM <sub>2.5</sub>	1
14	Ballabgarh	Moderate	101	PM <sub>2.5</sub>	1
15	Bathinda	Satisfactory	92	PM <sub>2.5</sub>	1
16	Bengaluru	Satisfactory	64	CO, PM <sub>2.5</sub> , O <sub>3</sub>	8
17	Bhiwadi	Poor	216	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	111	PM <sub>10</sub>	1
19	Bhopal	Satisfactory	93	03	1
20	Brajrajnagar	Satisfactory	54	со	1
21	Bulandshahr	Moderate	169	03	1
22	Chamarajanagar	Satisfactory	59	PM <sub>10</sub>	1
23	Chandigarh	Moderate	121	PM <sub>10</sub>	1
24	Chandrapur	Good	47	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	102	PM <sub>10</sub>	1
26	Chennai	Satisfactory	51	PM <sub>10</sub> , O <sub>3</sub> , SO <sub>2</sub>	8
27	Chikkaballapur	Good	38	O <sub>3</sub>	1
28	Chikkamagaluru	Satisfactory	60	O <sub>3</sub>	1
29	Damoh	Good	28	PM <sub>2.5</sub>	1
30	Delhi	Moderate	173	PM <sub>2.5</sub> , PM <sub>10</sub>	25
31	Dewas	Satisfactory	62	PM <sub>10</sub>	1
32	Dharuhera	Moderate	161	PM <sub>10</sub>	1
33	Durgapur	Moderate	112	PM <sub>10</sub>	1
34	Ernakulam	Good	40	со	1
35	Faridabad	Poor	204	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
36	Gandhinagar	Satisfactory	51	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	155	O <sub>3</sub>	2
38	Ghaziabad	Poor	237	PM <sub>10</sub>	3
39	Greater Noida	Moderate	194	PM <sub>10</sub>	2
40	Gurugram	Moderate	149	PM <sub>10</sub> , PM <sub>2.5</sub>	3
41	Guwahati	Good	46	PM <sub>2.5</sub> , PM <sub>10</sub>	2
42	Gwalior	Satisfactory	77	03	1
43	Hajipur	Moderate	143	PM <sub>10</sub>	1
44	Haldia	Satisfactory	76	PM <sub>10</sub>	1
45	Hapur	Moderate	112	PM <sub>10</sub>	1
46	Hassan	Satisfactory	87	PM <sub>10</sub>	1
47	Hisar	Moderate	133	PM <sub>10</sub>	1
48	Howrah	Satisfactory	59	PM <sub>10</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	64	O <sub>3</sub>	1
50	Hyderabad	Satisfactory	76	PM <sub>2.5</sub> , PM <sub>10</sub>	3
51	Indore	Satisfactory	79	PM <sub>10</sub>	1
52	Jabalpur	Satisfactory	61	PM <sub>10</sub>	1
53	Jaipur	Moderate	102	PM <sub>10</sub>	2
54	Jalandhar	Moderate	129	PM <sub>10</sub>	1
55	Jind	Poor	288	PM <sub>2.5</sub>	1
56	Jodhpur	Moderate	117	PM <sub>10</sub>	1
57	Kaithal	Poor	257	PM <sub>10</sub>	1
58	Kannur	Moderate	103	PM <sub>10</sub>	1
59	Kanpur	Satisfactory	52	PM <sub>2.5</sub>	2
60	Karnal	Satisfactory	89	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Satisfactory	90	O <sub>3</sub>	1
62	Khanna	Moderate	127	PM <sub>2.5</sub>	1
63	Kochi	Satisfactory	54	PM <sub>10</sub>	1
64	Kolkata	Satisfactory	65	CO, O <sub>3</sub> , PM <sub>10</sub>	7
65	Kollam	Satisfactory	59	PM <sub>10</sub>	1
66	Koppal	Satisfactory	63	со	1
67	Kota	Satisfactory	78	PM <sub>10</sub>	1
68	Kurukshetra	Moderate	174	PM <sub>2.5</sub>	1
69	Lucknow	Satisfactory	94	PM <sub>10</sub>	2
70	Ludhiana	Moderate	154	PM <sub>2.5</sub>	1
71	Mandi Gobindgarh	Moderate	147	PM <sub>2.5</sub>	1
72	Mandideep	Good	41	NO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Satisfactory	100	PM <sub>10</sub>	1
74	Manesar	Moderate	140	PM <sub>2.5</sub>	1
75	Manglore	Good	47	PM <sub>2.5</sub>	1
76	Medikeri	Good	26	PM <sub>2.5</sub>	1
77	Meerut	Poor	218	PM <sub>10</sub> , PM <sub>2.5</sub>	3
78	Mumbai	Satisfactory	80	PM <sub>10</sub> , PM <sub>2.5</sub>	18
79	Muzaffarnagar	Moderate	189	PM <sub>10</sub>	1
80	Muzaffarpur	Satisfactory	82	CO, PM <sub>2.5</sub>	2
81	Mysuru	Satisfactory	60	03	1
82	Nagpur	Satisfactory	58	PM <sub>10</sub>	1
83	Nandesari	Moderate	116	со	1
84	Narnaul	Moderate	149	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	64	O <sub>3</sub>	1
86	Navi Mumbai	Satisfactory	90	PM <sub>10</sub>	2
87	Noida	Moderate	179	PM <sub>10</sub>	3
88	Pali	Moderate	108	PM <sub>10</sub>	1
89	Palwal	Moderate	140	PM <sub>10</sub>	1
90	Panchkula	Moderate	185	PM <sub>2.5</sub>	1
91	Panipat	Poor	294	PM <sub>10</sub>	1
92	Patiala	Moderate	149	PM <sub>2.5</sub>	1
93	Patna	Moderate	127	O <sub>3</sub> , PM <sub>10</sub>	5
94	Pithampur	Satisfactory	70	PM <sub>10</sub>	1
95	Puducherry	Good	19	O <sub>3</sub>	1
96	Pune	Satisfactory	69	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	5

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Satisfactory	70	PM <sub>10</sub>	1
98	Rajamahendravaram	Good	29	PM <sub>10</sub>	1
99	Ratlam	Satisfactory	68	PM <sub>10</sub>	1
100	Rohtak	Moderate	180	PM <sub>2.5</sub>	1
101	Rupnagar	Moderate	125	PM <sub>10</sub>	1
102	Sagar	Satisfactory	60	PM <sub>2.5</sub>	1
103	Satna	Satisfactory	68	PM <sub>10</sub>	1
104	Shivamogga	Satisfactory	53	PM <sub>2.5</sub>	1
105	Siliguri	Satisfactory	52	PM <sub>2.5</sub>	1
106	Singrauli	Moderate	130	PM <sub>2.5</sub>	1
107	Sirsa	Moderate	128	PM <sub>10</sub>	1
108	Solapur	Good	31	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Poor	297	PM <sub>10</sub>	1
110	Srinagar	Satisfactory	98	PM <sub>10</sub>	1
111	Talcher	Satisfactory	78	PM <sub>10</sub>	1
112	Thiruvananthapuram	Good	44	PM <sub>10</sub> , O <sub>3</sub>	2
113	Thrissur	Satisfactory	83	SO <sub>2</sub>	1
114	Udaipur	Satisfactory	65	PM <sub>10</sub>	1
115	Udupi	Satisfactory	72	СО	1
116	Ujjain	Satisfactory	80	PM <sub>10</sub>	1
117	Varanasi	Moderate	112	PM <sub>10</sub>	1
118	Vatva	Moderate	106	PM <sub>10</sub>	1
119	Vijayapura	Good	45	со	1
120	Visakhapatnam	Satisfactory	77	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Good	46	O <sub>3</sub>	1
122	Yamunanagar	Moderate	160	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

### Notes:

- \* AQI is not calculated for today's bulletin for Agra, Aurangabad, Bidar, Coimbatore, Davanagere, Eloor, Fatehabad, Gadag, Gummidipoondi, Jorapokha Kalaburgi, Kalyan, Kohima, Kolar, Kozhikode, Maihar, Moradabad, Naharlagun, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.