Air Quality Index on Apr 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	84	$PM_{2.5}$	1
2	Ahmedabad	Moderate	150	O_3	1
3	Ajmer	Satisfactory	88	O_3	1
4	Alwar	Satisfactory	61	O_3	1
5	Amaravati	Good	29	PM_{10}	1
6	Ambala	Good	42	$PM_{2.5}$	1
7	Ankleshwar	Satisfactory	79	PM_{10}	1
8	Asanol	Moderate	104	PM_{10}	1
9	Aurangabad	Good	50	O_3	1
10	Bahadurgarh	Satisfactory	86	PM_{10}	1
11	Ballabgarh	Satisfactory	63	$PM_{2.5}$	1
12	Bengaluru	Good	48	O_3, $PM_{2.5}$, CO	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bathinda, Bhopal, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Jabalpur, Kalaburgi, Kalyan, Kannur, Mandi Gobindgarh, Moradabad, Mysuru, Palwal, Ratlam, Shillong, Vapi, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Satisfactory	85	PM_{10}	1
14	Bhiwani	Satisfactory	79	SO_2	1
15	Bulandshahr	Moderate	118	O_3	1
16	Chandigarh	Good	42	PM_{10}	1
17	Chandrapur	Satisfactory	92	O_3	1
18	Chennai	Good	40	O_3, CO	4
19	Chikkaballapur	Satisfactory	73	O_3	1
20	Damoh	Moderate	114	PM_{10}	1
21	Delhi	Satisfactory	90	PM_{10}, NO_2	29
22	Dewas	Moderate	103	PM_{10}	1
23	Dharuhera	Satisfactory	67	$PM_{2.5}$	1
24	Eloor	Good	35	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bathinda, Bhopal, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Jabalpur, Kalaburgi, Kalyan, Kannur, Mandi Gobindgarh, Moradabad, Mysuru, Palwal, Ratlam, Shillong, Vapi, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Ernakulam	Satisfactory	68	CO	1
26	Faridabad	Satisfactory	100	O_3, PM_{10}	3
27	Fatehabad	Satisfactory	68	PM_{10}	1
28	Gandhinagar	Satisfactory	77	PM_{10}	1
29	Gaya	Moderate	118	O_3, $PM_{2.5}$	2
30	Ghaziabad	Moderate	101	PM_{10}, O_3	4
31	Greater Noida	Satisfactory	97	PM_{10}	2
32	Gurugram	Satisfactory	86	O_3, PM_{10}	4
33	Guwahati	Moderate	153	$PM_{2.5}$	1
34	Gwalior	Satisfactory	89	PM_{10}, $PM_{2.5}$	2
35	Hajipur	Satisfactory	66	PM_{10}	1
36	Hapur	Moderate	118	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bathinda, Bhopal, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Jabalpur, Kalaburgi, Kalyan, Kannur, Mandi Gobindgarh, Moradabad, Mysuru, Palwal, Ratlam, Shillong, Vapi, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Satisfactory	83	PM_{10}	1
38	Howrah	Satisfactory	81	PM_{10}, $PM_{2.5}$	3
39	Hyderabad	Good	47	PM_{10}	3
40	Indore	Satisfactory	89	PM_{10}	1
41	Jaipur	Satisfactory	73	PM_{10}	3
42	Jalandhar	Good	44	PM_{10}	1
43	Jind	Satisfactory	69	PM_{10}	1
44	Jodhpur	Satisfactory	94	PM_{10}	1
45	Jorapokhar	Moderate	156	$PM_{2.5}$	1
46	Kaithal	Satisfactory	58	PM_{10}	1
47	Kanpur	Satisfactory	64	$PM_{2.5}$	1
48	Karnal	Satisfactory	83	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bathinda, Bhopal, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Jabalpur, Kalaburgi, Kalyan, Kannur, Mandi Gobindgarh, Moradabad, Mysuru, Palwal, Ratlam, Shillong, Vapi, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Katni	Moderate	107	O_3	1
50	Khanna	Satisfactory	55	PM_{10}	1
51	Kochi	Good	44	CO	1
52	Kolkata	Satisfactory	91	$PM_{2.5}$, O_3, PM_{10}	7
53	Kollam	Good	44	$PM_{2.5}$	1
54	Kota	Satisfactory	79	PM_{10}	1
55	Kozhikode	Good	34	$PM_{2.5}$	1
56	Kurukshetra	Satisfactory	66	PM_{10}	1
57	Lucknow	Satisfactory	76	$PM_{2.5}$, CO	4
58	Ludhiana	Good	38	PM_{10}	1
59	Maihar	Good	42	PM_{10}	1
60	Mandideep	Good	49	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bathinda, Bhopal, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Jabalpur, Kalaburgi, Kalyan, Kannur, Mandi Gobindgarh, Moradabad, Mysuru, Palwal, Ratlam, Shillong, Vapi, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandikhera	Satisfactory	97	PM_{10}	1
62	Manesar	Satisfactory	82	PM_{10}	1
63	Meerut	Moderate	104	PM_{10}	2
64	Mumbai	Satisfactory	64	PM_{10}	7
65	Muzaffarnagar	Satisfactory	93	PM_{10}	1
66	Muzaffarpur	Satisfactory	64	O_3	1
67	Nagpur	Satisfactory	75	O_3	1
68	Nandesari	Moderate	184	CO	1
69	Narnaul	Satisfactory	80	PM_{10}	1
70	Nashik	Satisfactory	74	O_3	1
71	Navi Mumbai	Satisfactory	77	CO, PM_{10}	3
72	Noida	Satisfactory	78	PM_{10}, CO, O_3	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bathinda, Bhopal, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Jabalpur, Kalaburgi, Kalyan, Kannur, Mandi Gobindgarh, Moradabad, Mysuru, Palwal, Ratlam, Shillong, Vapi, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pali	Satisfactory	87	PM_{10}	1
74	Panchkula	Good	26	O_3	1
75	Panipat	Moderate	111	PM_{10}	1
76	Patiala	Good	42	PM_{10}	1
77	Patna	Moderate	140	NO_2, PM_{10}, CO	5
78	Pithampur	Moderate	114	PM_{10}	1
79	Pune	Satisfactory	52	CO	1
80	Rajamahendravaram	Good	26	O_3	1
81	Ramanagara	Good	33	PM_{10}	1
82	Rohtak	Satisfactory	53	$PM_{2.5}$	1
83	Rupnagar	Good	40	$PM_{2.5}$	1
84	Sagar	Satisfactory	65	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bathinda, Bhopal, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Jabalpur, Kalaburgi, Kalyan, Kannur, Mandi Gobindgarh, Moradabad, Mysuru, Palwal, Ratlam, Shillong, Vapi, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Satna	Satisfactory	65	PM_{10}	1
86	Siliguri	Poor	223	$PM_{2.5}$	1
87	Singrauli	Poor	255	PM_{10}	1
88	Sirsa	Satisfactory	70	PM_{10}	1
89	Solapur	Satisfactory	61	PM_{10}	1
90	Sonipat	Moderate	110	PM_{10}	1
91	Talcher	Moderate	158	O_3	1
92	Thane	Good	28	PM_{10}	1
93	Thiruvananthapuram	Good	44	O_3, CO	2
94	Tirupati	Good	43	O_3	1
95	Udaipur	Satisfactory	62	PM_{10}	1
96	Ujjain	Satisfactory	98	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bathinda, Bhopal, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Jabalpur, Kalaburgi, Kalyan, Kannur, Mandi Gobindgarh, Moradabad, Mysuru, Palwal, Ratlam, Shillong, Vapi, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Satisfactory	82	$PM_{2.5}$	1
98	Vatva	Satisfactory	64	PM_{10}	1
99	Visakhapatnam	Good	48	PM_{10}	1
100	Yadgir	Good	42	PM_{10}	1
101	Yamunanagar	Satisfactory	68	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bathinda, Bhopal, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Jabalpur, Kalaburgi, Kalyan, Kannur, Mandi Gobindgarh, Moradabad, Mysuru, Palwal, Ratlam, Shillong, Vapi, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.