

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	244	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	123	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	151	PM _{2.5}	6
4	Aizawl	Good	45	PM ₁₀	1
5	Ajmer	Moderate	147	PM _{2.5}	1
6	Alwar	Moderate	119	PM _{2.5}	1
7	Amaravati	Moderate	104	PM _{2.5}	1
8	Ambala	Moderate	148	PM _{2.5}	1
9	Amritsar	Moderate	104	PM _{2.5}	1
10	Anantapur	Satisfactory	61	03	1
11	Araria	Very Poor	356	PM _{2.5}	1
12	Ariyalur	Satisfactory	68	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	362	PM _{2.5}	1
14	Asansol	Poor	300	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	362	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	146	PM ₁₀	1
17	Baddi	Very Poor	359	PM _{2.5}	1
18	Bagalkot	Satisfactory	57	O ₃	1
19	Bahadurgarh	Moderate	102	PM _{2.5}	1
20	Ballabgarh	Moderate	189	PM ₁₀	1
21	Bareilly	Moderate	180	PM _{2.5}	2
22	Baripada	Very Poor	309	PM _{2.5}	1
23	Begusarai	Severe	454	PM _{2.5}	1
24	Belgaum	Moderate	132	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	85	PM _{2.5} , PM ₁₀	9
26	Bettiah	Severe	417	PM _{2.5}	1
27	Bhagalpur	Very Poor	372	PM _{2.5}	2
28	Bhilai	Moderate	138	O ₃ , PM ₁₀	2
29	Bhiwadi	Poor	227	PM _{2.5}	1
30	Bhiwani	Satisfactory	87	PM _{2.5}	1
31	Bhopal	Moderate	170	PM ₁₀ , PM _{2.5}	2
32	Bidar	Satisfactory	81	со	1
33	Bihar Sharif	Very Poor	324	PM _{2.5}	1
34	Bileipada	Very Poor	304	PM _{2.5}	1
35	Brajrajnagar	Moderate	125	PM ₁₀	1
36	Bulandshahr	Poor	221	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Very Poor	394	PM _{2.5}	1
38	Chamarajanagar	Good	42	PM ₁₀	1
39	Chandigarh	Very Poor	346	PM _{2.5}	1
40	Chandrapur	Moderate	174	03	2
41	Charkhi Dadri	Moderate	127	PM _{2.5}	1
42	Chengalpattu	Moderate	106	PM _{2.5}	1
43	Chennai	Moderate	124	PM _{2.5}	8
44	Chhapra	Very Poor	378	PM ₁₀	1
45	Chikkaballapur	Moderate	116	PM ₁₀	1
46	Chikkamagaluru	Good	43	PM ₁₀	1
47	Chittoor	Good	50	03	1
48	Coimbatore	Moderate	122	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Damoh	Good	47	PM ₁₀	1
50	Davanagere	Satisfactory	60	PM ₁₀	1
51	Delhi	Poor	226	PM _{2.5}	36
52	Dewas	Moderate	132	PM ₁₀	1
53	Dharuhera	Poor	238	PM _{2.5}	1
54	Durgapur	Poor	236	PM _{2.5}	1
55	Faridabad	Poor	300	PM _{2.5}	4
56	Firozabad	Moderate	130	PM ₁₀	1
57	Gadag	Satisfactory	59	O ₃	1
58	Gandhinagar	Moderate	155	PM _{2.5} , PM ₁₀	3
59	Gangtok	Satisfactory	96	PM _{2.5}	1
60	Gaya	Very Poor	330	PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Moderate	177	PM ₁₀	4
62	Gorakhpur	Moderate	124	PM ₁₀	1
63	Greater Noida	Poor	247	PM ₁₀	2
64	Gummidipoondi	Moderate	131	PM _{2.5}	1
65	Gurugram	Poor	206	PM _{2.5}	4
66	Guwahati	Very Poor	301	PM _{2.5}	4
67	Gwalior	Very Poor	317	PM ₁₀ , PM _{2.5}	3
68	Hajipur	Very Poor	305	PM _{2.5}	1
69	Haldia	Poor	205	PM _{2.5}	1
70	Hapur	Satisfactory	97	PM _{2.5}	1
71	Hassan	Satisfactory	55	PM ₁₀	1
72	Haveri	Satisfactory	91	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Moderate	114	PM _{2.5}	1
74	Howrah	Very Poor	301	PM _{2.5}	3
75	Hubballi	Satisfactory	88	PM ₁₀	2
76	Hyderabad	Satisfactory	94	PM ₁₀ , PM _{2.5}	12
77	Imphal	Moderate	112	PM _{2.5} , SO ₂	2
78	Indore	Moderate	138	PM ₁₀	1
79	Jabalpur	Poor	246	PM _{2.5}	1
80	Jaipur	Moderate	146	PM _{2.5}	3
81	Jalandhar	Moderate	107	PM ₁₀	1
82	Jhansi	Moderate	139	PM ₁₀	1
83	Jodhpur	Moderate	180	PM _{2.5}	1
84	Kalaburgi	Satisfactory	74	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Poor	255	PM ₁₀	1
86	Kanchipuram	Satisfactory	76	PM ₁₀	1
87	Kannur	Satisfactory	94	PM _{2.5}	1
88	Kanpur	Poor	234	PM _{2.5}	3
89	Karnal	Moderate	161	PM _{2.5}	1
90	Katihar	Severe	425	PM _{2.5}	1
91	Keonjhar	Poor	292	PM _{2.5}	1
92	Khanna	Satisfactory	76	PM ₁₀	1
93	Khurja	Poor	227	PM _{2.5}	1
94	Kishanganj	Very Poor	356	PM _{2.5}	1
95	Kochi	Moderate	118	PM _{2.5}	1
96	Kohima	Satisfactory	98	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Poor	257	PM _{2.5}	7
98	Kollam	Satisfactory	82	PM ₁₀	1
99	Koppal	Moderate	123	03	1
100	Korba	Moderate	135	PM ₁₀	1
101	Kota	Moderate	171	PM _{2.5}	1
102	Kozhikode	Satisfactory	75	PM _{2.5}	1
103	Kurukshetra	Moderate	189	PM _{2.5}	1
104	Lucknow	Poor	258	PM _{2.5}	6
105	Ludhiana	Moderate	125	PM _{2.5}	1
106	Madikeri	Good	50	03	1
107	Maihar	Satisfactory	78	PM ₁₀	1
108	Mandi Gobindgarh	Moderate	137	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Moderate	107	PM ₁₀	1
110	Mandikhera	Moderate	121	PM ₁₀	1
111	Manesar	Poor	227	PM _{2.5}	1
112	Mangalore	Moderate	102	PM ₁₀	1
113	Manguraha	Moderate	187	PM _{2.5}	1
114	Meerut	Poor	271	PM ₁₀ , PM _{2.5}	3
115	Moradabad	Moderate	152	PM _{2.5}	6
116	Motihari	Very Poor	338	PM ₁₀	1
117	Mumbai	Poor	231	PM _{2.5} , PM ₁₀	18
118	Munger	Very Poor	326	PM _{2.5}	1
119	Muzaffarnagar	Poor	244	PM _{2.5}	1
120	Muzaffarpur	Very Poor	386	PM ₁₀ , PM _{2.5}	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Satisfactory	52	O ₃	1
122	Nagpur	Poor	253	PM _{2.5}	1
123	Naharlagun	Good	49	PM ₁₀	1
124	Nalbari	Poor	270	PM _{2.5}	1
125	Narnaul	Poor	221	PM _{2.5}	1
126	Nashik	Moderate	110	PM _{2.5}	1
127	Navi Mumbai	Poor	280	PM _{2.5}	3
128	Nayagarh	Poor	244	PM _{2.5}	1
129	Noida	Poor	202	PM _{2.5}	4
130	Ooty	Satisfactory	61	PM ₁₀	1
131	Pali	Moderate	119	PM _{2.5}	1
132	Palwal	Satisfactory	86	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panchkula	Poor	204	PM _{2.5}	1
134	Panipat	Moderate	127	PM ₁₀	1
135	Patiala	Moderate	104	PM ₁₀	1
136	Patna	Very Poor	394	PM ₁₀ , PM _{2.5}	6
137	Pithampur	Moderate	140	PM _{2.5}	1
138	Prayagraj	Poor	228	PM _{2.5} , PM ₁₀	3
139	Puducherry	Satisfactory	74	PM ₁₀	1
140	Pune	Good	43	со	1
141	Purnia	Severe	420	PM _{2.5}	1
142	Raipur	Satisfactory	98	PM ₁₀	4
143	Rairangpur	Moderate	187	PM _{2.5}	1
144	Rajamahendravaram	Moderate	131	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rajgir	Very Poor	365	PM _{2.5}	1
146	Ramanagara	Satisfactory	87	PM ₁₀	1
147	Ramanathapuram	Satisfactory	66	PM ₁₀	1
148	Ratlam	Moderate	113	PM ₁₀	1
149	Rourkela	Poor	257	PM _{2.5}	3
150	Rupnagar	Moderate	132	PM ₁₀	1
151	Sagar	Moderate	106	PM _{2.5} , CO	2
152	Saharsa	Very Poor	394	PM _{2.5}	1
153	Salem	Satisfactory	60	PM _{2.5}	1
154	Samastipur	Severe	407	PM _{2.5}	1
155	Sasaram	Very Poor	326	PM _{2.5}	1
156	Satna	Satisfactory	74	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shillong	Moderate	152	PM _{2.5}	1
158	Shivamogga	Good	43	O ₃	1
159	Siliguri	Moderate	153	PM ₁₀	1
160	Singrauli	Very Poor	368	PM ₁₀	1
161	Sirsa	Satisfactory	86	PM _{2.5}	1
162	Sivasagar	Good	42	PM ₁₀	1
163	Siwan	Severe	408	PM _{2.5}	1
164	Solapur	Moderate	116	PM ₁₀	1
165	Sonipat	Moderate	136	PM ₁₀	1
166	Srinagar	Satisfactory	62	PM ₁₀	1
167	Suakati	Poor	295	PM _{2.5}	1
168	Surat	Very Poor	340	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Talcher	Moderate	109	PM _{2.5}	1
170	Tensa	Poor	287	PM _{2.5}	1
171	Thane	Poor	222	PM ₁₀	1
172	Thiruvananthapuram	Satisfactory	88	PM _{2.5}	2
173	Thoothukudi	Moderate	173	O ₃	1
174	Thrissur	Moderate	118	PM _{2.5}	1
175	Tirupati	Satisfactory	87	PM _{2.5}	2
176	Tirupur	Satisfactory	57	PM ₁₀	1
177	Udaipur	Poor	205	PM _{2.5}	1
178	Ujjain	Moderate	163	PM _{2.5}	1
179	Vapi	Very Poor	325	PM _{2.5}	1
180	Varanasi	Moderate	149	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni, Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vatva	Moderate	133	PM _{2.5}	1
182	Vijayapura	Good	45	PM ₁₀	1
183	Visakhapatnam	Moderate	193	PM ₁₀	1
184	Vrindavan	Satisfactory	99	PM _{2.5}	1
185	Yadgir	Satisfactory	75	PM ₁₀	1
186	Yamunanagar	Very Poor	303	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Dindigul,
 Eloor, Ernakulam, Fatehabad, Hosur, Jind, Jorapokhar, Kaithal, Katni,
 Kolar, Kunjemura, Nandesari, Raichur, Rohtak, Silchar, Tumakuru, Udupi,
 vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.