

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	65	со	1
2	Ahmedabad	Satisfactory	74	PM ₁₀	1
3	Ajmer	Satisfactory	55	PM ₁₀	1
4	Alwar	Satisfactory	66	PM ₁₀	1
5	Amaravati	Good	41	O ₃	1
6	Ambala	Satisfactory	58	PM ₁₀	1
7	Ankleshwar	Good	46	PM ₁₀	1
8	Asanol	Good	41	PM ₁₀	1
9	Aurangabad	Good	39	PM ₁₀	1
10	Bagalkot	Good	47	PM ₁₀	1
11	Baghpat	Satisfactory	89	O ₃	1
12	Bahadurgarh	Good	40	СО	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Motes calculated for today's bulletin for Aizawl, Amritsar, Bhiwani, Charkhi Dadri, Chikkamagaluru, Damoh, Fatehabad, Gaya, Hajipur, Kalyan, Kollam, Maihar, Moradabad, Mysuru, Nagpur, Nandesari, Narnaul, Palwal, Siliguri, Solapur, Sonipat, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	129	PM ₁₀	1
14	Bathinda	Good	25	со	1
15	Bengaluru	Good	40	CO, PM _{2.5} , O ₃	6
16	Bhiwadi	Satisfactory	69	PM ₁₀	1
17	Bhopal	Good	42	PM ₁₀	1
18	Brajrajnagar	Good	38	PM ₁₀	1
19	Bulandshahr	Moderate	154	O ₃	1
20	Chandigarh	Good	41	PM ₁₀	1
21	Chandrapur	Good	22	SO ₂	1
22	Chennai	Satisfactory	67	CO, PM _{2.5} , O ₃	4
23	Chikkaballapur	Good	41	NO ₂	1
24	Coimbatore	Good	42	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Motes calculated for today's bulletin for Aizawl, Amritsar, Bhiwani, Charkhi Dadri, Chikkamagaluru, Damoh, Fatehabad, Gaya, Hajipur, Kalyan, Kollam, Maihar, Moradabad, Mysuru, Nagpur, Nandesari, Narnaul, Palwal, Siliguri, Solapur, Sonipat, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Satisfactory	60	CO, PM _{2.5} , O ₃	27
26	Dewas	Good	43	PM ₁₀	1
27	Dharuhera	Good	46	со	1
28	Eloor	Satisfactory	60	PM ₁₀	1
29	Ernakulam	Moderate	101	со	1
30	Faridabad	Satisfactory	59	PM ₁₀	1
31	Gandhinagar	Good	37	PM ₁₀	1
32	Ghaziabad	Moderate	126	03	2
33	Greater Noida	Satisfactory	58	CO, PM ₁₀	2
34	Gurugram	Satisfactory	64	03	2
35	Guwahati	Good	29	03	1
36	Gwalior	Satisfactory	52	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Aizawl, Amritsar,
 Bhiwani, Charkhi Dadri, Chikkamagaluru, Damoh, Fatehabad, Gaya,
 Hajipur, Kalyan, Kollam, Maihar, Moradabad, Mysuru, Nagpur, Nandesari,
 Narnaul, Palwal, Siliguri, Solapur, Sonipat, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Good	46	PM ₁₀	1
38	Hisar	Good	43	PM ₁₀	1
39	Howrah	Good	29	03	1
40	Hubballi	Good	23	PM ₁₀	1
41	Hyderabad	Good	38	NO ₂ , O ₃ , PM ₁₀	6
42	Indore	Satisfactory	58	O ₃	1
43	Jabalpur	Good	41	PM ₁₀	1
44	Jaipur	Satisfactory	55	PM ₁₀ , O ₃	3
45	Jalandhar	Satisfactory	70	PM ₁₀	1
46	Jind	Satisfactory	78	O ₃	1
47	Jodhpur	Moderate	110	PM _{2.5}	1
48	Jorapokhar	Satisfactory	73	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Aizawl, Amritsar,
 Bhiwani, Charkhi Dadri, Chikkamagaluru, Damoh, Fatehabad, Gaya,
 Hajipur, Kalyan, Kollam, Maihar, Moradabad, Mysuru, Nagpur, Nandesari,
 Narnaul, Palwal, Siliguri, Solapur, Sonipat, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Satisfactory	51	O ₃	1
50	Kalaburgi	Good	21	PM ₁₀	1
51	Kannur	Good	33	PM _{2.5}	1
52	Kanpur	Satisfactory	57	O ₃	1
53	Karnal	Satisfactory	96	SO ₂	1
54	Katni	Satisfactory	70	PM ₁₀	1
55	Khanna	Good	50	PM ₁₀	1
56	Kochi	Satisfactory	76	СО	1
57	Kolkata	Good	34	PM ₁₀ , O ₃	5
58	Kota	Good	31	PM ₁₀	1
59	Kozhikode	Good	25	PM _{2.5}	1
60	Kurukshetra	Satisfactory	52	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Aizawl, Amritsar,
 Bhiwani, Charkhi Dadri, Chikkamagaluru, Damoh, Fatehabad, Gaya,
 Hajipur, Kalyan, Kollam, Maihar, Moradabad, Mysuru, Nagpur, Nandesari,
 Narnaul, Palwal, Siliguri, Solapur, Sonipat, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Satisfactory	67	PM _{2.5} , CO, O ₃	4
62	Ludhiana	Satisfactory	74	O ₃	1
63	Mandi Gobindgarh	Moderate	148	PM _{2.5}	1
64	Mandideep	Satisfactory	51	PM ₁₀	1
65	Mandikhera	Good	45	O ₃	1
66	Manesar	Satisfactory	61	PM ₁₀	1
67	Meerut	Good	39	NO ₂	1
68	Mumbai	Good	47	PM ₁₀ , SO ₂ , CO	8
69	Muzaffarnagar	Satisfactory	68	PM _{2.5}	1
70	Muzaffarpur	Satisfactory	57	O ₃	1
71	Nashik	Good	31	PM ₁₀	1
72	Navi Mumbai	Good	44	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Aizawl, Amritsar,
 Bhiwani, Charkhi Dadri, Chikkamagaluru, Damoh, Fatehabad, Gaya,
 Hajipur, Kalyan, Kollam, Maihar, Moradabad, Mysuru, Nagpur, Nandesari,
 Narnaul, Palwal, Siliguri, Solapur, Sonipat, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Noida	Satisfactory	80	CO, PM ₁₀	3
74	Pali	Satisfactory	82	PM ₁₀	1
75	Panchkula	Satisfactory	63	PM _{2.5}	1
76	Panipat	Satisfactory	74	PM ₁₀	1
77	Patiala	Good	41	со	1
78	Patna	Good	36	PM ₁₀ , O ₃	5
79	Pithampur	Good	49	PM ₁₀	1
80	Pune	Satisfactory	52	со	1
81	Rajamahendravaram	Good	48	со	1
82	Ramanagara	Good	27	PM ₁₀	1
83	Ratlam	Good	37	PM ₁₀	1
84	Rohtak	Good	43	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* Moters calculated for today's bulletin for Aizawl, Amritsar,
Bhiwani, Charkhi Dadri, Chikkamagaluru, Damoh, Fatehabad, Gaya,
Hajipur, Kalyan, Kollam, Maihar, Moradabad, Mysuru, Nagpur, Nandesari,
Narnaul, Palwal, Siliguri, Solapur, Sonipat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rupnagar	Good	36	PM ₁₀	1
86	Sagar	Good	32	PM ₁₀	1
87	Satna	Satisfactory	56	PM ₁₀	1
88	Shillong	Good	19	03	1
89	Singrauli	Good	36	со	1
90	Sirsa	Satisfactory	92	O ₃	1
91	Talcher	Satisfactory	69	со	1
92	Thane	Good	33	NO ₂	1
93	Thiruvananthapuram	Good	48	PM ₁₀	1
94	Tirupati	Good	35	со	1
95	Udaipur	Good	44	PM ₁₀	1
96	Ujjain	Good	45	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Motes calculated for today's bulletin for Aizawl, Amritsar, Bhiwani, Charkhi Dadri, Chikkamagaluru, Damoh, Fatehabad, Gaya, Hajipur, Kalyan, Kollam, Maihar, Moradabad, Mysuru, Nagpur, Nandesari, Narnaul, Palwal, Siliguri, Solapur, Sonipat, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vapi	Moderate	101	СО	1
98	Varanasi	Good	28	SO ₂	1
99	Vatva	Satisfactory	60	PM ₁₀	1
100	Vijayapura	Good	35	со	1
101	Visakhapatnam	Satisfactory	84	PM ₁₀	1
102	Yamunanagar	Satisfactory	78	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* Motes calculated for today's bulletin for Aizawl, Amritsar, Bhiwani, Charkhi Dadri, Chikkamagaluru, Damoh, Fatehabad, Gaya, Hajipur, Kalyan, Kollam, Maihar, Moradabad, Mysuru, Nagpur, Nandesari, Narnaul, Palwal, Siliguri, Solapur, Sonipat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.