

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	167	PM _{2.5}	1
2	Agra	Moderate	156	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Poor	249	PM _{2.5}	9
4	Aizawl	Satisfactory	61	PM ₁₀	1
5	Alwar	Satisfactory	70	PM ₁₀	1
6	Amaravati	Satisfactory	89	PM _{2.5}	1
7	Ambala	Satisfactory	56	NO ₂	1
8	Amritsar	Satisfactory	58	PM ₁₀	1
9	Ankleshwar	Very Poor	372	PM ₁₀	1
10	Arrah	Moderate	128	NO ₂	1
11	Asansol	Moderate	133	PM _{2.5}	1
12	Aurangabad	Poor	258	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM _{2.5}	1
14	Baghpat	Moderate	136	PM _{2.5}	1
15	Bahadurgarh	Satisfactory	93	PM _{2.5}	1
16	Ballabgarh	Moderate	127	PM _{2.5}	1
17	Bathinda	Good	44	PM ₁₀	1
18	Bengaluru	Satisfactory	74	PM ₁₀ , PM _{2.5}	9
19	Bettiah	Poor	274	PM _{2.5}	1
20	Bhagalpur	Very Poor	302	PM _{2.5}	1
21	Bhiwadi	Moderate	101	PM ₁₀	1
22	Bhiwani	Satisfactory	67	PM _{2.5}	1
23	Bhopal	Poor	293	PM ₁₀	1
24	Bihar Sharif	Satisfactory	98	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	51	PM ₁₀	1
26	Brajrajnagar	Good	49	03	1
27	Bulandshahr	Moderate	184	PM _{2.5}	1
28	Chamarajanagar	Good	32	PM ₁₀	1
29	Chandigarh	Satisfactory	52	PM _{2.5} , CO	2
30	Chandrapur	Poor	288	PM ₁₀	2
31	Charkhi Dadri	Moderate	132	со	1
32	Chennai	Satisfactory	55	CO, PM ₁₀ , O ₃	7
33	Chhapra	Very Poor	338	PM _{2.5}	1
34	Chikkaballapur	Satisfactory	65	PM ₁₀	1
35	Chikkamagaluru	Good	31	PM ₁₀	1
36	Coimbatore	Good	46	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Satisfactory	98	PM ₁₀	1
38	Darbhanga	Poor	209	PM _{2.5}	1
39	Delhi	Poor	241	PM _{2.5}	32
40	Dewas	Poor	289	PM ₁₀	1
41	Dharuhera	Moderate	127	PM ₁₀	1
42	Durgapur	Moderate	178	PM ₁₀	1
43	Eloor	Satisfactory	70	PM ₁₀	1
44	Faridabad	Poor	202	PM _{2.5} , PM ₁₀	2
45	Fatehabad	Satisfactory	70	PM ₁₀	1
46	Firozabad	Poor	231	PM _{2.5}	1
47	Gadag	Satisfactory	92	PM ₁₀	1
48	Gandhinagar	Poor	219	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Satisfactory	65	PM _{2.5} , PM ₁₀	2
50	Ghaziabad	Poor	255	PM _{2.5}	3
51	Gorakhpur	Moderate	147	PM _{2.5}	1
52	Greater Noida	Poor	257	PM _{2.5}	2
53	Gurugram	Moderate	121	PM _{2.5} , PM ₁₀	3
54	Guwahati	Poor	206	PM _{2.5}	2
55	Gwalior	Moderate	144	PM _{2.5}	1
56	Hajipur	Satisfactory	99	PM _{2.5}	1
57	Haldia	Moderate	134	PM _{2.5}	1
58	Hapur	Moderate	159	PM _{2.5}	1
59	Hassan	Satisfactory	71	PM ₁₀	1
60	Hisar	Satisfactory	97	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Poor	213	PM _{2.5}	3
62	Hubballi	Moderate	190	PM ₁₀	1
63	Hyderabad	Moderate	106	PM _{2.5} , PM ₁₀	4
64	Indore	Poor	295	PM ₁₀	1
65	Jabalpur	Moderate	190	PM ₁₀	1
66	Jaipur	Satisfactory	81	PM ₁₀	2
67	Jalandhar	Satisfactory	59	PM ₁₀	1
68	Jind	Moderate	124	PM _{2.5}	1
69	Jodhpur	Poor	210	PM _{2.5}	1
70	Kaithal	Satisfactory	95	PM _{2.5}	1
71	Kalaburgi	Poor	244	PM ₁₀	1
72	Kalyan	Severe	414	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	51	PM ₁₀	1
74	Kanpur	Moderate	151	NO ₂ , PM ₁₀	3
75	Karnal	Satisfactory	54	PM ₁₀	1
76	Katihar	Poor	221	PM _{2.5}	1
77	Katni	Moderate	174	PM ₁₀	1
78	Khanna	Satisfactory	51	PM ₁₀	1
79	Kishanganj	Poor	256	PM _{2.5}	1
80	Kochi	Satisfactory	58	PM _{2.5}	1
81	Kohima	Moderate	113	PM _{2.5}	1
82	Kolkata	Poor	206	PM _{2.5}	7
83	Koppal	Satisfactory	71	PM ₁₀	1
84	Kota	Moderate	162	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	65	со	1
86	Kurukshetra	Satisfactory	67	PM _{2.5}	1
87	Lucknow	Moderate	172	PM _{2.5}	6
88	Ludhiana	Satisfactory	63	PM ₁₀	1
89	Madikeri	Good	43	PM ₁₀	1
90	Maihar	Satisfactory	53	со	1
91	Mandi Gobindgarh	Good	44	PM ₁₀	1
92	Mandideep	Moderate	145	PM ₁₀	1
93	Mandikhera	Satisfactory	90	PM ₁₀	1
94	Manesar	Moderate	112	PM ₁₀	1
95	Manglore	Satisfactory	70	PM _{2.5}	1
96	Meerut	Moderate	118	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Satisfactory	76	PM _{2.5}	3
98	Motihari	Poor	210	PM _{2.5}	1
99	Mumbai	Very Poor	381	PM _{2.5} , PM ₁₀	15
100	Munger	Very Poor	389	PM _{2.5}	1
101	Muzaffarnagar	Moderate	140	PM _{2.5}	1
102	Muzaffarpur	Poor	224	PM _{2.5}	1
103	Mysuru	Satisfactory	59	03	1
104	Nagpur	Moderate	179	PM ₁₀	1
105	Naharlagun	Satisfactory	73	PM ₁₀	1
106	Narnaul	Satisfactory	64	PM ₁₀	1
107	Nashik	Poor	293	PM ₁₀	1
108	Navi Mumbai	Severe	427	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	243	PM _{2.5}	4
110	Pali	Moderate	138	PM _{2.5}	1
111	Palwal	Satisfactory	84	PM ₁₀	1
112	Panchkula	Satisfactory	63	PM _{2.5}	1
113	Panipat	Satisfactory	88	PM ₁₀	1
114	Patiala	Satisfactory	59	PM ₁₀	1
115	Patna	Poor	208	PM _{2.5} , PM ₁₀	5
116	Prayagraj	Moderate	141	PM _{2.5}	3
117	Puducherry	Satisfactory	52	PM _{2.5}	1
118	Pune	Very Poor	340	PM _{2.5}	2
119	Purnia	Poor	202	PM _{2.5}	1
120	Raichur	Moderate	158	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Satisfactory	68	PM ₁₀	1
122	Rajgir	Moderate	173	PM _{2.5}	1
123	Ramanagara	Good	44	PM ₁₀	1
124	Ratlam	Poor	214	PM ₁₀	1
125	Rohtak	Moderate	149	PM _{2.5}	1
126	Rupnagar	Good	48	СО	1
127	Sagar	Satisfactory	70	PM _{2.5}	1
128	Saharsa	Poor	243	PM ₁₀	1
129	Sasaram	Moderate	135	PM _{2.5}	1
130	Shillong	Good	32	PM _{2.5}	1
131	Shivamogga	Satisfactory	51	PM ₁₀	1
132	Siliguri	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Poor	246	PM _{2.5}	1
134	Sirsa	Satisfactory	51	PM ₁₀	1
135	Solapur	Satisfactory	82	PM _{2.5}	1
136	Sonipat	Moderate	104	PM ₁₀	1
137	Srinagar	Moderate	118	PM ₁₀	1
138	Talcher	Moderate	126	NO ₂	1
139	Thane	Poor	241	PM ₁₀	1
140	Thiruvananthapuram	Satisfactory	52	PM ₁₀	2
141	Thoothukudi	Satisfactory	76	PM ₁₀	1
142	Thrissur	Satisfactory	74	PM ₁₀	1
143	Tirupati	Satisfactory	83	PM ₁₀	1
144	Udaipur	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udupi	Good	48	со	1
146	Ujjain	Very Poor	344	PM ₁₀	1
147	Vapi	Very Poor	340	PM _{2.5}	1
148	Varanasi	Good	45	PM ₁₀ , PM _{2.5}	3
149	Vatva	Poor	222	PM _{2.5}	1
150	Vijayapura	Good	50	PM ₁₀	1
151	Visakhapatnam	Moderate	112	PM ₁₀	1
152	Vrindavan	Moderate	122	PM _{2.5}	1
153	Yadgir	Poor	217	PM ₁₀	1
154	Yamunanagar	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Araria, Bhilai, Bidar, Buxar, Davanagere, Ernakulam, Gummidipoondi, Jorapokhar, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Satna, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.