Air Quality Index on Dec 21, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ajmer	Satisfactory	97	$PM_{2.5}$	1
2	Alwar	Moderate	132	$PM_{2.5}$	1
3	Amaravati	Moderate	170	$PM_{2.5}$	1
4	Ambala	Moderate	184	$PM_{2.5}$	1
5	Amritsar	Moderate	145	$PM_{2.5}$	1
6	Asanol	Poor	209	$PM_{2.5}$	1
7	Baghpat	Very Poor	389	$PM_{2.5}$	1
8	Bahadurgarh	Poor	223	$PM_{2.5}$	1
9	Ballabgarh	Severe	443	PM_{10}	1
10	Bathinda	Moderate	154	$PM_{2.5}$	1
11	Bengaluru	Satisfactory	88	PM_{10}, $PM_{2.5}$	9
12	Bhiwadi	Very Poor	380	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Ahmedabad, Ankleshwar, Aurangabad, Bulandshahr, Coimbatore, Gaya, Hapur, Kalaburagi, Kanpur, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Narnaul, Ramanagara, Shillong, Solapur, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 21, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwani	Very Poor	317	$PM_{2.5}$	1
14	Bhopal	Moderate	192	$PM_{2.5}$	1
15	Brajrajnagar	Moderate	126	PM_{10}	1
16	Chandigarh	Moderate	184	$PM_{2.5}$	1
17	Chandrapur	Moderate	124	$PM_{2.5}$, PM_{10}	2
18	Chennai	Moderate	137	$PM_{2.5}$	3
19	Chikkaballapur	Satisfactory	76	PM_{10}	1
20	Damoh	Poor	205	$PM_{2.5}$	1
21	Delhi	Severe	418	$PM_{2.5}$	34
22	Dewas	Moderate	116	$PM_{2.5}$	1
23	Dharuhera	Poor	262	$PM_{2.5}$	1
24	Eloor	Good	44	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Ahmedabad, Ankleshwar, Aurangabad, Bulandshahr, Coimbatore, Gaya, Hapur, Kalaburagi, Kanpur, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Narnaul, Ramanagara, Shillong, Solapur, Vapi, Varanasi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 21, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Severe	441	$PM_{2.5}$	1
26	Fatehabad	Moderate	120	PM_{10}	1
27	GandhiNagar	Satisfactory	64	PM_{10}	1
28	Ghaziabad	Severe	454	$PM_{2.5}$	3
29	Greater_Noida	Severe	467	$PM_{2.5}$	2
30	Gurugram	Very Poor	302	$PM_{2.5}$	1
31	Guwahati	Poor	247	$PM_{2.5}$	1
32	Haldia	Moderate	128	PM_{10}	1
33	Hisar	Poor	262	$PM_{2.5}$	1
34	Howrah	Very Poor	387	$PM_{2.5}$	1
35	Hubballi	Satisfactory	99	PM_{10}	1
36	Hyderabad	Moderate	171	$PM_{2.5}$	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Ahmedabad, Ankleshwar, Aurangabad, Bulandshahr, Coimbatore, Gaya, Hapur, Kalaburagi, Kanpur, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Narnaul, Ramanagara, Shillong, Solapur, Vapi, Varanasi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 21, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Indore	Poor	209	$PM_{2.5}$	1
38	Jabalpur	Moderate	194	$PM_{2.5}$	1
39	Jaipur	Moderate	127	$PM_{2.5}$, PM_{10}	3
40	Jalandhar	Moderate	101	$PM_{2.5}$	1
41	Jind	Very Poor	301	$PM_{2.5}$	1
42	Jodhpur	Moderate	187	$PM_{2.5}$	1
43	Jorapokhar	Moderate	168	PM_{10}	1
44	Kaithal	Moderate	188	$PM_{2.5}$	1
45	Kalyan	Moderate	195	PM_{10}	1
46	Karnal	Very Poor	318	$PM_{2.5}$	1
47	Katni	Poor	264	$PM_{2.5}$	1
48	Khanna	Moderate	151	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI not calculated for today's bulletin for Agra, Ahmedabad, Ankleshwar, Aurangabad, Bulandshahr, Coimbatore, Gaya, Hapur, Kalaburagi, Kanpur, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Narnaul, Ramanagara, Shillong, Solapur, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 21, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kolkata	Poor	258	$PM_{2.5}$	7
50	Kota	Moderate	137	$PM_{2.5}$	1
51	Kurukshetra	Poor	285	$PM_{2.5}$	1
52	Lucknow	Very Poor	362	$PM_{2.5}$	4
53	Ludhiana	Moderate	116	PM_{10}	1
54	Maihar	Satisfactory	52	$PM_{2.5}$	1
55	Mandideep	Moderate	189	PM_{10}	1
56	Mandikhera	Poor	286	$PM_{2.5}$	1
57	Manesar	Poor	235	$PM_{2.5}$	1
58	Meerut	Very Poor	368	$PM_{2.5}$, PM_{10}	2
59	Mumbai	Poor	203	$PM_{2.5}$	9
60	Muzaffarpur	Severe	404	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Ahmedabad, Ankleshwar, Aurangabad, Bulandshahr, Coimbatore, Gaya, Hapur, Kalaburagi, Kanpur, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Narnaul, Ramanagara, Shillong, Solapur, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 21, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mysuru	Good	50	$PM_{2.5}$	1
62	Nagpur	Satisfactory	74	PM_{10}	1
63	Nashik	Moderate	137	$PM_{2.5}$	1
64	Navi Mumbai	Poor	236	$PM_{2.5}$	2
65	Noida	Severe	474	$PM_{2.5}$	3
66	Pali	Moderate	121	PM_{10}	1
67	Palwal	Very Poor	332	$PM_{2.5}$	1
68	Panchkula	Moderate	190	$PM_{2.5}$	1
69	Panipat	Severe	406	PM_{10}	1
70	Patiala	Poor	226	$PM_{2.5}$	1
71	Patna	Severe	412	$PM_{2.5}$	1
72	Pithampur	Moderate	170	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Ahmedabad, Ankleshwar, Aurangabad, Bulandshahr, Coimbatore, Gaya, Hapur, Kalaburagi, Kanpur, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Narnaul, Ramanagara, Shillong, Solapur, Vapi, Varanasi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 21, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pune	Moderate	179	$PM_{2.5}$	1
74	Rajamahendravaram	Moderate	137	$PM_{2.5}$	1
75	Ratlam	Moderate	138	PM_{10}	1
76	Rohtak	Very Poor	337	$PM_{2.5}$	1
77	Rupnagar	Moderate	105	$PM_{2.5}$	1
78	Satna	Moderate	164	PM_{10}	1
79	Siliguri	Poor	248	$PM_{2.5}$	1
80	Singrauli	Poor	261	$PM_{2.5}$	1
81	Sirsa	Moderate	102	PM_{10}	1
82	Sonipat	Very Poor	347	PM_{10}	1
83	Talcher	Very Poor	305	$PM_{2.5}$	1
84	Thane	Satisfactory	91	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Ahmedabad, Ankleshwar, Aurangabad, Bulandshahr, Coimbatore, Gaya, Hapur, Kalaburagi, Kanpur, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Narnaul, Ramanagara, Shillong, Solapur, Vapi, Varanasi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 21, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thiruvananthapuram	Satisfactory	73	CO	1
86	Tirupati	Satisfactory	93	PM_{10}	1
87	Udaipur	Moderate	140	$PM_{2.5}$	1
88	Ujjain	Poor	206	$PM_{2.5}$	1
89	Vatva	Poor	203	$PM_{2.5}$	1
90	Visakhapatnam	Moderate	139	$PM_{2.5}$	1
91	Yadgir	Moderate	123	$PM_{2.5}$	1
92	Yamunanagar	Poor	255	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Ahmedabad, Ankleshwar, Aurangabad, Bulandshahr, Coimbatore, Gaya, Hapur, Kalaburagi, Kanpur, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Narnaul, Ramanagara, Shillong, Solapur, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.