

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	78	PM <sub>10</sub>	1
2	Ahmedabad	Moderate	145	PM <sub>10</sub>	1
3	Aizawl	Satisfactory	73	PM <sub>10</sub>	1
4	Ajmer	Satisfactory	87	PM <sub>10</sub>	1
5	Alwar	Satisfactory	83	PM <sub>10</sub>	1
6	Amaravati	Moderate	101	PM <sub>10</sub>	1
7	Ambala	Satisfactory	100	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	99	PM <sub>10</sub>	1
9	Ankleshwar	Poor	209	03	1
10	Asansol	Poor	229	PM <sub>2.5</sub>	1
11	Aurangabad	Satisfactory	98	PM <sub>10</sub>	1
12	Bagalkot	Satisfactory	58	PM <sub>10</sub>	1

#### Possible Health Impacts

Poor

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Breathing discomfort to most people on prolonged exposure

# Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	255	PM <sub>10</sub>	1
14	Bahadurgarh	Moderate	138	PM <sub>10</sub>	1
15	Ballabgarh	Moderate	150	PM <sub>10</sub>	1
16	Bathinda	Satisfactory	69	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	94	PM <sub>10</sub> , PM <sub>2.5</sub>	7
18	Bhiwadi	Very Poor	305	PM <sub>10</sub>	1
19	Bhiwani	Moderate	154	PM <sub>10</sub>	1
20	Bhopal	Moderate	189	PM <sub>10</sub>	1
21	Brajrajnagar	Satisfactory	98	PM <sub>10</sub>	1
22	Bulandshahr	Poor	254	PM <sub>10</sub>	1
23	Chamarajanagar	Satisfactory	77	PM <sub>10</sub>	1
24	Chandigarh	Moderate	113	PM <sub>10</sub>	1

#### Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	2
26	Chennai	Satisfactory	57	CO, PM <sub>10</sub> , O <sub>3</sub>	7
27	Chikkaballapur	Moderate	130	PM <sub>10</sub>	1
28	Chikkamagaluru	Satisfactory	76	PM <sub>2.5</sub>	1
29	Damoh	Satisfactory	80	PM <sub>10</sub>	1
30	Delhi	Moderate	182	PM <sub>2.5</sub> , PM <sub>10</sub>	29
31	Dewas	Poor	211	PM <sub>10</sub>	1
32	Dharuhera	Poor	241	PM <sub>10</sub>	1
33	Eloor	Good	50	03	1
34	Faridabad	Moderate	141	PM <sub>10</sub> , O <sub>3</sub>	3
35	Fatehabad	Moderate	198	PM <sub>10</sub>	1
36	Gadag	Moderate	119	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	128	PM <sub>10</sub>	1
38	Gaya	Satisfactory	97	03	1
39	Ghaziabad	Poor	242	PM <sub>10</sub>	4
40	Greater Noida	Poor	254	PM <sub>10</sub>	2
41	Gummidipoondi	Moderate	154	PM <sub>10</sub>	1
42	Gurugram	Moderate	138	PM <sub>10</sub> , PM <sub>2.5</sub>	3
43	Guwahati	Moderate	127	PM <sub>10</sub>	2
44	Gwalior	Moderate	128	PM <sub>10</sub>	1
45	Hajipur	Poor	224	PM <sub>10</sub>	1
46	Haldia	Satisfactory	95	PM <sub>10</sub>	1
47	Hapur	Poor	232	PM <sub>10</sub>	1
48	Hassan	Moderate	137	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	170	PM <sub>10</sub>	1
50	Howrah	Moderate	162	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
51	Hubballi	Satisfactory	80	PM <sub>10</sub>	1
52	Hyderabad	Moderate	140	PM <sub>2.5</sub> , PM <sub>10</sub>	6
53	Indore	Poor	204	PM <sub>10</sub>	1
54	Jabalpur	Poor	214	PM <sub>10</sub>	1
55	Jaipur	Moderate	116	PM <sub>10</sub>	2
56	Jalandhar	Satisfactory	79	PM <sub>2.5</sub>	1
57	Jind	Moderate	153	PM <sub>10</sub>	1
58	Jodhpur	Moderate	198	PM <sub>2.5</sub>	1
59	Kaithal	Moderate	156	PM <sub>10</sub>	1
60	Kalaburgi	Moderate	102	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	148	PM <sub>10</sub>	1
62	Kannur	Satisfactory	83	PM <sub>10</sub>	1
63	Kanpur	Satisfactory	60	O <sub>3</sub> , PM <sub>2.5</sub>	2
64	Karnal	Satisfactory	93	PM <sub>10</sub>	1
65	Katni	Poor	207	PM <sub>10</sub>	1
66	Khanna	Satisfactory	80	PM <sub>10</sub>	1
67	Kochi	Satisfactory	67	PM <sub>10</sub>	1
68	Kolar	Satisfactory	57	со	1
69	Kolkata	Moderate	171	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	6
70	Kollam	Satisfactory	68	PM <sub>10</sub>	1
71	Kota	Moderate	136	PM <sub>2.5</sub>	1
72	Kozhikode	Satisfactory	78	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact

Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	119	PM <sub>10</sub>	1
74	Lucknow	Moderate	142	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
75	Ludhiana	Satisfactory	85	PM <sub>10</sub>	1
76	Mandi Gobindgarh	Poor	214	PM <sub>2.5</sub>	1
77	Mandideep	Satisfactory	81	PM <sub>10</sub>	1
78	Mandikhera	Moderate	131	PM <sub>10</sub>	1
79	Manesar	Moderate	198	PM <sub>2.5</sub>	1
80	Medikeri	Satisfactory	67	PM <sub>10</sub>	1
81	Meerut	Poor	238	PM <sub>10</sub>	2
82	Moradabad	Moderate	200	PM <sub>10</sub>	1
83	Mumbai	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	19
84	Muzaffarnagar	Moderate	175	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	133	PM <sub>10</sub>	1
86	Mysuru	Satisfactory	86	03	1
87	Narnaul	Moderate	184	PM <sub>10</sub>	1
88	Nashik	Moderate	111	PM <sub>10</sub>	1
89	Navi Mumbai	Moderate	120	PM <sub>10</sub> , PM <sub>2.5</sub>	3
90	Noida	Moderate	187	PM <sub>10</sub>	2
91	Pali	Poor	224	PM <sub>2.5</sub>	1
92	Palwal	Moderate	105	PM <sub>10</sub>	1
93	Panchkula	Satisfactory	95	PM <sub>2.5</sub>	1
94	Panipat	Moderate	144	PM <sub>10</sub>	1
95	Patiala	Satisfactory	99	PM <sub>10</sub>	1
96	Patna	Poor	210	PM <sub>2.5</sub> , PM <sub>10</sub>	5

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	114	PM <sub>2.5</sub>	1
98	Puducherry	Satisfactory	57	O <sub>3</sub>	1
99	Pune	Satisfactory	82	PM <sub>2.5</sub> , NO <sub>2</sub> , CO	6
100	Raichur	Moderate	104	PM <sub>10</sub>	1
101	Rajamahendravaram	Moderate	106	PM <sub>10</sub>	1
102	Ratlam	Moderate	166	PM <sub>10</sub>	1
103	Rohtak	Moderate	122	PM <sub>2.5</sub>	1
104	Rupnagar	Good	47	PM <sub>10</sub>	1
105	Sagar	Moderate	129	PM <sub>2.5</sub>	1
106	Satna	Satisfactory	85	PM <sub>10</sub>	1
107	Shivamogga	Satisfactory	56	PM <sub>10</sub>	1
108	Siliguri	Moderate	106	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Very Poor	309	PM <sub>2.5</sub>	1
110	Sirsa	Moderate	101	PM <sub>10</sub>	1
111	Solapur	Moderate	103	PM <sub>10</sub>	1
112	Sonipat	Moderate	178	PM <sub>10</sub>	1
113	Srinagar	Satisfactory	86	PM <sub>10</sub>	1
114	Talcher	Moderate	164	PM <sub>2.5</sub>	1
115	Thane	Moderate	104	NO <sub>2</sub>	1
116	Thiruvananthapuram	Satisfactory	52	PM <sub>10</sub> , CO	2
117	Thoothukudi	Satisfactory	87	PM <sub>10</sub>	1
118	Thrissur	Satisfactory	79	SO <sub>2</sub>	1
119	Tirupati	Moderate	107	PM <sub>10</sub>	1
120	Udaipur	Moderate	164	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Poor	227	O <sub>3</sub>	1
122	Vapi	Satisfactory	99	PM <sub>10</sub>	1
123	Varanasi	Poor	225	O <sub>3</sub>	1
124	Vatva	Poor	246	PM <sub>2.5</sub>	1
125	Vijayapura	Good	49	PM <sub>10</sub>	1
126	Visakhapatnam	Moderate	173	PM <sub>2.5</sub>	1
127	Yadgir	Moderate	102	O <sub>3</sub>	1
128	Yamunanagar	Moderate	127	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Charkhi Dadri, Coimbatore, Davanagere, Durgapur, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.