



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	218	PM _{2.5}	1
2	Agra	Satisfactory	89	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	112	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	62	PM ₁₀	1
5	Ajmer	Satisfactory	81	PM ₁₀	1
6	Alwar	Satisfactory	76	PM ₁₀	1
7	Amaravati	Satisfactory	72	PM ₁₀	1
8	Ambala	Moderate	140	PM ₁₀	1
9	Amritsar	Moderate	137	PM ₁₀	1
10	Ankleshwar	Moderate	192	PM _{2.5}	1
11	Araria	Poor	230	PM _{2.5}	1
12	Arrah	Poor	240	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	136	PM _{2.5}	1
14	Aurangabad	Moderate	107	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Moderate	200	PM _{2.5}	1
17	Ballabgarh	Moderate	136	PM _{2.5}	1
18	Bengaluru	Satisfactory	91	CO, PM ₁₀	9
19	Bettiah	Poor	206	PM ₁₀	1
20	Bhagalpur	Very Poor	314	PM _{2.5}	2
21	Bhilai	Satisfactory	56	PM ₁₀	1
22	Bhiwadi	Poor	225	PM _{2.5}	1
23	Bhiwani	Moderate	152	PM _{2.5}	1
24	Bhopal	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	102	PM ₁₀	1
26	Bilaspur	Satisfactory	59	PM ₁₀	1
27	Brajrajnagar	Satisfactory	86	PM ₁₀	1
28	Bulandshahr	Moderate	159	PM _{2.5}	1
29	Buxar	Very Poor	315	PM _{2.5}	1
30	Chamarajanagar	Good	34	PM ₁₀	1
31	Chandigarh	Moderate	175	PM _{2.5} , PM ₁₀	3
32	Chandrapur	Moderate	146	O ₃ , PM ₁₀	2
33	Charkhi Dadri	Moderate	196	PM _{2.5}	1
34	Chennai	Satisfactory	68	PM ₁₀ , O ₃	8
35	Chhapra	Very Poor	331	PM _{2.5}	1
36	Chikkaballapur	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Moderate	110	PM _{2.5}	1
38	Damoh	Satisfactory	62	PM _{2.5}	1
39	Darbhanga	Poor	292	PM _{2.5}	1
40	Davanagere	Satisfactory	99	PM ₁₀	1
41	Delhi	Poor	227	PM ₁₀ , PM _{2.5}	37
42	Dewas	Moderate	105	PM _{2.5}	1
43	Dharuhera	Moderate	184	PM _{2.5}	1
44	Durgapur	Moderate	192	PM ₁₀	1
45	Eloor	Satisfactory	63	PM _{2.5}	1
46	Ernakulam	Satisfactory	78	PM _{2.5}	1
47	Faridabad	Poor	225	PM _{2.5}	4
48	Fatehabad	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	102	PM _{2.5}	1
50	Gadag	Satisfactory	84	PM _{2.5}	1
51	Gandhinagar	Moderate	166	PM _{2.5} , PM ₁₀	3
52	Gaya	Moderate	187	PM _{2.5} , PM ₁₀	3
53	Ghaziabad	Poor	243	PM _{2.5}	4
54	Gorakhpur	Moderate	108	PM _{2.5}	1
55	Greater Noida	Moderate	166	PM ₁₀ , PM _{2.5}	2
56	Gummidipoondi	Good	45	PM ₁₀	1
57	Gurugram	Poor	226	PM _{2.5}	4
58	Guwahati	Poor	222	PM _{2.5}	2
59	Gwalior	Moderate	156	PM _{2.5}	1
60	Haldia	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	190	PM _{2.5}	1
62	Hassan	Satisfactory	100	PM ₁₀	1
63	Hisar	Moderate	148	NO ₂	1
64	Howrah	Poor	228	PM _{2.5}	3
65	Hubballi	Moderate	101	PM ₁₀	1
66	Hyderabad	Moderate	108	PM ₁₀ , PM _{2.5}	4
67	Indore	Moderate	149	PM ₁₀	1
68	Jabalpur	Moderate	149	PM ₁₀	1
69	Jaipur	Moderate	102	PM ₁₀	2
70	Jalandhar	Satisfactory	100	PM ₁₀	1
71	Jhansi	Moderate	167	PM ₁₀	1
72	Jind	Moderate	112	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	146	PM _{2.5}	1
74	Kaithal	Moderate	145	PM ₁₀	1
75	Kalaburgi	Moderate	117	PM ₁₀	1
76	Kannur	Satisfactory	79	PM ₁₀	1
77	Kanpur	Moderate	127	PM _{2.5} , PM ₁₀	3
78	Karnal	Moderate	156	PM ₁₀	1
79	Katihar	Very Poor	305	PM ₁₀	1
80	Katni	Moderate	111	PM ₁₀	1
81	Khanna	Moderate	108	PM ₁₀	1
82	Kishanganj	Very Poor	342	PM _{2.5}	1
83	Kochi	Moderate	116	PM _{2.5}	1
84	Kohima	Moderate	111	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Moderate	186	PM _{2.5}	7
86	Kollam	Moderate	110	PM ₁₀	1
87	Kota	Moderate	169	PM _{2.5}	1
88	Kozhikode	Satisfactory	62	PM ₁₀	1
89	Kurukshetra	Poor	209	PM _{2.5}	1
90	Lucknow	Moderate	173	PM _{2.5} , PM ₁₀	6
91	Ludhiana	Moderate	113	PM ₁₀	1
92	Madikeri	Satisfactory	85	PM ₁₀	1
93	Mandi Gobindgarh	Poor	235	PM ₁₀	1
94	Mandideep	Moderate	101	PM _{2.5}	1
95	Mandikhera	Moderate	107	PM ₁₀	1
96	Manesar	Moderate	196	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Good	46	PM _{2.5}	1
98	Meerut	Poor	264	PM _{2.5}	2
99	Moradabad	Moderate	155	PM _{2.5}	4
100	Motihari	Poor	260	PM _{2.5}	1
101	Mumbai	Moderate	103	PM _{2.5} , PM ₁₀	19
102	Munger	Very Poor	385	PM _{2.5}	1
103	Muzaffarnagar	Very Poor	305	PM _{2.5}	1
104	Muzaffarpur	Very Poor	357	PM _{2.5}	1
105	Mysuru	Satisfactory	58	O ₃	1
106	Nagpur	Moderate	107	CO	1
107	Narnaul	Poor	209	PM _{2.5}	1
108	Navi Mumbai	Moderate	107	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Moderate	194	PM ₁₀ , PM _{2.5}	4
110	Pali	Moderate	115	PM _{2.5}	1
111	Palwal	Moderate	116	PM ₁₀	1
112	Panchkula	Moderate	150	PM _{2.5}	1
113	Patiala	Moderate	104	PM ₁₀	1
114	Patna	Poor	262	PM _{2.5} , PM ₁₀	6
115	Pithampur	Satisfactory	94	PM ₁₀	1
116	Prayagraj	Moderate	133	PM _{2.5}	3
117	Puducherry	Satisfactory	66	PM ₁₀	1
118	Pune	Moderate	110	NO ₂ , PM _{2.5}	5
119	Purnia	Poor	297	PM _{2.5}	1
120	Raichur	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Satisfactory	98	PM ₁₀	1
122	Rajgir	Poor	283	PM _{2.5}	1
123	Ramanagara	Satisfactory	83	PM ₁₀	1
124	Ratlam	Moderate	101	PM ₁₀	1
125	Rohtak	Poor	203	PM _{2.5}	1
126	Rupnagar	Moderate	138	PM _{2.5}	1
127	Sagar	Satisfactory	63	PM _{2.5}	1
128	Saharsa	Very Poor	370	PM _{2.5}	1
129	Sasaram	Poor	287	PM _{2.5}	1
130	Satna	Satisfactory	55	PM ₁₀	1
131	Shillong	Good	36	PM _{2.5}	1
132	Shivamogga	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	127	PM ₁₀	1
134	Singrauli	Poor	226	PM ₁₀	1
135	Sirsa	Satisfactory	98	PM ₁₀	1
136	Siwan	Very Poor	335	PM _{2.5}	1
137	Solapur	Moderate	126	PM _{2.5}	1
138	Sonipat	Poor	205	PM ₁₀	1
139	Srinagar	Moderate	172	PM ₁₀	1
140	Talcher	Moderate	124	NO ₂	1
141	Thane	Satisfactory	84	O ₃	1
142	Thiruvananthapuram	Satisfactory	86	PM ₁₀	2
143	Thoothukudi	Good	49	PM ₁₀	1
144	Tirupati	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	114	PM ₁₀	1
146	Ujjain	Moderate	154	PM ₁₀	1
147	Vapi	Moderate	119	PM ₁₀	1
148	Varanasi	Moderate	136	PM _{2.5} , PM ₁₀	4
149	Vatva	Moderate	137	PM ₁₀	1
150	Vijayapura	Good	46	PM ₁₀	1
151	Visakhapatnam	Moderate	141	PM ₁₀	1
152	Vrindavan	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bihar Sharif, Chikkamagaluru, Hajipur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.