

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	80	со	1
2	Ahmedabad	Satisfactory	61	со	1
3	Ajmer	Satisfactory	66	PM ₁₀	1
4	Alwar	Good	49	PM ₁₀	1
5	Amaravati	Good	42	03	1
6	Ambala	Good	36	PM ₁₀	1
7	Amritsar	Satisfactory	62	PM ₁₀	1
8	Ankleshwar	Good	35	со	1
9	Asansol	Satisfactory	59	PM ₁₀	1
10	Aurangabad	Satisfactory	87	со	1
11	Bagalkot	Satisfactory	51	PM ₁₀	1
12	Baghpat	Satisfactory	67	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Dharuhera, Gaya, Kalyan, Mandi Gobindgarh, Moradabad, Mysuru, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Good	48	PM _{2.5}	1
14	Ballabgarh	Moderate	150	PM _{2.5}	1
15	Bathinda	Satisfactory	57	PM ₁₀	1
16	Bengaluru	Good	43	PM ₁₀ , CO	9
17	Bhiwadi	Satisfactory	74	PM ₁₀	1
18	Bhiwani	Good	47	O ₃	1
19	Bhopal	Good	30	PM ₁₀	1
20	Brajrajnagar	Good	35	PM _{2.5}	1
21	Bulandshahr	Satisfactory	60	PM ₁₀	1
22	Chandigarh	Good	35	PM ₁₀	1
23	Chandrapur	Good	18	СО	1
24	Charkhi Dadri	Satisfactory	95	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Dharuhera, Gaya, Kalyan, Mandi Gobindgarh, Moradabad, Mysuru, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	60	PM ₁₀ , CO, PM _{2.5}	4
26	Chikkaballapur	Good	49	PM ₁₀	1
27	Chikkamagaluru	Good	34	PM ₁₀	1
28	Coimbatore	Good	38	NO ₂	1
29	Damoh	Good	19	NO ₂	1
30	Delhi	Satisfactory	72	NO ₂ , PM ₁₀ , PM _{2.5}	31
31	Dewas	Good	32	со	1
32	Eloor	Satisfactory	67	PM ₁₀	1
33	Ernakulam	Moderate	109	со	1
34	Faridabad	Satisfactory	84	PM _{2.5} , PM ₁₀ , O ₃	3
35	Fatehabad	Good	39	PM ₁₀	1
36	Gandhinagar	Good	27	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Dharuhera, Gaya, Kalyan, Mandi Gobindgarh, Moradabad, Mysuru, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Satisfactory	64	CO, PM ₁₀	3
38	Greater Noida	Satisfactory	58	PM ₁₀	2
39	Gurugram	Satisfactory	80	PM ₁₀ , PM _{2.5}	4
40	Guwahati	Good	26	PM ₁₀	1
41	Gwalior	Good	36	O ₃	1
42	Hajipur	Good	27	со	1
43	Hapur	Good	40	PM ₁₀	1
44	Hisar	Satisfactory	51	PM _{2.5}	1
45	Howrah	Good	41	PM ₁₀	3
46	Hubballi	Good	30	PM ₁₀	1
47	Hyderabad	Good	32	NO ₂ , PM ₁₀ , PM _{2.5}	6
48	Indore	Good	41	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Dharuhera, Gaya, Kalyan, Mandi Gobindgarh, Moradabad, Mysuru, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Good	34	со	1
50	Jaipur	Good	48	PM ₁₀	3
51	Jalandhar	Satisfactory	60	PM ₁₀	1
52	Jind	Satisfactory	100	со	1
53	Jodhpur	Moderate	102	PM ₁₀	1
54	Jorapokhar	Satisfactory	69	со	1
55	Kaithal	Good	46	PM ₁₀	1
56	Kalaburgi	Good	14	PM ₁₀	1
57	Kannur	Good	31	PM _{2.5}	1
58	Kanpur	Good	47	PM _{2.5}	1
59	Karnal	Good	39	PM _{2.5}	1
60	Katni	Good	35	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Dharuhera, Gaya, Kalyan, Mandi Gobindgarh, Moradabad, Mysuru, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Satisfactory	54	PM ₁₀	1
62	Kochi	Satisfactory	94	СО	1
63	Kolkata	Good	46	CO, O ₃ , PM ₁₀	5
64	Kollam	Satisfactory	84	со	1
65	Kota	Good	46	PM ₁₀	1
66	Kozhikode	Good	15	PM _{2.5}	1
67	Kurukshetra	Good	37	O ₃	1
68	Lucknow	Satisfactory	82	PM ₁₀ , O ₃	4
69	Ludhiana	Satisfactory	52	PM ₁₀	1
70	Maihar	Good	21	PM ₁₀	1
71	Mandideep	Good	50	O ₃	1
72	Mandikhera	Satisfactory	89	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Dharuhera, Gaya, Kalyan, Mandi Gobindgarh, Moradabad, Mysuru, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Satisfactory	92	PM ₁₀	1
74	Meerut	Good	44	PM ₁₀	2
75	Mumbai	Good	28	PM ₁₀ , PM _{2.5}	8
76	Muzaffarnagar	Satisfactory	66	PM ₁₀	1
77	Muzaffarpur	Satisfactory	71	03	1
78	Nagpur	Satisfactory	70	03	1
79	Narnaul	Good	38	PM ₁₀	1
80	Nashik	Good	27	со	1
81	Navi Mumbai	Satisfactory	51	со	1
82	Noida	Satisfactory	75	CO, PM ₁₀	4
83	Pali	Satisfactory	95	PM ₁₀	1
84	Palwal	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Dharuhera, Gaya, Kalyan, Mandi Gobindgarh, Moradabad, Mysuru, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panchkula	Satisfactory	53	со	1
86	Panipat	Satisfactory	90	PM ₁₀	1
87	Patiala	Good	41	со	1
88	Patna	Good	48	PM _{2.5} , PM ₁₀ , O ₃	5
89	Pithampur	Good	31	PM ₁₀	1
90	Pune	Good	50	со	1
91	Rajamahendravaram	Good	42	O ₃	1
92	Ramanagara	Good	32	NO ₂	1
93	Rohtak	Good	49	PM _{2.5}	1
94	Rupnagar	Satisfactory	83	PM ₁₀	1
95	Satna	Satisfactory	55	PM ₁₀	1
96	Shillong	Good	8	SO ₂	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Dharuhera, Gaya, Kalyan, Mandi Gobindgarh, Moradabad, Mysuru, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Singrauli	Satisfactory	55	PM ₁₀	1
98	Sirsa	Satisfactory	65	03	1
99	Talcher	Satisfactory	100	со	1
100	Thane	Good	45	PM ₁₀	1
101	Thiruvananthapuram	Satisfactory	55	PM ₁₀	1
102	Tirupati	Good	34	со	1
103	Udaipur	Satisfactory	63	PM ₁₀	1
104	Ujjain	Good	44	PM ₁₀	1
105	Vapi	Good	29	PM ₁₀	1
106	Varanasi	Good	48	PM ₁₀	1
107	Vatva	Satisfactory	73	PM _{2.5}	1
108	Vijayapura	Good	49	O ₃	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Dharuhera, Gaya, Kalyan, Mandi Gobindgarh, Moradabad, Mysuru, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Visakhapatnam	Satisfactory	78	PM ₁₀	1
110	Yamunanagar	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Dharuhera, Gaya, Kalyan, Mandi Gobindgarh, Moradabad, Mysuru, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.