



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	187	PM _{2.5}	1
2	Agra	Moderate	155	PM _{2.5}	1
3	Ahmedabad	Satisfactory	96	PM ₁₀	1
4	Aizawl	Good	17	PM ₁₀	1
5	Ajmer	Moderate	127	PM ₁₀	1
6	Alwar	Satisfactory	78	PM ₁₀	1
7	Amaravati	Satisfactory	54	O ₃	1
8	Ambala	Poor	209	PM ₁₀	1
9	Amritsar	Satisfactory	76	PM _{2.5}	1
10	Ankleshwar	Moderate	150	PM _{2.5}	1
11	Asansol	Moderate	139	PM _{2.5}	1
12	Aurangabad	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonapat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	59	NO ₂	1
14	Baghpat	Moderate	185	PM _{2.5}	1
15	Bahadurgarh	Moderate	161	PM _{2.5}	1
16	Ballabgarh	Moderate	141	PM ₁₀	1
17	Bathinda	Satisfactory	68	PM ₁₀	1
18	Bengaluru	Good	50	CO, PM ₁₀ , NO ₂	10
19	Bhiwadi	Poor	201	PM _{2.5}	1
20	Bhiwani	Moderate	118	PM ₁₀	1
21	Bhopal	Moderate	116	NO ₂	1
22	Brajrajnagar	Satisfactory	56	PM ₁₀	1
23	Chandigarh	Satisfactory	68	PM ₁₀	1
24	Chandrapur	Satisfactory	62	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonapat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	143	PM _{2.5}	1
26	Chennai	Satisfactory	60	NO ₂ , PM _{2.5}	3
27	Chikkaballapur	Good	35	CO	1
28	Chikkamagaluru	Good	48	O ₃	1
29	Damoh	Moderate	173	PM _{2.5}	1
30	Delhi	Poor	231	PM _{2.5}	37
31	Dewas	Moderate	101	PM ₁₀	1
32	Dharuhera	Moderate	170	PM ₁₀	1
33	Eloor	Good	35	CO	1
34	Ernakulam	Satisfactory	69	CO	1
35	Faridabad	Moderate	171	PM _{2.5} , PM ₁₀	4
36	Fatehabad	Poor	229	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonapat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	72	PM ₁₀	1
38	Gaya	Satisfactory	92	PM _{2.5}	2
39	Ghaziabad	Poor	240	PM _{2.5}	4
40	Greater Noida	Poor	226	PM _{2.5}	2
41	Gurugram	Poor	204	PM _{2.5}	4
42	Guwahati	Moderate	135	PM _{2.5}	1
43	Gwalior	Moderate	154	PM _{2.5}	1
44	Hajipur	Moderate	144	PM _{2.5}	1
45	Hapur	Moderate	115	PM ₁₀	1
46	Hisar	Poor	221	PM _{2.5}	1
47	Howrah	Moderate	136	PM _{2.5} , PM ₁₀	3
48	Hubballi	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonapat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	78	PM _{2.5} , PM ₁₀	6
50	Indore	Satisfactory	99	PM ₁₀	1
51	Jabalpur	Poor	210	PM _{2.5}	1
52	Jaipur	Satisfactory	96	PM ₁₀ , NO ₂	3
53	Jalandhar	Moderate	107	PM ₁₀	1
54	Jind	Poor	201	PM _{2.5}	1
55	Jodhpur	Moderate	119	PM ₁₀	1
56	Jorapokhar	Satisfactory	71	PM ₁₀	1
57	Kaithal	Satisfactory	88	PM ₁₀	1
58	Kalaburgi	Satisfactory	52	PM ₁₀	1
59	Kalyan	Moderate	144	PM _{2.5}	1
60	Kannur	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonipat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Poor	266	PM _{2.5}	1
62	Karnal	Satisfactory	75	PM ₁₀	1
63	Katni	Very Poor	335	PM _{2.5}	1
64	Khanna	Moderate	125	PM _{2.5}	1
65	Kohima	Moderate	121	PM ₁₀	1
66	Kolkata	Moderate	129	PM _{2.5} , PM ₁₀ , O ₃	7
67	Kollam	Moderate	190	PM _{2.5}	1
68	Kota	Satisfactory	69	PM _{2.5}	1
69	Kozhikode	Good	49	PM ₁₀	1
70	Kurukshetra	Moderate	115	PM _{2.5}	1
71	Lucknow	Moderate	199	PM _{2.5}	4
72	Ludhiana	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonapat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Good	42	PM ₁₀	1
74	Mandi Gobindgarh	Very Poor	307	PM _{2.5}	1
75	Mandideep	Moderate	105	PM ₁₀	1
76	Mandikhera	Satisfactory	97	CO	1
77	Medikeri	Good	40	O ₃	1
78	Meerut	Poor	220	PM _{2.5}	2
79	Moradabad	Poor	294	PM _{2.5}	1
80	Mumbai	Moderate	139	PM _{2.5} , PM ₁₀	15
81	Muzaffarnagar	Moderate	184	PM _{2.5}	1
82	Muzaffarpur	Poor	274	PM _{2.5} , PM ₁₀	2
83	Mysuru	Good	48	O ₃	1
84	Nagpur	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonapat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	188	CO	1
86	Narnaul	Moderate	113	PM _{2.5}	1
87	Nashik	Satisfactory	89	PM _{2.5}	1
88	Navi Mumbai	Satisfactory	75	CO	1
89	Noida	Poor	233	PM _{2.5}	4
90	Pali	Moderate	101	PM ₁₀	1
91	Palwal	Moderate	103	CO	1
92	Panchkula	Satisfactory	79	PM _{2.5}	1
93	Panipat	Moderate	129	PM ₁₀	1
94	Patiala	Satisfactory	86	PM ₁₀	1
95	Patna	Very Poor	350	PM _{2.5}	4
96	Pithampur	Moderate	114	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonapat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Satisfactory	68	PM _{2.5} , CO	5
98	Rajamahendravaram	Satisfactory	57	O ₃	1
99	Ramanagara	Good	41	O ₃	1
100	Ratlam	Satisfactory	96	PM ₁₀	1
101	Rohtak	Poor	208	PM _{2.5}	1
102	Rupnagar	Moderate	122	PM ₁₀	1
103	Sagar	Satisfactory	80	PM _{2.5}	1
104	Satna	Satisfactory	64	PM ₁₀	1
105	Shillong	Good	21	PM ₁₀	1
106	Shivamogga	Good	32	CO	1
107	Singrauli	Very Poor	336	PM _{2.5}	1
108	Solapur	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonapat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	101	PM ₁₀	1
110	Thane	Moderate	146	PM ₁₀	1
111	Thiruvananthapuram	Satisfactory	60	PM ₁₀ , CO	2
112	Thoothukudi	Satisfactory	62	PM ₁₀	1
113	Thrissur	Satisfactory	68	PM ₁₀	1
114	Tirupati	Good	41	CO	1
115	Udaipur	Satisfactory	88	PM ₁₀	1
116	Ujjain	Moderate	167	O ₃	1
117	Vapi	Poor	239	PM _{2.5}	1
118	Varanasi	Very Poor	304	PM _{2.5}	1
119	Vatva	Moderate	112	PM _{2.5}	1
120	Vijayapura	Good	48	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonapat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Moderate	167	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bulandshahr, Chamarajanagar, Coimbatore, Kochi, Manesar, Siliguri, Sirsa, Sonapat, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.