



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	75	PM <sub>2.5</sub> , PM <sub>10</sub>	5
2	Ahmedabad	Satisfactory	64	PM <sub>10</sub>	8
3	Akola	Good	48	PM <sub>10</sub>	1
4	Alwar	Satisfactory	53	PM <sub>10</sub>	1
5	Ambala	Satisfactory	91	CO	1
6	Amravati	Good	48	PM <sub>10</sub>	2
7	Amritsar	Satisfactory	88	CO	1
8	Anantapur	Good	47	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	60	PM <sub>10</sub>	1
10	Ariyalur	Good	30	PM <sub>10</sub>	1
11	Arrah	Good	46	CO	1
12	Asansol	Good	31	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Good	28	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	88	PM <sub>10</sub>	3
15	Baddi	Satisfactory	69	O <sub>3</sub>	1
16	Badlapur	Satisfactory	55	PM <sub>10</sub>	1
17	Bagalkot	Good	42	PM <sub>10</sub>	1
18	Baghpat	Moderate	152	O <sub>3</sub>	1
19	Bahadurgarh	Moderate	135	PM <sub>10</sub>	1
20	Banswara	Satisfactory	70	PM <sub>10</sub>	1
21	Baran	Satisfactory	62	O <sub>3</sub>	1
22	Bareilly	Good	33	CO	1
23	Baripada	Satisfactory	53	PM <sub>10</sub>	1
24	Barmer	Satisfactory	60	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	59	PM <sub>2.5</sub> , PM <sub>10</sub>	6
26	Bhagalpur	Good	42	CO	1
27	Bharatpur	Satisfactory	66	PM <sub>10</sub>	1
28	Bhilai	Good	27	CO	3
29	Bhiwadi	Satisfactory	99	PM <sub>10</sub>	1
30	Bhiwandi	Satisfactory	60	PM <sub>2.5</sub>	1
31	Bhiwani	Satisfactory	73	PM <sub>10</sub>	1
32	Bhopal	Satisfactory	92	PM <sub>10</sub>	1
33	Bidar	Good	44	CO	1
34	Bihar Sharif	Good	27	CO	1
35	Bikaner	Satisfactory	81	PM <sub>10</sub>	1
36	Bilaspur	Good	38	CO	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Satisfactory	89	PM <sub>10</sub>	1
38	Bulandshahr	Moderate	109	PM <sub>10</sub>	1
39	Bundi	Satisfactory	74	O <sub>3</sub>	1
40	Byrnihat	Poor	205	PM <sub>2.5</sub>	1
41	Chamarajanagar	Good	40	PM <sub>10</sub>	1
42	Chandigarh	Satisfactory	66	O <sub>3</sub> , PM <sub>10</sub>	3
43	Chandrapur	Satisfactory	74	PM <sub>10</sub>	1
44	Charkhi Dadri	Good	44	PM <sub>10</sub>	1
45	Chengalpattu	Satisfactory	53	CO	1
46	Chennai	Good	49	NO <sub>2</sub> , CO	3
47	Chhapra	Satisfactory	77	CO	1
48	Chikkamagaluru	Good	42	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Good	34	O <sub>3</sub>	1
50	Chittorgarh	Satisfactory	59	PM <sub>10</sub>	1
51	Churu	Satisfactory	52	PM <sub>10</sub>	1
52	Cuddalore	Good	24	PM <sub>2.5</sub>	1
53	Damoh	Good	43	PM <sub>10</sub>	1
54	Dausa	Satisfactory	74	PM <sub>10</sub>	1
55	Davanagere	Good	23	PM <sub>10</sub>	1
56	Dehradun	Moderate	113	CO	1
57	Delhi	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub>	36
58	Dharuhera	Moderate	127	PM <sub>10</sub>	1
59	Dharwad	Good	48	PM <sub>10</sub>	1
60	Dholpur	Satisfactory	95	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhule	Satisfactory	52	PM <sub>10</sub>	1
62	Durgapur	Satisfactory	54	PM <sub>10</sub>	1
63	Eloor	Good	47	PM <sub>10</sub>	1
64	Faridabad	Moderate	120	PM <sub>10</sub> , PM <sub>2.5</sub>	4
65	Fatehabad	Moderate	180	O <sub>3</sub>	1
66	Firozabad	Satisfactory	64	PM <sub>10</sub>	1
67	Gadag	Good	46	SO <sub>2</sub>	1
68	Gandhinagar	Satisfactory	64	PM <sub>10</sub>	1
69	Gangtok	Satisfactory	55	SO <sub>2</sub>	1
70	Gaya	Good	44	O <sub>3</sub>	3
71	Ghaziabad	Moderate	153	PM <sub>2.5</sub>	4
72	Gorakhpur	Good	40	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Poor	211	PM <sub>10</sub> , O <sub>3</sub>	2
74	Gurugram	Moderate	192	PM <sub>2.5</sub>	2
75	Guwahati	Satisfactory	52	CO, PM <sub>10</sub>	3
76	Hajipur	Satisfactory	63	O <sub>3</sub>	1
77	Haldia	Good	38	O <sub>3</sub>	1
78	Hanumangarh	Satisfactory	69	PM <sub>10</sub>	1
79	Hapur	Satisfactory	99	PM <sub>2.5</sub>	1
80	Hassan	Satisfactory	54	PM <sub>10</sub>	1
81	Hisar	Moderate	130	PM <sub>10</sub>	1
82	Howrah	Good	45	PM <sub>10</sub>	3
83	Hubballi	Moderate	119	PM <sub>10</sub>	1
84	Hyderabad	Satisfactory	65	PM <sub>10</sub>	5

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Satisfactory	66	O <sub>3</sub> , PM <sub>10</sub>	3
86	Jaipur	Satisfactory	69	PM <sub>10</sub> , PM <sub>2.5</sub>	5
87	Jaisalmer	Satisfactory	70	PM <sub>10</sub>	1
88	Jalandhar	Satisfactory	65	PM <sub>10</sub>	1
89	Jalgaon	Satisfactory	82	PM <sub>2.5</sub>	1
90	Jalna	Good	37	NO <sub>2</sub>	1
91	Jhalawar	Satisfactory	75	PM <sub>10</sub>	1
92	Jhansi	Satisfactory	96	PM <sub>10</sub>	1
93	Jhunjhunu	Satisfactory	84	O <sub>3</sub>	1
94	Jind	Satisfactory	84	CO	1
95	Jodhpur	Satisfactory	67	PM <sub>10</sub>	4
96	Kadapa	Satisfactory	51	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Satisfactory	54	PM <sub>2.5</sub>	1
98	Kannur	Satisfactory	70	PM <sub>10</sub>	1
99	Kanpur	Good	41	CO	3
100	Karauli	Satisfactory	59	O <sub>3</sub>	1
101	Karnal	Satisfactory	54	PM <sub>10</sub>	1
102	Kashipur	Satisfactory	69	PM <sub>10</sub>	1
103	Keonjhar	Satisfactory	51	PM <sub>2.5</sub>	1
104	Khanna	Satisfactory	56	PM <sub>10</sub>	1
105	Khurja	Moderate	144	PM <sub>2.5</sub>	1
106	Kochi	Good	48	PM <sub>10</sub>	1
107	Kohima	Satisfactory	61	SO <sub>2</sub>	1
108	Kolhapur	Good	31	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolkata	Good	35	PM <sub>10</sub>	7
110	Koppal	Satisfactory	51	SO <sub>2</sub>	1
111	Korba	Good	38	CO, NO <sub>2</sub>	2
112	Kota	Satisfactory	62	PM <sub>10</sub>	3
113	Kunjemura	Good	27	CO	1
114	Kurukshetra	Satisfactory	58	PM <sub>10</sub>	1
115	Latur	Good	27	CO	1
116	Lucknow	Good	46	CO	5
117	Ludhiana	Satisfactory	73	PM <sub>10</sub>	1
118	Mahad	Good	38	SO <sub>2</sub>	1
119	Maihar	Good	36	CO	1
120	Mandi Gobindgarh	Good	46	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Good	39	PM <sub>10</sub>	1
122	Manesar	Satisfactory	60	PM <sub>2.5</sub>	1
123	Mangalore	Satisfactory	57	PM <sub>10</sub>	1
124	Manguraha	Satisfactory	52	CO	1
125	Meerut	Satisfactory	98	PM <sub>10</sub>	2
126	Milupara	Good	35	PM <sub>10</sub>	1
127	Moradabad	Satisfactory	66	PM <sub>10</sub>	6
128	Motihari	Good	40	CO	1
129	Mumbai	Satisfactory	53	CO, PM <sub>10</sub>	23
130	Munger	Good	19	NO <sub>2</sub>	1
131	Muzaffarnagar	Moderate	139	PM <sub>2.5</sub>	1
132	Muzaffarpur	Good	30	CO	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mysuru	Good	41	PM <sub>10</sub>	1
134	Nagaon	Good	38	PM <sub>10</sub>	1
135	Nagaur	Satisfactory	70	PM <sub>10</sub>	1
136	Nagpur	Good	50	PM <sub>10</sub> , PM <sub>2.5</sub>	4
137	Nanded	Good	32	PM <sub>10</sub>	1
138	Narnaul	Moderate	138	CO	1
139	Nashik	Good	34	PM <sub>10</sub>	4
140	Navi Mumbai	Satisfactory	51	CO, PM <sub>10</sub>	7
141	Nayagarh	Moderate	104	PM <sub>10</sub>	1
142	Ooty	Good	34	PM <sub>10</sub>	1
143	Pali	Satisfactory	97	CO	1
144	Palkalaiperur	Good	25	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palwal	Good	40	PM <sub>10</sub>	1
146	Panchkula	Good	49	O <sub>3</sub>	1
147	Panipat	Satisfactory	71	PM <sub>10</sub>	1
148	Parbhani	Good	34	PM <sub>10</sub>	1
149	Patiala	Good	42	O <sub>3</sub>	1
150	Patna	Good	41	PM <sub>10</sub> , NO <sub>2</sub>	6
151	Pimpri Chinchwad	Good	33	PM <sub>2.5</sub>	3
152	Pratapgarh	Satisfactory	59	PM <sub>10</sub>	1
153	Prayagraj	Satisfactory	79	PM <sub>2.5</sub> , SO <sub>2</sub>	3
154	Puducherry	Good	46	CO	1
155	Pune	Satisfactory	76	NO <sub>2</sub> , PM <sub>10</sub>	7
156	Raipur	Good	28	PM <sub>10</sub> , NO <sub>2</sub>	3

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rairangpur	Satisfactory	51	PM <sub>10</sub>	1
158	Rajamahendravaram	Good	33	PM <sub>10</sub>	1
159	Rajsamand	Satisfactory	57	CO	1
160	Ratlam	Good	42	PM <sub>10</sub>	1
161	Rishikesh	Good	35	CO	1
162	Rohtak	Satisfactory	92	PM <sub>2.5</sub>	1
163	Rourkela	Satisfactory	62	PM <sub>10</sub>	2
164	Rupnagar	Satisfactory	86	PM <sub>10</sub>	1
165	Sagar	Satisfactory	70	CO	1
166	Salem	Good	31	PM <sub>2.5</sub>	1
167	Sangli	Good	26	CO	1
168	Satna	Moderate	114	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shillong	Good	23	PM <sub>10</sub> , SO <sub>2</sub>	2
170	Shivamogga	Satisfactory	63	PM <sub>2.5</sub>	1
171	Sikar	Satisfactory	82	O <sub>3</sub>	1
172	Silchar	Good	35	CO	1
173	Siliguri	Good	42	NO <sub>2</sub>	1
174	Singrauli	Satisfactory	83	SO <sub>2</sub>	1
175	Sirohi	Good	47	PM <sub>10</sub>	1
176	Sirsa	Satisfactory	87	PM <sub>10</sub>	1
177	Sivasagar	Good	18	PM <sub>10</sub>	1
178	Siwan	Satisfactory	74	NO <sub>2</sub>	1
179	Solapur	Good	41	PM <sub>10</sub>	3
180	Sri Ganganagar	Satisfactory	88	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Suakati	Satisfactory	69	PM <sub>10</sub>	1
182	Surat	Moderate	170	PM <sub>2.5</sub>	1
183	Talcher	Satisfactory	60	CO	1
184	Tensa	Good	38	PM <sub>10</sub>	1
185	Thane	Satisfactory	55	PM <sub>10</sub>	1
186	Thiruvananthapuram	Good	26	PM <sub>10</sub> , NO <sub>2</sub>	2
187	Thoothukudi	Good	41	PM <sub>10</sub>	1
188	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
189	Tirupati	Good	31	CO	1
190	Tonk	Satisfactory	71	O <sub>3</sub>	1
191	Tumakuru	Satisfactory	65	PM <sub>10</sub>	1
192	Udaipur	Satisfactory	74	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Sep 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udupi	Satisfactory	76	CO	1
194	Ulhasnagar	Satisfactory	62	PM <sub>2.5</sub>	1
195	Vapi	Satisfactory	92	CO	1
196	Varanasi	Good	26	SO <sub>2</sub> , O <sub>3</sub>	4
197	Vatva	Satisfactory	76	PM <sub>10</sub>	1
198	Vijayapura	Good	45	PM <sub>10</sub>	1
199	Vijayawada	Satisfactory	70	PM <sub>2.5</sub>	2
200	Vrindavan	Good	39	PM <sub>10</sub>	1
201	Yamunanagar	Satisfactory	79	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Amaravati, Araria, Ballabgarh, Bathinda, Begusarai, Belapur, Belgaum, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dindigul, Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Haveri, Hosur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Kishanganj, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Noida, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sonapat, Srinagar, Tirupur, Tumidih, Ujjain, Virar, Visakhapatnam, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: