



## Air Quality Index on Dec 23, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	91	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	103	PM <sub>2.5</sub>	1
3	Ajmer	Satisfactory	61	PM <sub>10</sub>	1
4	Alwar	Satisfactory	74	O <sub>3</sub>	1
5	Amaravati	Moderate	150	PM <sub>2.5</sub>	1
6	Ambala	Moderate	125	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	118	PM <sub>2.5</sub>	1
8	Ankleshwar	Moderate	194	PM <sub>2.5</sub>	1
9	Asanol	Very Poor	355	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	91	PM <sub>10</sub>	1
11	Baghpat	Very Poor	313	PM <sub>2.5</sub>	1
12	Bahadurgarh	Moderate	138	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Coimbatore, Damoh, Kalaburagi, Kalyan, Kanpur, Manesar, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Thane, Varanasi, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 23, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	207	PM <sub>2.5</sub>	1
14	Bathinda	Moderate	111	PM <sub>2.5</sub>	1
15	Bengaluru	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	8
16	Bhiwani	Poor	206	PM <sub>2.5</sub>	1
17	Bhopal	Moderate	182	PM <sub>2.5</sub>	1
18	Brajrajnagar	Moderate	109	PM <sub>10</sub>	1
19	Chandigarh	Satisfactory	76	PM <sub>10</sub>	1
20	Chandrapur	Satisfactory	95	PM <sub>2.5</sub>	2
21	Chennai	Satisfactory	93	PM <sub>2.5</sub>	4
22	Chikkaballapur	Satisfactory	72	PM <sub>10</sub>	1
23	Delhi	Very Poor	327	PM <sub>2.5</sub>	31
24	Dewas	Moderate	135	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Coimbatore, Damoh, Kalaburagi, Kalyan, Kanpur, Manesar, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Thane, Varanasi, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 23, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	146	PM <sub>2.5</sub>	1
26	Eloor	Good	48	PM <sub>10</sub>	1
27	Faridabad	Very Poor	324	PM <sub>2.5</sub>	1
28	Fatehabad	Moderate	115	PM <sub>10</sub>	1
29	GandhiNagar	Satisfactory	52	O <sub>3</sub>	1
30	Gaya	Poor	264	PM <sub>2.5</sub>	1
31	Ghaziabad	Very Poor	344	PM <sub>2.5</sub>	4
32	Greater_Noida	Very Poor	354	PM <sub>2.5</sub>	2
33	Gurugram	Moderate	162	PM <sub>2.5</sub>	1
34	Guwahati	Poor	244	PM <sub>2.5</sub>	1
35	Haldia	Moderate	147	PM <sub>10</sub>	1
36	Hapur	Moderate	156	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Coimbatore, Damoh, Kalaburagi, Kalyan, Kanpur, Manesar, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Thane, Varanasi, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 23, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	219	PM <sub>2.5</sub>	1
38	Howrah	Very Poor	330	PM <sub>2.5</sub>	2
39	Hubballi	Satisfactory	89	PM <sub>10</sub>	1
40	Hyderabad	Moderate	154	PM <sub>2.5</sub>	5
41	Indore	Moderate	148	PM <sub>2.5</sub>	1
42	Jabalpur	Poor	241	PM <sub>2.5</sub>	1
43	Jaipur	Satisfactory	88	PM <sub>10</sub>	3
44	Jalandhar	Satisfactory	97	PM <sub>2.5</sub>	1
45	Jind	Poor	258	PM <sub>2.5</sub>	1
46	Jodhpur	Moderate	115	PM <sub>2.5</sub>	1
47	Jorapokhar	Poor	248	PM <sub>10</sub>	1
48	Kaithal	Moderate	102	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Coimbatore, Damoh, Kalaburagi, Kalyan, Kanpur, Manesar, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Thane, Varanasi, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 23, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Karnal	Poor	239	PM <sub>2.5</sub>	1
50	Katni	Poor	230	PM <sub>2.5</sub>	1
51	Khanna	Satisfactory	88	PM <sub>10</sub>	1
52	Kolkata	Poor	268	PM <sub>2.5</sub>	7
53	Kota	Moderate	101	PM <sub>10</sub>	1
54	Kurukshetra	Poor	259	PM <sub>2.5</sub>	1
55	Lucknow	Poor	278	PM <sub>2.5</sub>	4
56	Ludhiana	Satisfactory	90	PM <sub>10</sub>	1
57	Maihar	Satisfactory	77	PM <sub>2.5</sub>	1
58	Mandi Gobindgarh	Poor	216	PM <sub>2.5</sub>	1
59	Mandideep	Moderate	134	PM <sub>10</sub>	1
60	Mandikhera	Moderate	165	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Coimbatore, Damoh, Kalaburagi, Kalyan, Kanpur, Manesar, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Thane, Varanasi, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 23, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Meerut	Poor	260	PM <sub>2.5</sub>	2
62	Mumbai	Poor	212	PM <sub>2.5</sub>	10
63	Muzaffarpur	Severe	405	PM <sub>2.5</sub>	1
64	Mysuru	Satisfactory	56	PM <sub>2.5</sub>	1
65	Nagpur	Satisfactory	60	NO <sub>2</sub>	1
66	Narnaul	Satisfactory	83	PM <sub>2.5</sub>	1
67	Nashik	Moderate	158	PM <sub>2.5</sub>	1
68	Navi Mumbai	Poor	258	PM <sub>2.5</sub>	2
69	Noida	Very Poor	351	PM <sub>2.5</sub>	4
70	Pali	Satisfactory	71	O <sub>3</sub>	1
71	Palwal	Poor	210	PM <sub>2.5</sub>	1
72	Panchkula	Moderate	144	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Coimbatore, Damoh, Kalaburagi, Kalyan, Kanpur, Manesar, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Thane, Varanasi, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 23, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panipat	Very Poor	316	PM <sub>10</sub>	1
74	Patiala	Satisfactory	100	PM <sub>10</sub>	1
75	Patna	Severe	422	PM <sub>2.5</sub>	1
76	Pithampur	Moderate	146	PM <sub>2.5</sub>	1
77	Pune	Poor	207	PM <sub>2.5</sub>	1
78	Rajamahendravaram	Moderate	137	PM <sub>2.5</sub>	1
79	Ratlam	Moderate	132	PM <sub>10</sub>	1
80	Rohtak	Poor	234	PM <sub>2.5</sub>	1
81	Rupnagar	Satisfactory	77	PM <sub>10</sub>	1
82	Satna	Moderate	194	PM <sub>10</sub>	1
83	Siliguri	Poor	284	PM <sub>2.5</sub>	1
84	Singrauli	Very Poor	344	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Coimbatore, Damoh, Kalaburagi, Kalyan, Kanpur, Manesar, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Thane, Varanasi, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 23, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sirsa	Satisfactory	82	PM <sub>10</sub>	1
86	Solapur	Moderate	127	PM <sub>10</sub>	1
87	Sonipat	Very Poor	345	PM <sub>10</sub>	1
88	Talcher	Very Poor	330	PM <sub>2.5</sub>	1
89	Thiruvananthapuram	Satisfactory	69	PM <sub>10</sub>	1
90	Tirupati	Satisfactory	78	PM <sub>10</sub>	1
91	Udaipur	Moderate	112	PM <sub>2.5</sub>	1
92	Ujjain	Moderate	130	PM <sub>2.5</sub>	1
93	Vapi	Poor	284	PM <sub>2.5</sub>	1
94	Vatva	Moderate	136	PM <sub>10</sub>	1
95	Visakhapatnam	Moderate	158	PM <sub>2.5</sub>	1
96	Yadgir	Moderate	102	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Coimbatore, Damoh, Kalaburagi, Kalyan, Kanpur, Manesar, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Thane, Varanasi, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.





## Air Quality Index on Dec 23, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Yamunanagar	Moderate	176	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Coimbatore, Damoh, Kalaburagi, Kalyan, Kanpur, Manesar, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Thane, Varanasi, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.