

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	92	PM ₁₀	1
2	Agra	Poor	207	PM _{2.5}	1
3	Ahmedabad	Moderate	152	PM ₁₀	1
4	Aizawl	Satisfactory	78	PM ₁₀	1
5	Ajmer	Moderate	104	PM _{2.5}	1
6	Alwar	Satisfactory	89	PM ₁₀	1
7	Amaravati	Good	39	PM ₁₀	1
8	Ambala	Moderate	108	PM ₁₀	1
9	Amritsar	Moderate	110	PM _{2.5}	1
10	Ankleshwar	Moderate	123	PM ₁₀	1
11	Asansol	Moderate	112	PM ₁₀	1
12	Bagalkot	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Severe	401	PM ₁₀	1
14	Bahadurgarh	Moderate	193	PM _{2.5}	1
15	Ballabgarh	Moderate	149	PM _{2.5}	1
16	Bengaluru	Satisfactory	67	PM ₁₀ , PM _{2.5} , CO	9
17	Bhiwadi	Very Poor	313	PM _{2.5}	1
18	Bhiwani	Moderate	135	PM ₁₀	1
19	Bhopal	Moderate	184	O ₃	1
20	Brajrajnagar	Satisfactory	70	03	1
21	Bulandshahr	Poor	296	PM ₁₀	1
22	Chamarajanagar	Satisfactory	70	PM ₁₀	1
23	Chandigarh	Satisfactory	90	PM ₁₀	1
24	Chandrapur	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Material

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	178	PM ₁₀	1
26	Chennai	Satisfactory	53	O ₃ , CO, PM ₁₀	5
27	Chikkaballapur	Satisfactory	64	PM ₁₀	1
28	Damoh	Good	37	PM ₁₀	1
29	Delhi	Poor	241	PM ₁₀ , PM _{2.5}	31
30	Dewas	Satisfactory	100	PM ₁₀	1
31	Dharuhera	Poor	260	PM ₁₀	1
32	Durgapur	Moderate	180	PM ₁₀	1
33	Eloor	Good	48	со	1
34	Ernakulam	Satisfactory	61	PM ₁₀	1
35	Faridabad	Poor	219	O ₃ , PM ₁₀	3
36	Fatehabad	Moderate	198	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Satisfactory	56	PM _{2.5}	1
38	Gandhinagar	Satisfactory	81	PM ₁₀	1
39	Gaya	Moderate	142	PM _{2.5} , O ₃	2
40	Ghaziabad	Poor	289	PM ₁₀	4
41	Greater Noida	Poor	224	PM ₁₀	2
42	Gummidipoondi	Good	42	PM _{2.5}	1
43	Gurugram	Poor	210	PM _{2.5}	3
44	Guwahati	Moderate	114	PM ₁₀	2
45	Gwalior	Moderate	110	PM ₁₀	1
46	Hajipur	Poor	231	PM ₁₀	1
47	Haldia	Satisfactory	80	PM ₁₀	1
48	Hassan	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	157	PM ₁₀	1
50	Howrah	Moderate	103	PM ₁₀	3
51	Hubballi	Satisfactory	71	PM ₁₀	1
52	Hyderabad	Satisfactory	91	PM ₁₀ , PM _{2.5}	5
53	Indore	Moderate	139	PM _{2.5}	1
54	Jabalpur	Satisfactory	90	03	1
55	Jaipur	Moderate	159	PM _{2.5} , PM ₁₀	3
56	Jalandhar	Moderate	136	PM ₁₀	1
57	Jind	Moderate	190	PM _{2.5}	1
58	Jodhpur	Poor	222	PM _{2.5}	1
59	Jorapokhar	Moderate	102	PM ₁₀	1
60	Kaithal	Moderate	152	PM ₁₀	1

Possible Health Impacts

odili impuoto

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	135	PM ₁₀	1
62	Kannur	Satisfactory	98	PM _{2.5}	1
63	Kanpur	Satisfactory	88	NO ₂	1
64	Karnal	Satisfactory	92	PM ₁₀	1
65	Katni	Moderate	153	03	1
66	Khanna	Moderate	106	PM ₁₀	1
67	Kohima	Satisfactory	98	PM ₁₀	1
68	Kolkata	Moderate	101	O ₃ , PM ₁₀	7
69	Kollam	Satisfactory	78	PM ₁₀	1
70	Koppal	Satisfactory	72	со	1
71	Kota	Moderate	104	PM _{2.5}	1
72	Kozhikode	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	135	PM ₁₀	1
74	Lucknow	Moderate	138	PM _{2.5} , PM ₁₀ , O ₃	4
75	Ludhiana	Satisfactory	100	PM ₁₀	1
76	Mandi Gobindgarh	Satisfactory	70	PM _{2.5}	1
77	Mandideep	Good	44	03	1
78	Mandikhera	Satisfactory	99	PM ₁₀	1
79	Manesar	Poor	286	PM _{2.5}	1
80	Manglore	Satisfactory	62	PM ₁₀	1
81	Medikeri	Satisfactory	62	PM ₁₀	1
82	Meerut	Poor	245	PM ₁₀	3
83	Moradabad	Poor	258	PM _{2.5}	1
84	Mumbai	Satisfactory	92	O ₃ , PM _{2.5} , PM ₁₀	19

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	185	PM ₁₀	1
86	Muzaffarpur	Poor	222	PM _{2.5} , PM ₁₀	2
87	Nagpur	Satisfactory	73	PM ₁₀	1
88	Nandesari	Good	45	PM _{2.5}	1
89	Narnaul	Poor	273	PM ₁₀	1
90	Navi Mumbai	Satisfactory	98	PM ₁₀	3
91	Noida	Poor	223	PM ₁₀	3
92	Pali	Moderate	167	PM _{2.5}	1
93	Palwal	Moderate	135	PM ₁₀	1
94	Panchkula	Satisfactory	98	PM _{2.5}	1
95	Panipat	Poor	221	PM ₁₀	1
96	Patiala	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Poor	219	PM _{2.5} , PM ₁₀	4
98	Pithampur	Moderate	119	03	1
99	Puducherry	Good	26	PM ₁₀	1
100	Pune	Satisfactory	86	PM ₁₀ , PM _{2.5} , CO	3
101	Rajamahendravaram	Satisfactory	54	PM ₁₀	1
102	Ramanagara	Satisfactory	61	PM ₁₀	1
103	Ratlam	Moderate	126	PM ₁₀	1
104	Rohtak	Moderate	172	PM _{2.5}	1
105	Rupnagar	Satisfactory	53	PM ₁₀	1
106	Sagar	Satisfactory	53	PM _{2.5}	1
107	Singrauli	Poor	286	PM ₁₀	1
108	Sirsa	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Poor	230	PM ₁₀	1
110	Srinagar	Good	36	NO ₂	1
111	Talcher	Poor	222	PM ₁₀	1
112	Thane	Moderate	102	PM ₁₀	1
113	Thiruvananthapuram	Good	44	O ₃ , CO	2
114	Thoothukudi	Satisfactory	59	PM ₁₀	1
115	Thrissur	Satisfactory	60	PM ₁₀	1
116	Tirupati	Satisfactory	62	PM ₁₀	1
117	Udaipur	Satisfactory	93	03	1
118	Ujjain	Poor	227	03	1
119	Vapi	Satisfactory	88	PM ₁₀	1
120	Varanasi	Poor	251	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Poor	226	PM _{2.5}	1
122	Vijayapura	Satisfactory	54	PM ₁₀	1
123	Visakhapatnam	Satisfactory	84	PM ₁₀	1
124	Yadgir	Satisfactory	71	PM ₁₀	1
125	Yamunanagar	Moderate	164	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Satna, Shillong, Shivamogga, Siliguri, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.