

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	114	PM ₁₀ , PM _{2.5}	2
2	Agra	Satisfactory	58	PM ₁₀	5
3	Ahmedabad	Moderate	175	PM _{2.5} , PM ₁₀	7
4	Aizawl	Moderate	110	PM ₁₀	1
5	Ajmer	Satisfactory	87	O ₃	1
6	Alwar	Satisfactory	65	PM ₁₀	1
7	Amaravati	Good	42	PM ₁₀	1
8	Ambala	Satisfactory	64	PM ₁₀	1
9	Amritsar	Satisfactory	65	PM _{2.5}	1
10	Anantapur	Satisfactory	51	PM _{2.5}	1
11	Ankleshwar	Moderate	167	PM _{2.5}	1
12	Araria	Moderate	180	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	56	NO ₂	1
14	Arrah	Moderate	168	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	121	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	68	PM ₁₀	1
17	Baddi	Satisfactory	96	PM ₁₀	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Moderate	168	03	1
20	Bahadurgarh	Moderate	124	PM _{2.5}	1
21	Ballabgarh	Satisfactory	82	PM ₁₀	1
22	Banswara	Moderate	110	03	1
23	Bareilly	Satisfactory	67	PM ₁₀	2
24	Baripada	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	172	PM ₁₀	1
26	Bathinda	Satisfactory	53	PM _{2.5}	1
27	Begusarai	Very Poor	316	PM _{2.5}	1
28	Belgaum	Satisfactory	70	PM ₁₀	1
29	Bengaluru	Satisfactory	91	PM _{2.5} , PM ₁₀	11
30	Bettiah	Poor	234	PM _{2.5}	1
31	Bhagalpur	Poor	218	PM _{2.5}	2
32	Bharatpur	Moderate	139	PM ₁₀	1
33	Bhilai	Satisfactory	58	PM ₁₀	2
34	Bhiwadi	Moderate	158	со	1
35	Bhiwani	Moderate	102	PM _{2.5}	1
36	Bhopal	Satisfactory	88	O ₃ , CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Moderate	104	со	1
38	Bihar Sharif	Satisfactory	92	PM ₁₀	1
39	Bikaner	Poor	217	PM ₁₀	1
40	Bilaspur	Satisfactory	83	PM ₁₀	1
41	Bileipada	Moderate	190	PM _{2.5}	1
42	Brajrajnagar	Satisfactory	100	PM ₁₀	1
43	Bulandshahr	Moderate	112	PM ₁₀	1
44	Chamarajanagar	Good	45	PM ₁₀	1
45	Chandigarh	Satisfactory	90	PM _{2.5}	3
46	Chandrapur	Satisfactory	89	PM _{2.5}	1
47	Charkhi Dadri	Moderate	127	PM _{2.5}	1
48	Chennai	Satisfactory	61	PM ₁₀ , CO	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Satisfactory	99	PM ₁₀	1
50	Chhapra	Poor	228	PM ₁₀	1
51	Chikkaballapur	Satisfactory	69	PM _{2.5}	1
52	Chikkamagaluru	Satisfactory	68	PM ₁₀	1
53	Chittoor	Satisfactory	61	03	1
54	Chittorgarh	Moderate	162	03	1
55	Churu	Moderate	105	PM ₁₀	1
56	Coimbatore	Satisfactory	94	PM _{2.5}	1
57	Cuddalore	Good	46	PM _{2.5}	1
58	Dausa	Moderate	127	PM ₁₀	1
59	Davanagere	Satisfactory	68	PM _{2.5}	1
60	Dehradun	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	188	PM ₁₀ , PM _{2.5}	35
62	Dewas	Satisfactory	93	СО	1
63	Dhanbad	Poor	216	PM _{2.5}	1
64	Dharuhera	Moderate	154	PM _{2.5}	1
65	Dindigul	Moderate	155	NO ₂	1
66	Durgapur	Moderate	114	PM ₁₀	1
67	Faridabad	Moderate	180	PM _{2.5}	3
68	Fatehabad	Moderate	153	PM ₁₀	1
69	Firozabad	Satisfactory	62	PM ₁₀	2
70	Gadag	Satisfactory	89	PM ₁₀	1
71	Gandhinagar	Moderate	136	PM _{2.5} , PM ₁₀	3
72	Gaya	Moderate	133	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Moderate	166	PM ₁₀	4
74	Gorakhpur	Satisfactory	92	PM _{2.5}	1
75	Greater Noida	Moderate	191	PM ₁₀	2
76	Gurugram	Moderate	154	PM _{2.5}	3
77	Guwahati	Moderate	171	PM ₁₀	4
78	Gwalior	Moderate	126	O ₃ , PM _{2.5}	3
79	Hajipur	Moderate	191	PM ₁₀	1
80	Hanumangarh	Moderate	193	PM ₁₀	1
81	Hapur	Satisfactory	62	03	1
82	Hassan	Satisfactory	92	PM ₁₀	1
83	Haveri	Satisfactory	68	PM _{2.5}	1
84	Hisar	Satisfactory	82	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Satisfactory	90	PM ₁₀	2
86	Hubballi	Satisfactory	97	PM ₁₀	2
87	Hyderabad	Satisfactory	78	PM _{2.5} , PM ₁₀	12
88	Imphal	Poor	213	PM _{2.5}	1
89	Indore	Satisfactory	78	PM ₁₀	2
90	Jabalpur	Moderate	103	PM ₁₀	1
91	Jaipur	Satisfactory	97	PM _{2.5}	5
92	Jalandhar	Satisfactory	77	PM ₁₀	1
93	Jhalawar	Satisfactory	86	03	1
94	Jhansi	Satisfactory	68	PM ₁₀	1
95	Jhunjhunu	Moderate	189	O ₃	1
96	Jodhpur	Moderate	140	PM ₁₀ , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kadapa	Moderate	147	PM _{2.5}	1
98	Kalaburgi	Satisfactory	69	PM ₁₀	1
99	Kanchipuram	Good	50	PM ₁₀	1
100	Kanpur	Satisfactory	70	PM ₁₀	3
101	Karauli	Satisfactory	62	03	1
102	Karnal	Satisfactory	67	PM ₁₀	1
103	Kashipur	Satisfactory	71	PM ₁₀	1
104	Katihar	Poor	217	PM _{2.5}	1
105	Katni	Moderate	101	PM ₁₀	1
106	Keonjhar	Poor	209	PM _{2.5}	1
107	Khanna	Satisfactory	65	PM ₁₀	1
108	Khurja	Satisfactory	97	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kishanganj	Moderate	122	PM ₁₀	1
110	Kochi	Satisfactory	61	СО	1
111	Kohima	Moderate	124	PM _{2.5}	1
112	Kolkata	Satisfactory	74	PM _{2.5} , PM ₁₀	7
113	Kollam	Satisfactory	73	PM ₁₀	1
114	Koppal	Satisfactory	66	03	1
115	Korba	Satisfactory	100	PM ₁₀	2
116	Kota	Moderate	124	O ₃ , PM _{2.5}	3
117	Kurukshetra	Satisfactory	73	PM _{2.5}	1
118	Lucknow	Satisfactory	79	PM _{2.5}	5
119	Ludhiana	Satisfactory	94	PM ₁₀	1
120	Madikeri	Good	34	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Maihar	Satisfactory	74	PM ₁₀	1
122	Mandi Gobindgarh	Satisfactory	92	PM ₁₀	1
123	Mandideep	Moderate	123	PM ₁₀	1
124	Mandikhera	Satisfactory	83	PM ₁₀	1
125	Manesar	Moderate	130	PM _{2.5}	1
126	Mangalore	Satisfactory	100	PM ₁₀	1
127	Meerut	Moderate	156	PM _{2.5}	2
128	Milupara	Satisfactory	52	PM _{2.5}	1
129	Moradabad	Moderate	112	PM ₁₀	6
130	Motihari	Moderate	121	PM ₁₀	1
131	Mumbai	Moderate	117	PM _{2.5} , NO ₂	17
132	Munger	Poor	242	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Muzaffarpur	Moderate	174	PM _{2.5}	3
134	Mysuru	Good	46	PM ₁₀	1
135	Nagaon	Moderate	117	PM _{2.5}	1
136	Nagpur	Satisfactory	81	PM _{2.5}	1
137	Naharlagun	Good	37	PM _{2.5}	1
138	Nalbari	Satisfactory	72	PM ₁₀	1
139	Nandesari	Good	28	PM _{2.5}	1
140	Nashik	Satisfactory	93	PM _{2.5}	1
141	Navi Mumbai	Moderate	162	PM _{2.5}	2
142	Nayagarh	Poor	261	PM _{2.5}	1
143	Noida	Poor	214	PM _{2.5}	4
144	Ooty	Satisfactory	87	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pali	Satisfactory	76	O ₃	1
146	Palkalaiperur	Satisfactory	52	SO ₂	1
147	Palwal	Satisfactory	72	PM ₁₀	1
148	Panchkula	Satisfactory	83	со	1
149	Panipat	Moderate	107	PM ₁₀	1
150	Patiala	Satisfactory	66	PM ₁₀	1
151	Patna	Poor	232	PM ₁₀ , PM _{2.5}	6
152	Pithampur	Satisfactory	91	PM ₁₀	1
153	Pratapgarh	Satisfactory	83	03	1
154	Prayagraj	Moderate	118	PM ₁₀	3
155	Puducherry	Satisfactory	51	PM ₁₀	1
156	Pune	Moderate	117	NO ₂ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Purnia	Moderate	131	PM ₁₀	1
158	Raichur	Good	43	SO ₂	1
159	Raipur	Satisfactory	77	PM ₁₀ , NO ₂	4
160	Rairangpur	Moderate	118	PM ₁₀	1
161	Rajamahendravaram	Satisfactory	51	PM ₁₀	1
162	Rajsamand	Satisfactory	58	PM ₁₀	1
163	Ramanagara	Satisfactory	65	PM ₁₀	1
164	Ramanathapuram	Satisfactory	51	PM ₁₀	1
165	Ratlam	Satisfactory	74	NO ₂	1
166	Rishikesh	Good	44	PM ₁₀	1
167	Rohtak	Satisfactory	68	PM _{2.5}	1
168	Rourkela	Moderate	191	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rupnagar	Satisfactory	92	PM ₁₀	1
170	Sagar	Satisfactory	87	O ₃	1
171	Saharsa	Poor	215	PM _{2.5}	1
172	Salem	Good	36	со	1
173	Samastipur	Poor	201	PM _{2.5}	1
174	Sasaram	Satisfactory	90	03	1
175	Satna	Satisfactory	64	PM ₁₀	1
176	Sawai Madhopur	Moderate	128	PM ₁₀	1
177	Shillong	Moderate	121	PM ₁₀	1
178	Shivamogga	Good	46	O ₃	1
179	Sikar	Satisfactory	77	O ₃	1
180	Silchar	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Satisfactory	68	PM ₁₀	1
182	Singrauli	Moderate	183	PM ₁₀	1
183	Sirohi	Moderate	112	O ₃	1
184	Sirsa	Moderate	120	PM ₁₀	1
185	Sivasagar	Good	42	PM _{2.5}	1
186	Siwan	Poor	279	PM _{2.5}	1
187	Solapur	Moderate	126	PM ₁₀	1
188	Sonipat	Moderate	137	PM ₁₀	1
189	Sri Ganganagar	Moderate	167	PM _{2.5}	1
190	Srinagar	Satisfactory	73	PM ₁₀	1
191	Suakati	Moderate	162	PM _{2.5}	1
192	Surat	Moderate	189	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Talcher	Moderate	170	PM _{2.5}	1
194	Tensa	Poor	248	PM _{2.5}	1
195	Thiruvananthapuram	Satisfactory	68	PM _{2.5} , PM ₁₀	2
196	Thoothukudi	Satisfactory	65	PM ₁₀	1
197	Thrissur	Moderate	102	PM ₁₀	1
198	Tirupati	Satisfactory	55	PM _{2.5} , PM ₁₀	2
199	Tirupur	Satisfactory	54	PM ₁₀	1
200	Tonk	Moderate	105	PM ₁₀	1
201	Tumidih	Satisfactory	90	PM ₁₀	1
202	Udaipur	Satisfactory	90	PM ₁₀	1
203	Udupi	Satisfactory	73	03	1
204	Ujjain	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vapi	Moderate	191	PM _{2.5}	1
206	Varanasi	Satisfactory	71	PM ₁₀ , PM _{2.5}	4
207	Vatva	Moderate	113	PM ₁₀	1
208	Vijayapura	Good	42	PM ₁₀	1
209	Visakhapatnam	Moderate	112	PM ₁₀	1
210	Vrindavan	Moderate	107	PM ₁₀	1
211	Yadgir	Satisfactory	59	PM _{2.5}	1
212	Yamunanagar	Satisfactory	95	PM ₁₀	1
213	vellore	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Buxar, Byrnihat, Chengalpattu, Damoh, Darbhanga, Dharwad, Dholpur, Eloor, Ernakulam, Gangtok, Gummidipoondi, Haldia, Hosur, Jind, Jorapokhar, Kaithal, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Manguraha, Muzaffarnagar, Narnaul, Rajgir, Thane, Tumakuru, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.