

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	30	PM ₁₀	1
2	Agra	Satisfactory	72	PM ₁₀ , PM _{2.5}	3
3	Ahmedabad	Satisfactory	71	PM ₁₀	8
4	Aizawl	Good	18	SO ₂	1
5	Ajmer	Satisfactory	81	PM ₁₀	1
6	Alwar	Satisfactory	56	PM ₁₀	1
7	Amaravati	Good	31	PM ₁₀	1
8	Ambala	Moderate	113	PM _{2.5}	1
9	Amritsar	Good	43	PM ₁₀	1
10	Ankleshwar	Satisfactory	84	PM _{2.5}	1
11	Asansol	Satisfactory	87	PM _{2.5}	1
12	Aurangabad	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	28	PM ₁₀	1
14	Baghpat	Satisfactory	87	PM ₁₀	1
15	Bahadurgarh	Satisfactory	81	NH ₃	1
16	Ballabgarh	Satisfactory	63	PM ₁₀	1
17	Bathinda	Good	26	со	1
18	Bengaluru	Satisfactory	64	CO, PM _{2.5} , PM ₁₀	10
19	Bettiah	Satisfactory	98	PM ₁₀	1
20	Bhiwadi	Moderate	179	PM _{2.5}	1
21	Bhiwani	Satisfactory	62	PM ₁₀	1
22	Bhopal	Good	41	PM ₁₀	1
23	Bidar	Good	45	СО	1
24	Bulandshahr	Good	49	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Good	41	PM ₁₀	1
26	Chandigarh	Satisfactory	53	PM ₁₀	1
27	Chandrapur	Satisfactory	68	PM _{2.5} , PM ₁₀	2
28	Charkhi Dadri	Satisfactory	97	PM _{2.5}	1
29	Chennai	Satisfactory	59	CO, PM ₁₀ , O ₃	6
30	Chikkaballapur	Good	30	NO ₂	1
31	Chikkamagaluru	Good	34	со	1
32	Damoh	Good	18	NO ₂	1
33	Davanagere	Good	18	03	1
34	Delhi	Moderate	104	PM _{2.5} , PM ₁₀	36
35	Dewas	Satisfactory	52	PM ₁₀	1
36	Dharuhera	Moderate	125	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Moderate	137	PM _{2.5}	1
38	Eloor	Satisfactory	78	со	1
39	Ernakulam	Good	43	со	1
40	Faridabad	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
41	Fatehabad	Satisfactory	65	03	1
42	Firozabad	Good	48	PM ₁₀	1
43	Gadag	Good	16	со	1
44	Gandhinagar	Satisfactory	70	PM _{2.5} , PM ₁₀	2
45	Gaya	Satisfactory	54	PM _{2.5} , O ₃	2
46	Ghaziabad	Satisfactory	95	PM ₁₀ , CO	4
47	Gorakhpur	Good	20	со	1
48	Greater Noida	Moderate	122	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gurugram	Satisfactory	93	PM _{2.5} , PM ₁₀	3
50	Guwahati	Satisfactory	60	SO ₂ , PM ₁₀	2
51	Gwalior	Satisfactory	71	PM ₁₀	2
52	Hajipur	Satisfactory	83	PM ₁₀	1
53	Haldia	Satisfactory	73	PM ₁₀	1
54	Hapur	Satisfactory	69	PM ₁₀	1
55	Hassan	Good	50	PM ₁₀	1
56	Hisar	Satisfactory	65	PM ₁₀	1
57	Howrah	Satisfactory	91	PM _{2.5} , PM ₁₀	3
58	Hubballi	Good	43	со	1
59	Hyderabad	Good	43	NO ₂ , PM ₁₀ , PM _{2.5}	5
60	Indore	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jabalpur	Good	33	СО	1
62	Jaipur	Satisfactory	92	PM ₁₀	2
63	Jalandhar	Good	39	PM ₁₀	1
64	Jind	Satisfactory	53	NO ₂	1
65	Jodhpur	Moderate	126	PM ₁₀	1
66	Kaithal	Satisfactory	58	PM ₁₀	1
67	Kannur	Satisfactory	62	PM ₁₀	1
68	Kanpur	Good	47	PM ₁₀ , O ₃ , PM _{2.5}	3
69	Karnal	Satisfactory	95	SO ₂	1
70	Katni	Good	42	PM ₁₀	1
71	Khanna	Satisfactory	63	PM ₁₀	1
72	Kochi	Good	39	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Good	47	PM ₁₀	1
74	Kolkata	Satisfactory	80	PM _{2.5} , PM ₁₀	7
75	Kollam	Satisfactory	99	СО	1
76	Koppal	Good	32	со	1
77	Kota	Satisfactory	62	PM _{2.5}	1
78	Kozhikode	Satisfactory	62	со	1
79	Kurukshetra	Satisfactory	74	PM _{2.5}	1
80	Lucknow	Satisfactory	60	PM ₁₀ , CO, PM _{2.5}	6
81	Ludhiana	Satisfactory	65	PM ₁₀	1
82	Maihar	Good	19	PM _{2.5}	1
83	Mandi Gobindgarh	Satisfactory	66	PM ₁₀	1
84	Mandideep	Good	41	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Good	50	PM _{2.5}	1
86	Manesar	Moderate	132	PM _{2.5}	1
87	Medikeri	Good	36	03	1
88	Meerut	Satisfactory	72	CO, PM ₁₀	3
89	Moradabad	Satisfactory	76	PM ₁₀	1
90	Mumbai	Satisfactory	63	PM ₁₀ , PM _{2.5} , CO	17
91	Muzaffarnagar	Satisfactory	89	PM ₁₀	1
92	Muzaffarpur	Satisfactory	54	PM ₁₀	1
93	Mysuru	Good	34	PM ₁₀	1
94	Nagpur	Satisfactory	80	со	1
95	Nandesari	Satisfactory	94	PM _{2.5}	1
96	Narnaul	Satisfactory	69	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nashik	Good	41	PM ₁₀	1
98	Noida	Moderate	102	CO, PM ₁₀	4
99	Pali	Satisfactory	58	PM ₁₀	1
100	Palwal	Satisfactory	90	PM ₁₀	1
101	Panchkula	Good	49	со	1
102	Panipat	Satisfactory	66	PM ₁₀	1
103	Patiala	Good	45	PM ₁₀	1
104	Patna	Satisfactory	75	PM ₁₀	5
105	Pithampur	Satisfactory	68	PM _{2.5}	1
106	Prayagraj	Good	35	PM ₁₀ , O ₃	3
107	Puducherry	Good	44	O ₃	1
108	Pune	Satisfactory	74	CO, PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rajamahendravaram	Satisfactory	74	PM ₁₀	1
110	Ramanagara	Good	34	PM ₁₀	1
111	Ratlam	Satisfactory	53	PM ₁₀	1
112	Rohtak	Satisfactory	69	NO ₂	1
113	Rupnagar	Satisfactory	75	PM ₁₀	1
114	Sagar	Good	34	со	1
115	Satna	Satisfactory	67	PM ₁₀	1
116	Shillong	Good	13	SO ₂	1
117	Shivamogga	Good	41	PM ₁₀	1
118	Siliguri	Satisfactory	61	PM ₁₀	1
119	Singrauli	Satisfactory	65	PM ₁₀	1
120	Sirsa	Satisfactory	57	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Solapur	Good	41	PM ₁₀	1
122	Srinagar	Satisfactory	58	PM ₁₀	1
123	Talcher	Satisfactory	91	со	1
124	Thane	Moderate	106	PM ₁₀	1
125	Thiruvananthapuram	Good	48	CO, O ₃	2
126	Thoothukudi	Good	43	PM ₁₀	1
127	Thrissur	Satisfactory	69	SO ₂	1
128	Tirupati	Good	48	со	1
129	Udaipur	Moderate	116	PM ₁₀	1
130	Udupi	Satisfactory	87	со	1
131	Ujjain	Moderate	104	PM ₁₀	1
132	Vapi	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Varanasi	Good	43	PM ₁₀ , NO ₂	4
134	Vatva	Moderate	101	PM ₁₀	1
135	Vijayapura	Satisfactory	53	СО	1
136	Visakhapatnam	Satisfactory	96	PM ₁₀	1
137	Vrindavan	Satisfactory	53	PM ₁₀	1
138	Yadgir	Good	29	PM ₁₀	1
139	Yamunanagar	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kolar, Manglore, Motihari, Naharlagun, Navi Mumbai, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.