



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	56	PM ₁₀	2
2	Agra	Moderate	121	PM ₁₀ , PM _{2.5} , NO ₂	6
3	Ahmedabad	Moderate	125	PM _{2.5} , PM ₁₀	7
4	Ajmer	Poor	252	PM _{2.5}	1
5	Amaravati	Satisfactory	58	O ₃	1
6	Ambala	Moderate	165	PM ₁₀	1
7	Amritsar	Moderate	146	PM _{2.5}	1
8	Ankleshwar	Satisfactory	57	PM ₁₀	1
9	Arrah	Moderate	145	PM ₁₀	1
10	Asansol	Satisfactory	76	PM ₁₀	1
11	Aurangabad (Bihar)	Moderate	189	PM ₁₀	1
12	Baddi	Moderate	149	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM _{2.5}	1
14	Baghpat	Moderate	135	PM ₁₀	1
15	Bahadurgarh	Moderate	180	PM ₁₀	1
16	Ballabgarh	Moderate	130	PM _{2.5}	1
17	Bareilly	Moderate	180	PM ₁₀	1
18	Bathinda	Moderate	116	PM ₁₀	1
19	Bengaluru	Satisfactory	62	CO, PM ₁₀ , O ₃	7
20	Bettiah	Moderate	134	PM ₁₀	1
21	Bhagalpur	Moderate	146	PM ₁₀	2
22	Bhiwadi	Poor	235	PM _{2.5}	1
23	Bhiwani	Moderate	189	PM _{2.5}	1
24	Bhopal	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Severe	401	PM ₁₀	1
26	Bilaspur	Satisfactory	61	PM ₁₀	1
27	Bulandshahr	Poor	211	PM ₁₀	1
28	Buxar	Poor	233	PM _{2.5}	1
29	Chamarajanagar	Good	41	PM ₁₀	1
30	Chandigarh	Moderate	153	O ₃ , PM ₁₀	2
31	Chandrapur	Moderate	146	O ₃ , PM ₁₀	2
32	Charkhi Dadri	Moderate	164	PM ₁₀	1
33	Chennai	Satisfactory	62	O ₃ , CO, PM ₁₀	7
34	Chikkaballapur	Satisfactory	54	O ₃	1
35	Chikkamagaluru	Good	45	PM ₁₀	1
36	Coimbatore	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Moderate	110	PM ₁₀	1
38	Davanagere	Good	34	PM ₁₀	1
39	Dehradun	Moderate	127	PM ₁₀	1
40	Delhi	Moderate	195	PM ₁₀ , O ₃	33
41	Dewas	Moderate	106	PM ₁₀	1
42	Dharuhera	Moderate	196	PM ₁₀	1
43	Durgapur	Satisfactory	87	PM ₁₀	1
44	Eloor	Satisfactory	58	PM _{2.5}	1
45	Ernakulam	Good	35	CO	1
46	Faridabad	Poor	272	PM ₁₀	2
47	Fatehabad	Moderate	181	PM _{2.5}	1
48	Firozabad	Moderate	118	PM ₁₀ , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	130	PM _{2.5} , PM ₁₀	3
50	Gangtok	Good	36	O ₃	1
51	Gaya	Moderate	144	PM _{2.5} , PM ₁₀	2
52	Ghaziabad	Poor	216	PM ₁₀	4
53	Gorakhpur	Good	46	O ₃	1
54	Greater Noida	Poor	210	PM ₁₀	2
55	Gurugram	Poor	203	PM ₁₀ , PM _{2.5}	4
56	Guwahati	Satisfactory	64	O ₃	1
57	Gwalior	Moderate	150	PM ₁₀	1
58	Hajipur	Satisfactory	92	PM ₁₀	1
59	Haldia	Satisfactory	66	PM ₁₀	1
60	Hapur	Poor	240	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	55	PM ₁₀	1
62	Howrah	Satisfactory	59	PM ₁₀ , PM _{2.5}	3
63	Hubballi	Satisfactory	58	CO	1
64	Hyderabad	Satisfactory	94	O ₃ , PM ₁₀	10
65	Imphal	Satisfactory	88	SO ₂	1
66	Indore	Satisfactory	75	PM ₁₀	1
67	Jabalpur	Moderate	178	PM ₁₀	1
68	Jaipur	Moderate	180	PM ₁₀	2
69	Jalandhar	Moderate	115	PM ₁₀	1
70	Jhansi	Good	38	PM _{2.5}	1
71	Jind	Moderate	149	PM ₁₀	1
72	Jodhpur	Moderate	196	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	169	PM ₁₀	1
74	Kalaburgi	Satisfactory	70	O ₃	1
75	Kalyan	Satisfactory	83	PM ₁₀	1
76	Kanpur	Moderate	156	PM _{2.5}	2
77	Karnal	Moderate	124	PM ₁₀	1
78	Katni	Moderate	174	PM ₁₀	1
79	Khanna	Moderate	142	PM ₁₀	1
80	Khurja	Moderate	148	PM ₁₀	1
81	Kochi	Satisfactory	62	PM _{2.5}	1
82	Kohima	Satisfactory	73	PM ₁₀	1
83	Kolkata	Satisfactory	70	PM ₁₀ , O ₃	7
84	Kollam	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	67	O ₃	1
86	Kota	Moderate	115	PM ₁₀	1
87	Kozhikode	Satisfactory	71	PM ₁₀	1
88	Kurukshetra	Poor	268	PM _{2.5}	1
89	Lucknow	Moderate	163	PM _{2.5} , PM ₁₀	4
90	Ludhiana	Moderate	159	PM ₁₀	1
91	Madikeri	Good	40	PM ₁₀	1
92	Maihar	Good	40	CO	1
93	Mandi Gobindgarh	Satisfactory	92	PM ₁₀	1
94	Mandideep	Moderate	110	PM ₁₀	1
95	Mandikhera	Satisfactory	87	PM ₁₀	1
96	Manesar	Moderate	141	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	63	CO	1
98	Manguraha	Moderate	116	PM ₁₀	1
99	Meerut	Poor	219	PM ₁₀	3
100	Moradabad	Moderate	164	PM ₁₀	4
101	Motihari	Moderate	109	O ₃	1
102	Mumbai	Satisfactory	70	NO ₂ , PM ₁₀	18
103	Muzaffarnagar	Poor	270	PM ₁₀	1
104	Muzaffarpur	Satisfactory	92	O ₃ , PM _{2.5}	2
105	Mysuru	Good	43	PM ₁₀	1
106	Nagpur	Moderate	128	PM ₁₀	1
107	Nandesari	Moderate	151	PM _{2.5}	1
108	Narnaul	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Good	50	PM ₁₀	1
110	Navi Mumbai	Satisfactory	79	CO, PM ₁₀	3
111	Noida	Poor	225	PM ₁₀	4
112	Pali	Satisfactory	99	PM ₁₀	1
113	Palwal	Moderate	139	PM ₁₀	1
114	Panchkula	Moderate	106	PM _{2.5}	1
115	Panipat	Moderate	178	PM ₁₀	1
116	Patiala	Moderate	117	PM ₁₀	1
117	Patna	Moderate	147	PM ₁₀ , PM _{2.5}	6
118	Pithampur	Satisfactory	93	PM ₁₀	1
119	Prayagraj	Moderate	134	PM ₁₀ , O ₃	2
120	Puducherry	Satisfactory	64	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Satisfactory	88	SO ₂ , CO, PM _{2.5}	6
122	Purnia	Moderate	132	PM _{2.5}	1
123	Raichur	Satisfactory	58	PM ₁₀	1
124	Rajamahendravaram	Satisfactory	64	PM ₁₀	1
125	Rajgir	Moderate	112	PM ₁₀	1
126	Ramanagara	Good	40	PM ₁₀	1
127	Ratlam	Satisfactory	99	PM ₁₀	1
128	Rohtak	Poor	203	PM _{2.5}	1
129	Rupnagar	Moderate	112	PM ₁₀	1
130	Sagar	Satisfactory	52	CO	1
131	Saharsa	Moderate	135	PM ₁₀	1
132	Sasaram	Poor	208	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	62	PM ₁₀	1
134	Shillong	Good	48	PM ₁₀	1
135	Shivamogga	Satisfactory	68	O ₃	1
136	Siliguri	Good	46	PM ₁₀	1
137	Singrauli	Poor	265	PM ₁₀	1
138	Sirsa	Moderate	168	O ₃	1
139	Solapur	Moderate	103	PM ₁₀	1
140	Thiruvananthapuram	Good	36	CO	1
141	Thoothukudi	Good	42	PM ₁₀	1
142	Tirupati	Satisfactory	68	PM ₁₀	1
143	Udaipur	Satisfactory	98	PM ₁₀	1
144	Ujjain	Moderate	145	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Satisfactory	96	O ₃ , PM ₁₀	4
146	Vijayapura	Satisfactory	55	PM ₁₀	1
147	Visakhapatnam	Satisfactory	64	PM ₁₀	1
148	Vrindavan	Moderate	128	PM ₁₀	1
149	Yamunanagar	Very Poor	305	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Alwar, Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chhapra, Damoh, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kannur, Katihar, Kishanganj, Kolar, Munger, Naharlagun, Samastipur, Siwan, Sonapat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.