

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	203	O <sub>3</sub>	1
2	Agra	Poor	221	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	163	03	1
4	Aizawl	Satisfactory	61	PM <sub>10</sub>	1
5	Ajmer	Moderate	102	PM <sub>10</sub>	1
6	Alwar	Satisfactory	98	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	69	PM <sub>10</sub>	1
8	Amritsar	Moderate	115	PM <sub>2.5</sub>	1
9	Ankleshwar	Satisfactory	94	03	1
10	Asansol	Satisfactory	93	PM <sub>10</sub>	1
11	Aurangabad	Satisfactory	89	PM <sub>10</sub>	1
12	Bagalkot	Good	50	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ambala, Baghpat,

Notes:

Dharuhera, Fatehabad, Jind, Jorapokhar, Kaithal, Kalaburgi, Kurukshetra,
Maihar, Manesar, Manglore, Moradabad, Mysuru, Naharlagun, Narnaul, Nashik,
Palwal, Raichur, Ramanagara, Shillong, Singrauli, Solapur, Sonipat, Thane,
Thoothukudi, Tirupati, Udupi, Vijayapura, Yamunanagar as data was not
available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	279	PM <sub>2.5</sub>	1
14	Bengaluru	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	8
15	Bhiwadi	Very Poor	308	PM <sub>2.5</sub>	1
16	Bhiwani	Poor	223	PM <sub>10</sub>	1
17	Bhopal	Moderate	153	03	1
18	Brajrajnagar	Moderate	105	PM <sub>10</sub>	1
19	Bulandshahr	Poor	284	PM <sub>10</sub>	1
20	Chamarajanagar	Satisfactory	79	PM <sub>2.5</sub>	1
21	Chandigarh	Moderate	115	PM <sub>10</sub>	1
22	Chandrapur	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	2
23	Chennai	Satisfactory	64	O <sub>3</sub> , CO, PM <sub>10</sub>	7
24	Chikkaballapur	Moderate	115	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	61	PM <sub>10</sub>	1
26	Damoh	Satisfactory	54	PM <sub>2.5</sub>	1
27	Delhi	Poor	296	PM <sub>2.5</sub> , PM <sub>10</sub>	25
28	Dewas	Moderate	126	PM <sub>10</sub>	1
29	Durgapur	Moderate	141	PM <sub>10</sub>	1
30	Eloor	Good	47	со	1
31	Ernakulam	Satisfactory	56	PM <sub>10</sub>	1
32	Faridabad	Poor	282	PM <sub>2.5</sub>	2
33	Gadag	Satisfactory	72	SO <sub>2</sub>	1
34	Gandhinagar	Satisfactory	60	PM <sub>10</sub>	1
35	Gaya	Moderate	168	O <sub>3</sub> , PM <sub>2.5</sub>	2
36	Ghaziabad	Very Poor	368	PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ambala, Baghpat,

Notes:

Dharuhera, Fatehabad, Jind, Jorapokhar, Kaithal, Kalaburgi, Kurukshetra,
Maihar, Manesar, Manglore, Moradabad, Mysuru, Naharlagun, Narnaul, Nashik,
Palwal, Raichur, Ramanagara, Shillong, Singrauli, Solapur, Sonipat, Thane,
Thoothukudi, Tirupati, Udupi, Vijayapura, Yamunanagar as data was not
available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Very Poor	318	PM <sub>10</sub>	2
38	Gummidipoondi	Moderate	132	PM <sub>10</sub>	1
39	Gurugram	Poor	257	PM <sub>2.5</sub>	1
40	Guwahati	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	2
41	Gwalior	Moderate	145	PM <sub>10</sub>	1
42	Hajipur	Moderate	148	PM <sub>10</sub>	1
43	Haldia	Satisfactory	80	PM <sub>10</sub>	1
44	Hapur	Moderate	191	03	1
45	Hassan	Moderate	103	PM <sub>10</sub>	1
46	Hisar	Poor	243	PM <sub>2.5</sub>	1
47	Howrah	Satisfactory	81	PM <sub>10</sub>	3
48	Hubballi	Satisfactory	70	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	96	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	6
50	Indore	Moderate	130	PM <sub>10</sub>	1
51	Jabalpur	Moderate	190	PM <sub>10</sub>	1
52	Jaipur	Moderate	192	PM <sub>2.5</sub>	2
53	Jalandhar	Moderate	114	PM <sub>10</sub>	1
54	Jodhpur	Moderate	162	PM <sub>2.5</sub>	1
55	Kalyan	Satisfactory	72	PM <sub>2.5</sub>	1
56	Kannur	Moderate	113	PM <sub>10</sub>	1
57	Kanpur	Moderate	161	PM <sub>2.5</sub>	2
58	Karnal	Moderate	123	PM <sub>2.5</sub>	1
59	Katni	Moderate	183	PM <sub>10</sub>	1
60	Khanna	Moderate	109	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kochi	Satisfactory	82	PM <sub>10</sub>	1
62	Kohima	Moderate	121	PM <sub>10</sub>	1
63	Kolar	Satisfactory	70	со	1
64	Kolkata	Satisfactory	76	CO, O <sub>3</sub> , PM <sub>10</sub>	6
65	Kollam	Satisfactory	87	PM <sub>10</sub>	1
66	Koppal	Satisfactory	58	со	1
67	Kota	Moderate	115	PM <sub>2.5</sub>	1
68	Kozhikode	Satisfactory	76	СО	1
69	Lucknow	Poor	252	PM <sub>2.5</sub>	4
70	Ludhiana	Moderate	144	PM <sub>2.5</sub>	1
71	Mandi Gobindgarh	Poor	239	PM <sub>2.5</sub>	1
72	Mandideep	Satisfactory	69	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Moderate	184	PM <sub>2.5</sub>	1
74	Medikeri	Good	49	PM <sub>10</sub>	1
75	Meerut	Poor	294	PM <sub>10</sub>	3
76	Mumbai	Satisfactory	81	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	19
77	Muzaffarnagar	Poor	258	PM <sub>10</sub>	1
78	Muzaffarpur	Moderate	117	PM <sub>2.5</sub> , PM <sub>10</sub>	2
79	Nagpur	Satisfactory	88	PM <sub>2.5</sub>	1
80	Nandesari	Moderate	113	PM <sub>2.5</sub>	1
81	Navi Mumbai	Moderate	114	PM <sub>10</sub>	2
82	Noida	Very Poor	319	PM <sub>10</sub>	3
83	Pali	Moderate	136	PM <sub>2.5</sub>	1
84	Panchkula	Satisfactory	61	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ambala, Baghpat,

Notes:
Dharuhera, Fatehabad, Jind, Jorapokhar, Kaithal, Kalaburgi, Kurukshetra,
Maihar, Manesar, Manglore, Moradabad, Mysuru, Naharlagun, Narnaul, Nashik,
Palwal, Raichur, Ramanagara, Shillong, Singrauli, Solapur, Sonipat, Thane,
Thoothukudi, Tirupati, Udupi, Vijayapura, Yamunanagar as data was not
available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panipat	Very Poor	338	PM <sub>10</sub>	1
86	Patiala	Moderate	142	PM <sub>10</sub>	1
87	Patna	Moderate	163	PM <sub>10</sub> , PM <sub>2.5</sub>	4
88	Pithampur	Moderate	105	PM <sub>10</sub>	1
89	Puducherry	Good	48	PM <sub>10</sub>	1
90	Pune	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	5
91	Rajamahendravaram	Satisfactory	81	PM <sub>10</sub>	1
92	Ratlam	Moderate	130	PM <sub>10</sub>	1
93	Rohtak	Moderate	183	PM <sub>2.5</sub>	1
94	Rupnagar	Moderate	121	PM <sub>10</sub>	1
95	Sagar	Satisfactory	99	PM <sub>2.5</sub>	1
96	Satna	Moderate	111	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Shivamogga	Good	48	PM <sub>10</sub>	1
98	Siliguri	Satisfactory	91	PM <sub>10</sub>	1
99	Sirsa	Moderate	175	PM <sub>2.5</sub>	1
100	Srinagar	Satisfactory	64	PM <sub>10</sub>	1
101	Talcher	Satisfactory	66	со	1
102	Thiruvananthapuram	Satisfactory	52	PM <sub>10</sub>	2
103	Thrissur	Satisfactory	66	SO <sub>2</sub>	1
104	Udaipur	Moderate	129	PM <sub>10</sub>	1
105	Ujjain	Moderate	156	03	1
106	Vapi	Satisfactory	92	PM <sub>10</sub>	1
107	Varanasi	Poor	226	PM <sub>2.5</sub>	1
108	Vatva	Moderate	131	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQL is not calculated for today's bulletin for Ambala, Raghant

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Visakhapatnam	Satisfactory	85	PM <sub>10</sub>	1
110	Yadgir	Moderate	108	O <sub>3</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.