

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	291	PM _{2.5}	1
2	Ahmedabad	Satisfactory	91	NO ₂	1
3	Alwar	Moderate	127	PM _{2.5}	1
4	Amaravati	Moderate	183	PM _{2.5}	1
5	Ambala	Moderate	178	PM ₁₀	1
6	Amritsar	Moderate	182	PM _{2.5}	1
7	Ankleshwar	Moderate	185	PM _{2.5}	1
8	Asanol	Poor	210	PM _{2.5}	1
9	Aurangabad	Satisfactory	76	PM _{2.5}	1
10	Baghpat	Very Poor	398	PM _{2.5}	1
11	Bahadurgarh	Poor	254	PM _{2.5}	1
12	Bathinda	Moderate	127	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Durgapur, Fatehabad, Hubballi, Kalaburgi, Mandi Gobindgarh, Panipat, Patna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	107	OZONE, PM ₁₀ , PM _{2.5}	9
14	Bhiwadi	Poor	293	PM ₁₀	1
15	Bhiwani	Moderate	130	PM ₁₀	1
16	Brajrajnagar	Poor	273	PM _{2.5}	1
17	Bulandshahr	Very Poor	368	PM _{2.5}	1
18	Chandrapur	Moderate	160	OZONE, PM _{2.5}	2
19	Chennai	Moderate	125	PM _{2.5} , OZONE	3
20	Chikkaballapur	Satisfactory	87	PM _{2.5}	1
21	Damoh	Poor	213	PM _{2.5}	1
22	Delhi	Very Poor	352	PM _{2.5}	29
23	Dewas	Moderate	154	PM ₁₀	1
24	Dharuhera	Poor	248	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Durgapur, Fatehabad, Hubballi, Kalaburgi, Mandi Gobindgarh, Panipat, Patna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Moderate	156	NO ₂	1
26	GandhiNagar	Satisfactory	88	PM ₁₀	1
27	Gaya	Poor	276	PM _{2.5}	1
28	Ghaziabad	Very Poor	366	PM _{2.5}	1
29	Greater_Noida	Very Poor	358	PM _{2.5}	1
30	Gurugram	Poor	222	PM _{2.5}	1
31	Haldia	Moderate	167	PM ₁₀	1
32	Hapur	Very Poor	378	PM _{2.5}	1
33	Hisar	Poor	280	PM _{2.5}	1
34	Howrah	Very Poor	328	PM _{2.5}	2
35	Hyderabad	Moderate	134	PM _{2.5} , PM ₁₀	6
36	Jaipur	Moderate	150	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Durgapur, Fatehabad, Hubballi, Kalaburgi, Mandi Gobindgarh, Panipat, Patna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jalandhar	Moderate	144	PM _{2.5}	1
38	Jind	Poor	296	PM _{2.5}	1
39	Jodhpur	Moderate	142	PM _{2.5}	1
40	Jorapokhar	Moderate	148	PM ₁₀	1
41	Kanpur	Very Poor	367	PM _{2.5}	1
42	Karnal	Poor	287	PM _{2.5}	1
43	Khanna	Satisfactory	82	PM ₁₀	1
44	Kolkata	Very Poor	340	PM _{2.5}	2
45	Kota	Moderate	196	PM _{2.5}	1
46	Kurushketra	Poor	264	PM _{2.5}	1
47	Lucknow	Very Poor	382	PM _{2.5}	3
48	Ludhiana	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Durgapur, Fatehabad, Hubballi, Kalaburgi, Mandi Gobindgarh, Panipat, Patna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Mandideep	Poor	277	PM ₁₀	1
50	Mandikhera	Poor	245	PM _{2.5}	1
51	Manesar	Poor	282	PM _{2.5}	1
52	Moradabad	Severe	440	PM _{2.5}	1
53	Mumbai	Moderate	153	PM ₁₀	1
54	Muzaffarnagar	Very Poor	368	PM _{2.5}	1
55	Muzaffarpur	Very Poor	338	PM _{2.5}	1
56	Nagpur	Moderate	180	PM _{2.5}	1
57	Narnaul	Poor	244	PM _{2.5}	1
58	Nashik	Satisfactory	90	OZONE	1
59	Navi Mumbai	Moderate	119	PM ₁₀	1
60	Noida	Very Poor	369	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Durgapur, Fatehabad, Hubballi, Kalaburgi, Mandi Gobindgarh, Panipat, Patna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Pali	Moderate	110	PM ₁₀	1
62	Palwal	Poor	282	PM _{2.5}	1
63	Panchkula	Satisfactory	90	OZONE	1
64	Patiala	Satisfactory	89	PM ₁₀	1
65	Pithampur	Moderate	173	PM _{2.5}	1
66	Pune	Moderate	157	PM _{2.5}	1
67	Rajamahendravaram	Moderate	170	PM _{2.5}	1
68	Ratlam	Poor	223	PM _{2.5}	1
69	Rohtak	Poor	282	PM _{2.5}	1
70	Rupnagar	Moderate	123	PM _{2.5}	1
71	Satna	Moderate	103	СО	1
72	Siliguri	Poor	293	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Durgapur, Fatehabad, Hubballi, Kalaburgi, Mandi Gobindgarh, Panipat, Patna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Singrauli	Poor	266	PM _{2.5}	1
74	Sirsa	Poor	290	PM _{2.5}	1
75	Solapur	Moderate	128	PM ₁₀	1
76	Sonipat	Very Poor	391	PM _{2.5}	1
77	Talcher	Very Poor	310	PM ₁₀	1
78	Thane	Moderate	189	PM _{2.5}	1
79	Thiruvananthapuram	Satisfactory	75	OZONE	1
80	Tirupati	Satisfactory	99	PM _{2.5}	1
81	Udaipur	Moderate	161	PM ₁₀	1
82	Ujjain	Moderate	187	PM _{2.5}	1
83	Varanasi	Very Poor	377	PM _{2.5}	1
84	Vatva	Moderate	182	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Durgapur, Fatehabad, Hubballi, Kalaburgi, Mandi Gobindgarh, Panipat, Patna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Vijayawada	Satisfactory	78	PM ₁₀	1
86	Visakhapatnam	Poor	244	PM _{2.5}	1
87	Yamunanagar	Poor	280	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Durgapur, Fatehabad, Hubballi, Kalaburgi, Mandi Gobindgarh, Panipat, Patna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.