Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	73	$PM_{2.5}$	1
2	Agra	Satisfactory	61	NO_2	6
3	Ahmedabad	Satisfactory	60	PM_{10}, CO	7
4	Aizawl	Good	24	PM_{10}	1
5	Ajmer	Moderate	105	PM_{10}	1
6	Alwar	Satisfactory	73	PM_{10}	1
7	Amaravati	Good	28	CO	1
8	Ambala	Good	36	O_3	1
9	Amravati	Good	39	CO, O_3	2
10	Anantapur	Good	35	PM_{10}	1
11	Ankleshwar	Satisfactory	58	O_3	1
12	Araria	Good	44	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, ~~Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad,~~ Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	34	NO_2	1
14	Asansol	Satisfactory	61	PM_{10}	1
15	Aurangabad (Bihar)	Satisfactory	69	PM_{10}	1
16	Aurangabad (Maharashtra)	Good	48	O_3, PM_{10}	3
17	Baddi	Satisfactory	67	PM_{10}	1
18	Badlapur	Good	39	PM_{10}	1
19	Bagalkot	Good	46	PM_{10}	1
20	Baghpat	Satisfactory	88	O_3	1
21	Bahadurgarh	Satisfactory	63	PM_{10}	1
22	Ballabgarh	Good	50	PM_{10}	1
23	Banswara	Satisfactory	55	O_3	1
24	Baran	Satisfactory	85	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	28	O_3	2
26	Baripada	Satisfactory	71	PM_{10}	1
27	Barmer	Good	43	O_3	1
28	Belapur	Good	32	CO	1
29	Belgaum	Good	46	CO	1
30	Bengaluru	Good	38	PM_{10}, CO	12
31	Bharatpur	Satisfactory	55	O_3	1
32	Bhilai	Good	34	NO_2, CO	3
33	Bhiwadi	Moderate	106	PM_{10}	1
34	Bhiwandi	Good	40	PM_{10}	1
35	Bhiwani	Satisfactory	61	CO	1
36	Bhopal	Good	41	PM_{10}, CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Satisfactory	91	PM_{10}	1
38	Bikaner	Satisfactory	65	PM_{10}	1
39	Bilaspur	Satisfactory	60	PM_{10}	1
40	Bileipada	Satisfactory	96	PM_{10}	1
41	Bulandshahr	Good	40	PM_{10}	1
42	Bundi	Good	48	O_3	1
43	Byrnihat	Moderate	158	PM_{10}	1
44	Chamarajanagar	Good	41	PM_{10}	1
45	Chandigarh	Satisfactory	60	O_3	3
46	Chandrapur	Good	50	PM_{10}	1
47	Charkhi Dadri	Satisfactory	66	PM_{10}	1
48	Chennai	Satisfactory	57	NO_2, CO	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Good	43	CO	1
50	Chhapra	Poor	282	PM_{10}	1
51	Chikkaballapur	Good	35	O_3	1
52	Chikkamagaluru	Good	36	CO	1
53	Churu	Satisfactory	80	O_3	1
54	Coimbatore	Satisfactory	59	PM_{10}	1
55	Cuddalore	Poor	211	NO_2	1
56	Damoh	Good	20	CO	1
57	Dausa	Satisfactory	61	PM_{10}	1
58	Davanagere	Satisfactory	54	PM_{10}	1
59	Dehradun	Satisfactory	92	O_3	1
60	Delhi	Satisfactory	70	NO_2, PM_{10}	36

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Moderate	180	PM_{10}	1
62	Dharwad	Satisfactory	52	O_3	1
63	Dholpur	Good	48	PM_{10}	1
64	Dhule	Good	31	CO	1
65	Durgapur	Satisfactory	56	SO_2	1
66	Faridabad	Moderate	123	PM_{10}	2
67	Fatehabad	Moderate	154	O_3	1
68	Gandhinagar	Good	49	$PM_{2.5}$	3
69	Gangtok	Good	48	SO_2	1
70	Gaya	Satisfactory	83	O_3, CO	3
71	Ghaziabad	Satisfactory	67	CO, PM_{10}	4
72	Gorakhpur	Good	50	SO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Satisfactory	64	PM_{10}, O_3	2
74	Gurugram	Satisfactory	93	$PM_{2.5}$	3
75	Guwahati	Good	35	PM_{10}	4
76	Gwalior	Moderate	147	$PM_{2.5}$, CO	4
77	Hajipur	Good	25	CO	1
78	Haldia	Good	36	O_3	1
79	Hanumangarh	Moderate	155	PM_{10}	1
80	Hapur	Good	35	CO	1
81	Haveri	Good	37	CO	1
82	Hisar	Satisfactory	83	$PM_{2.5}$	1
83	Hosur	Good	29	PM_{10}	1
84	Howrah	Satisfactory	56	NO_2, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Good	46	CO	2
86	Hyderabad	Satisfactory	56	PM_{10}, NO_2	12
87	Jabalpur	Good	46	O_3	2
88	Jaipur	Moderate	104	$PM_{2.5}$	6
89	Jaisalmer	Satisfactory	72	PM_{10}	1
90	Jalandhar	Satisfactory	52	PM_{10}	1
91	Jalgaon	Satisfactory	91	PM_{10}	1
92	Jalna	Satisfactory	54	PM_{10}	1
93	Jhalawar	Satisfactory	53	O_3	1
94	Jhansi	Satisfactory	70	PM_{10}	1
95	Jhunjhunu	Poor	204	O_3	1
96	Jind	Satisfactory	69	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Satisfactory	65	$PM_{2.5}$	5
98	Kadapa	Good	30	O_3	1
99	Kaithal	Good	47	PM_{10}	1
100	Kannur	Satisfactory	77	PM_{10}	1
101	Kanpur	Good	48	$PM_{2.5}$	3
102	Karauli	Satisfactory	69	PM_{10}	1
103	Karnal	Good	27	PM_{10}	1
104	Katihar	Satisfactory	51	NO_2	1
105	Katni	Good	32	PM_{10}	1
106	Keonjhar	Satisfactory	60	PM_{10}	1
107	Khanna	Satisfactory	70	PM_{10}	1
108	Khurja	Satisfactory	96	SO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kishanganj	Good	48	CO	1
110	Kohima	Good	43	SO_2	1
111	Kolar	Good	26	PM_{10}	1
112	Kolhapur	Good	36	O_3	2
113	Kolkata	Satisfactory	51	O_3, PM_{10}	7
114	Kollam	Satisfactory	81	PM_{10}	1
115	Koppal	Satisfactory	53	O_3	1
116	Korba	Good	40	NO_2, O_3	2
117	Kota	Satisfactory	61	PM_{10}	3
118	Kunjemura	Satisfactory	60	PM_{10}	1
119	Kurukshetra	Satisfactory	57	O_3	1
120	Latur	Good	40	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Lucknow	Good	40	CO, O_3	5
122	Ludhiana	Moderate	127	$PM_{2.5}$	1
123	Madikeri	Good	17	O_3	1
124	Mahad	Good	28	CO	1
125	Maihar	Good	40	CO	1
126	Mandi Gobindgarh	Satisfactory	81	$PM_{2.5}$	1
127	Mandideep	Satisfactory	71	O_3	1
128	Mandikhera	Good	29	PM_{10}	1
129	Manesar	Satisfactory	68	CO	1
130	Mangalore	Good	38	$PM_{2.5}$	1
131	Manguraha	Poor	220	O_3	1
132	Meerut	Good	38	CO, O_3	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Moradabad	Satisfactory	54	CO, SO_2	6
134	Motihari	Satisfactory	65	CO	1
135	Mumbai	Satisfactory	56	O_3, CO	17
136	Munger	Good	48	PM_{10}	1
137	Muzaffarpur	Moderate	106	CO	3
138	Mysuru	Good	43	O_3	1
139	Nagaon	Satisfactory	78	$PM_{2.5}$	1
140	Nagaur	Satisfactory	54	O_3	1
141	Nagpur	Good	31	PM_{10}	4
142	Naharlagun	Good	16	PM_{10}	1
143	Nalbari	Good	32	PM_{10}	1
144	Nanded	Good	47	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Narnaul	Very Poor	338	PM_{10}	1
146	Nashik	Good	39	PM_{10}	3
147	Navi Mumbai	Good	32	$PM_{2.5}$	4
148	Nayagarh	Good	50	PM_{10}	1
149	Noida	Satisfactory	74	O_3	4
150	Pali	Satisfactory	86	PM_{10}	1
151	Palkalaiperur	Satisfactory	64	SO_2	1
152	Panchkula	Satisfactory	76	CO	1
153	Panipat	Moderate	133	$PM_{2.5}$	1
154	Parbhani	Satisfactory	57	O_3	1
155	Patna	Good	40	$PM_{2.5}$	6
156	Pimpri Chinchwad	Good	39	NO_2, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pithampur	Good	42	CO	1
158	Prayagraj	Good	26	SO_2	3
159	Puducherry	Good	50	O_3	1
160	Pune	Satisfactory	99	NO_2, CO	4
161	Purnia	Satisfactory	80	CO	1
162	Raipur	Satisfactory	57	PM_{10}, NO_2	3
163	Rairangpur	Satisfactory	92	PM_{10}	1
164	Rajamahendravaram	Good	27	PM_{10}	1
165	Rajsamand	Satisfactory	79	CO	1
166	Ramanagara	Good	41	PM_{10}	1
167	Ramanathapuram	Satisfactory	84	CO	1
168	Ratlam	Good	40	NO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rishikesh	Good	29	PM_{10}	1
170	Rourkela	Satisfactory	78	PM_{10}	2
171	Rupnagar	Moderate	166	PM_{10}	1
172	Sagar	Good	34	O_3	1
173	Saharsa	Very Poor	309	O_3	1
174	Sangli	Good	29	O_3	1
175	Satna	Good	50	PM_{10}	1
176	Sawai Madhopur	Satisfactory	74	$PM_{2.5}$	1
177	Shillong	Good	23	SO_2	1
178	Shivamogga	Satisfactory	63	O_3	1
179	Sikar	Moderate	132	O_3	1
180	Silchar	Satisfactory	53	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Good	30	PM_{10}	1
182	Singrauli	Good	42	NO_2	1
183	Sivasagar	Good	22	PM_{10}	1
184	Solapur	Satisfactory	80	PM_{10}	3
185	Sonipat	Satisfactory	67	PM_{10}	1
186	Sri Ganganagar	Poor	202	PM_{10}	1
187	Suakati	Satisfactory	58	PM_{10}	1
188	Tensa	Good	39	O_3	1
189	Thane	Good	35	O_3	1
190	Thiruvananthapuram	Good	28	PM_{10}	2
191	Thoothukudi	Good	48	PM_{10}	1
192	Thrissur	Satisfactory	51	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tonk	Moderate	134	$PM_{2.5}$	1
194	Tumidih	Satisfactory	53	PM_{10}	1
195	Udaipur	Good	46	PM_{10}	1
196	Ujjain	Satisfactory	73	CO	1
197	Vapi	Satisfactory	66	CO	1
198	Varanasi	Good	36	SO_2	3
199	Vatva	Good	46	PM_{10}	1
200	Vijayapura	Good	49	PM_{10}	1
201	Vijayawada	Good	44	O_3	1
202	Visakhapatnam	Satisfactory	97	PM_{10}	1
203	Vrindavan	Good	30	SO_2	1
204	Yadgir	Good	27	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yamunanagar	Satisfactory	85	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Arrah, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilwara, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Darbhanga, Dhanbad, Dharuhera, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Gummidipoondi, Hassan, Imphal, Indore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kashipur, Kochi, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Ooty, Palwal, Patiala, Pratapgarh, Raichur, Rajgir, Rohtak, Salem, Samastipur, Sasaram, Sirohi, Sirsa, Siwan, Srinagar, Surat, Talcher, Tirupati, Tirupur, Tumakuru, Udupi, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.