

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	66	PM _{2.5}	1
2	Agra	Good	36	03	6
3	Ahmedabad	Satisfactory	87	PM _{2.5} , PM ₁₀	8
4	Aizawl	Good	18	PM ₁₀	1
5	Ajmer	Satisfactory	85	PM ₁₀	1
6	Akola	Moderate	109	PM ₁₀	1
7	Alwar	Satisfactory	52	PM ₁₀	1
8	Amaravati	Satisfactory	83	PM ₁₀	1
9	Ambala	Good	45	PM ₁₀	1
10	Amravati	Satisfactory	100	PM ₁₀	2
11	Amritsar	Moderate	101	PM ₁₀	1
12	Anantapur	Moderate	102	PM ₁₀	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Notes:

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok, Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	99	03	1
14	Ariyalur	Satisfactory	55	PM ₁₀	1
15	Arrah	Moderate	120	PM ₁₀	1
16	Asansol	Satisfactory	67	PM ₁₀	1
17	Aurangabad (Maharashtra)	Moderate	109	PM ₁₀	3
18	Baddi	Moderate	151	O ₃	1
19	Badlapur	Moderate	104	PM ₁₀	1
20	Bagalkot	Good	43	PM ₁₀	1
21	Baghpat	Satisfactory	94	03	1
22	Bahadurgarh	Satisfactory	79	PM ₁₀	1
23	Ballabgarh	Satisfactory	54	PM ₁₀	1
24	Banswara	Very Poor	307	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok, Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Satisfactory	89	PM ₁₀	1
26	Bareilly	Satisfactory	54	PM ₁₀	2
27	Baripada	Satisfactory	87	03	1
28	Barmer	Moderate	103	PM ₁₀	1
29	Bathinda	Satisfactory	59	PM _{2.5}	1
30	Belapur	Satisfactory	78	PM ₁₀	1
31	Belgaum	Satisfactory	73	PM ₁₀	1
32	Bengaluru	Satisfactory	61	PM _{2.5} , NO ₂	11
33	Bhagalpur	Moderate	140	PM ₁₀	1
34	Bharatpur	Satisfactory	67	PM _{2.5}	1
35	Bhilai	Satisfactory	62	PM ₁₀	2
36	Bhiwadi	Moderate	113	PM _{2.5}	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok, Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Notes:



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Satisfactory	85	PM _{2.5}	1
38	Bhopal	Satisfactory	89	PM ₁₀	3
39	Bidar	Satisfactory	56	NH ₃	1
40	Bihar Sharif	Satisfactory	85	PM ₁₀	1
41	Bikaner	Poor	202	03	1
42	Bileipada	Moderate	117	PM ₁₀	1
43	Brajrajnagar	Good	48	PM ₁₀	1
44	Bulandshahr	Good	46	PM ₁₀	1
45	Bundi	Satisfactory	97	O ₃	1
46	Byrnihat	Moderate	161	PM ₁₀	1
47	Chamarajanagar	Good	43	PM ₁₀	1
48	Chandigarh	Moderate	137	O ₃ , PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Moderate	113	PM ₁₀	1
50	Charkhi Dadri	Satisfactory	77	PM ₁₀	1
51	Chennai	Satisfactory	57	NO ₂	6
52	Chhal	Satisfactory	72	PM ₁₀	1
53	Chhapra	Moderate	178	PM ₁₀	1
54	Chikkaballapur	Good	39	PM ₁₀	1
55	Chittoor	Good	42	PM _{2.5}	1
56	Chittorgarh	Good	50	PM ₁₀	1
57	Churu	Satisfactory	95	PM ₁₀	1
58	Dausa	Moderate	117	PM ₁₀	1
59	Davanagere	Satisfactory	64	PM ₁₀	1
60	Dehradun	Satisfactory	65	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok, Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	104	O ₃ , CO	37
62	Dewas	Moderate	113	PM ₁₀	1
63	Dhule	Moderate	139	PM ₁₀	1
64	Durgapur	Satisfactory	57	PM ₁₀	1
65	Faridabad	Moderate	162	PM ₁₀	4
66	Fatehabad	Poor	213	03	1
67	Firozabad	Good	34	PM ₁₀	2
68	Gadag	Satisfactory	57	PM ₁₀	1
69	Gandhinagar	Moderate	103	PM _{2.5} , PM ₁₀	3
70	Gaya	Satisfactory	94	PM _{2.5}	3
71	Ghaziabad	Satisfactory	83	PM ₁₀	4
72	Gorakhpur	Satisfactory	94	PM ₁₀	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok, Notes: Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Moderate	123	PM ₁₀ , PM _{2.5}	2
74	Gummidipoondi	Satisfactory	53	PM ₁₀	1
75	Gurugram	Moderate	104	PM _{2.5}	3
76	Guwahati	Good	30	SO ₂ , PM _{2.5}	3
77	Gwalior	Good	36	со	4
78	Hajipur	Satisfactory	99	PM ₁₀	1
79	Haldia	Good	44	PM ₁₀	1
80	Hanumangarh	Moderate	111	PM ₁₀	1
81	Hapur	Good	30	O ₃	1
82	Hassan	Satisfactory	58	PM ₁₀	1
83	Howrah	Satisfactory	54	PM ₁₀	3
84	Hubballi	Moderate	166	со	2

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Some stations have data available at 3PM

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok, Notes: Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Moderate	105	PM ₁₀	13
86	Indore	Moderate	108	PM ₁₀	1
87	Jabalpur	Moderate	106	PM ₁₀	1
88	Jaipur	Satisfactory	92	PM ₁₀	6
89	Jaisalmer	Moderate	108	PM ₁₀	1
90	Jalandhar	Moderate	158	O ₃	1
91	Jalgaon	Moderate	132	PM ₁₀	1
92	Jalna	Moderate	105	PM ₁₀	1
93	Jhalawar	Satisfactory	55	PM ₁₀	1
94	Jhansi	Moderate	105	PM ₁₀	1
95	Jhunjhunu	Moderate	104	O ₃	1
96	Jind	Satisfactory	65	PM _{2.5}	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Moderate	128	PM ₁₀	4
98	Kadapa	Satisfactory	54	PM _{2.5}	1
99	Kaithal	Satisfactory	77	PM ₁₀	1
100	Kalaburgi	Satisfactory	66	PM ₁₀	1
101	Kalyan	Poor	219	03	1
102	Kanpur	Satisfactory	73	СО	3
103	Karauli	Good	44	O ₃	1
104	Karnal	Satisfactory	78	PM ₁₀	1
105	Katihar	Moderate	110	PM ₁₀	1
106	Katni	Satisfactory	99	PM ₁₀	1
107	Keonjhar	Satisfactory	69	PM ₁₀	1
108	Khanna	Good	47	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Satisfactory	98	PM _{2.5}	1
110	Kishanganj	Good	44	со	1
111	Kochi	Satisfactory	75	со	1
112	Kohima	Good	48	PM ₁₀	1
113	Kolhapur	Satisfactory	72	PM ₁₀	2
114	Kolkata	Good	50	O ₃ , PM ₁₀	7
115	Kollam	Satisfactory	54	PM _{2.5}	1
116	Koppal	Satisfactory	58	03	1
117	Korba	Moderate	138	PM ₁₀	2
118	Kota	Moderate	106	CO, PM _{2.5}	3
119	Kurukshetra	Satisfactory	71	PM ₁₀	1
120	Latur	Satisfactory	96	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok, Notes: Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Lucknow	Satisfactory	70	PM ₁₀ , PM _{2.5}	6
122	Ludhiana	Moderate	126	PM ₁₀	1
123	Madikeri	Good	48	PM ₁₀	1
124	Maihar	Good	48	PM ₁₀	1
125	Mandi Gobindgarh	Satisfactory	61	PM ₁₀	1
126	Mandideep	Moderate	108	O ₃	1
127	Mandikhera	Good	25	SO ₂	1
128	Manesar	Satisfactory	91	PM ₁₀	1
129	Mangalore	Satisfactory	72	PM ₁₀	1
130	Manguraha	Satisfactory	70	PM ₁₀	1
131	Meerut	Satisfactory	73	PM ₁₀	3
132	Milupara	Satisfactory	71	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok, Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Moradabad	Satisfactory	93	PM _{2.5}	6
134	Motihari	Satisfactory	75	PM ₁₀	1
135	Mumbai	Satisfactory	93	PM ₁₀	18
136	Muzaffarnagar	Satisfactory	94	PM ₁₀	1
137	Muzaffarpur	Moderate	105	со	3
138	Mysuru	Satisfactory	53	PM ₁₀	1
139	Nagaon	Good	38	O ₃	1
140	Nagaur	Moderate	106	PM ₁₀	1
141	Nagpur	Satisfactory	97	PM ₁₀	4
142	Naharlagun	Good	14	PM _{2.5}	1
143	Nalbari	Good	46	PM ₁₀	1
144	Nanded	Moderate	102	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Narnaul	Satisfactory	62	PM _{2.5}	1
146	Nashik	Satisfactory	90	PM _{2.5}	4
147	Navi Mumbai	Moderate	113	PM ₁₀	3
148	Nayagarh	Satisfactory	69	PM _{2.5}	1
149	Noida	Satisfactory	83	PM ₁₀	4
150	Ooty	Good	50	SO ₂	1
151	Pali	Satisfactory	100	PM ₁₀	1
152	Palkalaiperur	Satisfactory	65	SO ₂	1
153	Palwal	Satisfactory	78	O ₃	1
154	Panipat	Satisfactory	85	PM ₁₀	1
155	Parbhani	Moderate	112	PM ₁₀	1
156	Patiala	Satisfactory	79	O ₃	1

Notes:

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok, Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Moderate	134	PM _{2.5} , NO ₂	6
158	Pimpri Chinchwad	Moderate	130	PM _{2.5} , PM ₁₀	2
159	Pithampur	Moderate	103	PM ₁₀	1
160	Pratapgarh	Moderate	105	PM ₁₀	1
161	Prayagraj	Satisfactory	55	PM ₁₀	3
162	Pune	Moderate	110	NO ₂ , PM ₁₀	6
163	Raichur	Satisfactory	90	PM ₁₀	1
164	Raipur	Satisfactory	84	PM _{2.5} , PM ₁₀	4
165	Rairangpur	Satisfactory	52	PM _{2.5}	1
166	Rajamahendravaram	Satisfactory	77	PM ₁₀	1
167	Rajgir	Satisfactory	78	PM ₁₀	1
168	Rajsamand	Satisfactory	93	PM ₁₀	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok,

Notes: Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake

- of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred. * The data available at the portal is provided by different agencies. Any use of
 - this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanagara	Satisfactory	59	PM ₁₀	1
170	Ramanathapuram	Good	41	PM ₁₀	1
171	Ratlam	Satisfactory	77	PM ₁₀	1
172	Rishikesh	Good	48	PM ₁₀	1
173	Rourkela	Satisfactory	94	PM ₁₀	3
174	Rupnagar	Moderate	128	PM ₁₀	1
175	Sagar	Satisfactory	89	PM ₁₀	1
176	Samastipur	Satisfactory	92	PM ₁₀	1
177	Sangli	Satisfactory	80	PM ₁₀	1
178	Satna	Satisfactory	84	PM ₁₀	1
179	Sawai Madhopur	Good	47	PM ₁₀	1
180	Shivamogga	Satisfactory	52	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur,

Notes:

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Chengalpattu, Chikkamagaluru, Coimbatore, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gangtok, Haveri, Hisar, Hosur, Imphal, Jorapokhar, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Munger, Nandesari, Panchkula, Puducherry, Purnia, Rohtak, Saharsa, Salem, Sasaram, Shillong, Sirohi, Sirsa, Talcher, Udupi, Vapi, Vijayapura, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sikar	Satisfactory	78	PM ₁₀	1
182	Silchar	Good	27	СО	1
183	Siliguri	Good	30	PM ₁₀	1
184	Singrauli	Satisfactory	85	PM ₁₀	1
185	Sivasagar	Satisfactory	69	со	1
186	Siwan	Moderate	134	PM ₁₀	1
187	Solapur	Moderate	132	PM ₁₀	3
188	Sonipat	Satisfactory	94	PM ₁₀	1
189	Sri Ganganagar	Moderate	152	PM ₁₀	1
190	Srinagar	Satisfactory	84	PM ₁₀	1
191	Suakati	Satisfactory	75	PM ₁₀	1
192	Surat	Good	40	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tensa	Satisfactory	67	PM ₁₀	1
194	Thane	Moderate	126	PM ₁₀	1
195	Thiruvananthapuram	Good	39	PM ₁₀	2
196	Thoothukudi	Moderate	190	03	1
197	Thrissur	Satisfactory	64	PM ₁₀	1
198	Tirupati	Satisfactory	55	PM ₁₀	2
199	Tirupur	Good	38	PM ₁₀	1
200	Tonk	Satisfactory	77	PM ₁₀	1
201	Tumakuru	Moderate	105	PM ₁₀	1
202	Tumidih	Moderate	116	PM ₁₀	1
203	Udaipur	Moderate	124	PM ₁₀	1
204	Ujjain	Satisfactory	98	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ngabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Varanasi	Satisfactory	57	PM ₁₀	4
206	Vatva	Moderate	106	PM _{2.5}	1
207	Vijayawada	Satisfactory	72	PM ₁₀	1
208	Visakhapatnam	Moderate	119	PM ₁₀	1
209	Vrindavan	Poor	298	PM ₁₀	1
210	Yadgir	Satisfactory	95	PM ₁₀	1
211	Yamunanagar	Satisfactory	69	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aurangabad (Bihar), Begusarai, Bettiah, Bhilwara, Bilaspur, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria,