Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	204	$PM_{2.5}$	1
2	Agra	Satisfactory	87	PM_{10}, O_3, $PM_{2.5}$	6
3	Ahmedabad	Moderate	111	$PM_{2.5}$, NO_2, PM_{10}	9
4	Aizawl	Satisfactory	72	PM_{10}	1
5	Ajmer	Moderate	121	$PM_{2.5}$	1
6	Alwar	Satisfactory	81	PM_{10}	1
7	Amaravati	Satisfactory	77	PM_{10}	1
8	Ambala	Moderate	126	$PM_{2.5}$	1
9	Amritsar	Moderate	103	PM_{10}	1
10	Ankleshwar	Moderate	132	$PM_{2.5}$	1
11	Araria	Poor	207	$PM_{2.5}$	1
12	Arrah	Moderate	178	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	126	$PM_{2.5}$	1
14	Bagalkot	Good	50	$PM_{2.5}$	1
15	Bahadurgarh	Moderate	133	$PM_{2.5}$	1
16	Ballabgarh	Moderate	159	$PM_{2.5}$	1
17	Bathinda	Moderate	106	PM_{10}	1
18	Bengaluru	Satisfactory	74	CO, $PM_{2.5}$, PM_{10}	10
19	Bettiah	Poor	237	$PM_{2.5}$	1
20	Bhagalpur	Moderate	171	PM_{10}, $PM_{2.5}$	2
21	Bhiwadi	Moderate	126	$PM_{2.5}$	1
22	Bhiwani	Moderate	139	$PM_{2.5}$	1
23	Bhopal	Moderate	165	O_3	1
24	Bidar	Satisfactory	100	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.
\# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Moderate	117	NO_2	1
26	Bilaspur	Satisfactory	52	PM_{10}	1
27	Brajrajnagar	Satisfactory	82	O_3	1
28	Bulandshahr	Poor	206	$PM_{2.5}$	1
29	Buxar	Moderate	168	PM_{10}	1
30	Chamarajanagar	Good	32	PM_{10}	1
31	Chandigarh	Moderate	127	O_3, $PM_{2.5}$, PM_{10}	3
32	Chandrapur	Moderate	140	O_3, PM_{10}	2
33	Charkhi Dadri	Moderate	125	$PM_{2.5}$	1
34	Chennai	Satisfactory	95	O_3, PM_{10}	5
35	Chhapra	Moderate	167	$PM_{2.5}$	1
36	Chikkaballapur	Satisfactory	69	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	51	PM_{10}	1
38	Coimbatore	Satisfactory	68	$PM_{2.5}$	1
39	Damoh	Satisfactory	56	$PM_{2.5}$	1
40	Darbhanga	Moderate	165	$PM_{2.5}$	1
41	Davanagere	Satisfactory	91	PM_{10}	1
42	Delhi	Moderate	191	$PM_{2.5}$, PM_{10}	37
43	Dewas	Satisfactory	81	PM_{10}	1
44	Dharuhera	Moderate	178	$PM_{2.5}$	1
45	Durgapur	Poor	220	PM_{10}	1
46	Eloor	Satisfactory	63	$PM_{2.5}$	1
47	Ernakulam	Satisfactory	62	NO_2	1
48	Faridabad	Moderate	194	$PM_{2.5}$, PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Moderate	126	PM_{10}	1
50	Firozabad	Moderate	103	$PM_{2.5}$	1
51	Gadag	Satisfactory	57	$PM_{2.5}$	1
52	Gandhinagar	Moderate	112	$PM_{2.5}$, PM_{10}	3
53	Gaya	Moderate	106	PM_{10}, $PM_{2.5}$	3
54	Ghaziabad	Moderate	178	$PM_{2.5}$, PM_{10}	4
55	Gorakhpur	Satisfactory	80	PM_{10}	1
56	Greater Noida	Moderate	142	PM_{10}	2
57	Gummidipoondi	Satisfactory	55	PM_{10}	1
58	Gurugram	Moderate	166	$PM_{2.5}$, PM_{10}	4
59	Guwahati	Moderate	200	$PM_{2.5}$	2
60	Gwalior	Moderate	113	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Moderate	106	PM_{10}	1
62	Haldia	Moderate	118	PM_{10}	1
63	Hapur	Moderate	163	O_3	1
64	Hassan	Satisfactory	67	PM_{10}	1
65	Hisar	Moderate	154	$PM_{2.5}$	1
66	Howrah	Moderate	178	$PM_{2.5}$, PM_{10}	3
67	Hubballi	Moderate	101	PM_{10}	1
68	Hyderabad	Moderate	131	$PM_{2.5}$, PM_{10}	5
69	Indore	Satisfactory	98	PM_{10}	1
70	Jabalpur	Moderate	181	PM_{10}	1
71	Jaipur	Moderate	130	PM_{10}, $PM_{2.5}$	2
72	Jalandhar	Moderate	142	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	141	PM_{10}	1
74	Jind	Moderate	112	$PM_{2.5}$	1
75	Jodhpur	Moderate	200	$PM_{2.5}$	1
76	Kaithal	Moderate	104	PM_{10}	1
77	Kalaburgi	Moderate	112	PM_{10}	1
78	Kalyan	Moderate	153	$PM_{2.5}$	1
79	Kannur	Satisfactory	64	$PM_{2.5}$	1
80	Kanpur	Moderate	108	PM_{10}, $PM_{2.5}$	3
81	Karnal	Satisfactory	98	PM_{10}	1
82	Katihar	Poor	202	PM_{10}	1
83	Katni	Moderate	188	PM_{10}	1
84	Khanna	Moderate	112	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Poor	276	$PM_{2.5}$	1
86	Kochi	Satisfactory	74	$PM_{2.5}$	1
87	Kohima	Moderate	129	$PM_{2.5}$	1
88	Kolar	Satisfactory	81	PM_{10}	1
89	Kolkata	Moderate	143	$PM_{2.5}$, O_3, PM_{10}	7
90	Kollam	Satisfactory	85	PM_{10}	1
91	Koppal	Moderate	151	O_3	1
92	Kota	Moderate	134	$PM_{2.5}$	1
93	Kozhikode	Satisfactory	59	PM_{10}	1
94	Kurukshetra	Moderate	108	PM_{10}	1
95	Lucknow	Moderate	102	PM_{10}, NO_2	6
96	Ludhiana	Moderate	107	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Satisfactory	55	PM_{10}	1
98	Maihar	Good	21	PM_{10}	1
99	Mandi Gobindgarh	Poor	210	$PM_{2.5}$	1
100	Mandideep	Moderate	110	$PM_{2.5}$	1
101	Mandikhera	Moderate	106	PM_{10}	1
102	Manesar	Moderate	170	$PM_{2.5}$	1
103	Manglore	Satisfactory	60	NO_2	1
104	Meerut	Moderate	185	O_3, PM_{10}, $PM_{2.5}$	3
105	Moradabad	Satisfactory	88	$PM_{2.5}$, PM_{10}	4
106	Motihari	Poor	203	$PM_{2.5}$	1
107	Mumbai	Moderate	153	$PM_{2.5}$, O_3, PM_{10}	17
108	Munger	Poor	254	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarnagar	Moderate	181	$PM_{2.5}$	1
110	Muzaffarpur	Poor	244	PM_{10}, $PM_{2.5}$	2
111	Mysuru	Good	50	O_3	1
112	Nagpur	Satisfactory	72	CO	1
113	Nandesari	Satisfactory	100	CO	1
114	Narnaul	Satisfactory	91	PM_{10}	1
115	Nashik	Satisfactory	75	PM_{10}	1
116	Navi Mumbai	Moderate	154	PM_{10}	3
117	Noida	Moderate	153	$PM_{2.5}$, PM_{10}	4
118	Pali	Satisfactory	85	PM_{10}	1
119	Palwal	Moderate	113	PM_{10}	1
120	Panchkula	Moderate	111	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Satisfactory	99	PM_{10}	1
122	Patna	Moderate	146	$PM_{2.5}$, PM_{10}	6
123	Pithampur	Satisfactory	93	PM_{10}	1
124	Prayagraj	Satisfactory	77	PM_{10}, O_3	3
125	Puducherry	Good	46	PM_{10}	1
126	Pune	Moderate	141	$PM_{2.5}$	5
127	Purnia	Moderate	187	$PM_{2.5}$	1
128	Raichur	Moderate	117	PM_{10}	1
129	Rajamahendravaram	Satisfactory	92	PM_{10}	1
130	Rajgir	Moderate	114	PM_{10}	1
131	Ramanagara	Good	47	PM_{10}	1
132	Ratlam	Satisfactory	66	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rohtak	Moderate	150	$PM_{2.5}$	1
134	Rupnagar	Moderate	163	$PM_{2.5}$	1
135	Sagar	Satisfactory	69	$PM_{2.5}$	1
136	Saharsa	Poor	235	$PM_{2.5}$	1
137	Sasaram	Moderate	112	$PM_{2.5}$	1
138	Satna	Satisfactory	56	PM_{10}	1
139	Shivamogga	Satisfactory	55	O_3	1
140	Siliguri	Moderate	139	$PM_{2.5}$	1
141	Singrauli	Moderate	150	PM_{10}	1
142	Sirsa	Moderate	124	PM_{10}	1
143	Siwan	Moderate	178	$PM_{2.5}$	1
144	Solapur	Satisfactory	77	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sonipat	Moderate	124	PM_{10}	1
146	Srinagar	Poor	240	PM_{10}	1
147	Talcher	Moderate	119	$PM_{2.5}$	1
148	Thane	Moderate	172	O_3	1
149	Thiruvananthapuram	Satisfactory	72	PM_{10}, $PM_{2.5}$	2
150	Thrissur	Satisfactory	66	PM_{10}	1
151	Tirupati	Satisfactory	61	$PM_{2.5}$	1
152	Udaipur	Moderate	148	PM_{10}	1
153	Ujjain	Moderate	153	PM_{10}	1
154	Vapi	Moderate	129	PM_{10}	1
155	Varanasi	Satisfactory	70	O_3, PM_{10}	4
156	Vatva	Satisfactory	99	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vijayapura	Satisfactory	51	PM_{10}	1
158	Vrindavan	Satisfactory	71	PM_{10}	1
159	Yadgir	Moderate	101	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhilai, Jorapokhar, Manguraha, Naharlagun, Panipat, Shillong, Thoothukudi, Udupi, Visakhapatnam, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.