

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	54	PM _{2.5}	1
2	Agra	Satisfactory	52	O ₃ , PM ₁₀	5
3	Ahmedabad	Satisfactory	54	03	8
4	Ajmer	Satisfactory	51	PM _{2.5}	1
5	Akola	Satisfactory	62	PM ₁₀	1
6	Alwar	Good	48	NO ₂	1
7	Amaravati	Good	42	PM ₁₀	1
8	Ambala	Satisfactory	87	СО	1
9	Amravati	Satisfactory	60	PM ₁₀	2
10	Amritsar	Satisfactory	74	со	1
11	Anantapur	Good	43	PM ₁₀	1
12	Ankleshwar	Good	37	NO ₂	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Good	48	PM ₁₀	1
14	Ariyalur	Good	27	PM ₁₀	1
15	Arrah	Moderate	104	со	1
16	Asansol	Good	47	со	1
17	Aurangabad (Bihar)	Good	47	03	1
18	Aurangabad (Maharashtra)	Satisfactory	62	PM ₁₀	3
19	Baddi	Satisfactory	54	SO ₂	1
20	Badlapur	Good	42	PM ₁₀	1
21	Bagalkot	Good	42	PM ₁₀	1
22	Baghpat	Satisfactory	67	O ₃	1
23	Bahadurgarh	Satisfactory	64	PM ₁₀	1
24	Ballabgarh	Satisfactory	70	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Banswara	Satisfactory	60	NH ₃	1
26	Baran	Good	35	O ₃	1
27	Bareilly	Good	39	PM ₁₀ , CO	2
28	Baripada	Satisfactory	55	PM ₁₀	1
29	Begusarai	Satisfactory	74	со	1
30	Belapur	Good	37	PM ₁₀	1
31	Belgaum	Good	47	СО	1
32	Bengaluru	Good	37	CO, O ₃	10
33	Bettiah	Satisfactory	64	PM _{2.5}	1
34	Bhagalpur	Satisfactory	91	PM ₁₀	2
35	Bharatpur	Good	42	со	1
36	Bhilai	Good	32	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhilwara	Satisfactory	68	PM ₁₀	1
38	Bhiwadi	Satisfactory	94	PM ₁₀	1
39	Bhiwandi	Good	45	PM _{2.5}	1
40	Bhiwani	Satisfactory	66	со	1
41	Bhopal	Satisfactory	58	PM ₁₀	3
42	Bihar Sharif	Good	44	PM ₁₀	1
43	Bikaner	Satisfactory	51	СО	1
44	Bilaspur	Good	44	PM ₁₀	1
45	Bileipada	Moderate	105	PM ₁₀	1
46	Bulandshahr	Satisfactory	54	PM ₁₀	1
47	Bundi	Good	50	PM ₁₀	1
48	Byrnihat	Moderate	160	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chamarajanagar	Good	42	PM ₁₀	1
50	Chandigarh	Satisfactory	55	CO, PM _{2.5}	3
51	Chandrapur	Satisfactory	59	PM ₁₀	1
52	Charkhi Dadri	Satisfactory	74	PM ₁₀	1
53	Chennai	Good	50	CO, O ₃	6
54	Chhapra	Satisfactory	58	PM ₁₀	1
55	Chikkaballapur	Good	31	PM ₁₀	1
56	Chikkamagaluru	Good	35	PM ₁₀	1
57	Chittoor	Good	33	03	1
58	Chittorgarh	Good	48	PM ₁₀	1
59	Churu	Good	37	03	1
60	Damoh	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Satisfactory	73	PM ₁₀	1
62	Davanagere	Good	26	PM ₁₀	1
63	Dehradun	Moderate	111	со	1
64	Delhi	Satisfactory	73	PM ₁₀ , CO	34
65	Dewas	Good	33	03	1
66	Dhanbad	Moderate	167	со	1
67	Dharuhera	Satisfactory	64	PM ₁₀	1
68	Dholpur	Good	43	PM ₁₀	1
69	Dhule	Satisfactory	63	PM ₁₀	1
70	Eloor	Good	46	PM ₁₀	1
71	Faridabad	Satisfactory	78	PM ₁₀ , PM _{2.5}	4
72	Fatehabad	Moderate	183	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Good	34	PM ₁₀	1
74	Gadag	Good	45	SO ₂	1
75	Gandhinagar	Good	41	PM ₁₀	3
76	Gangtok	Satisfactory	65	SO ₂	1
77	Gaya	Satisfactory	61	со	3
78	Ghaziabad	Satisfactory	66	PM ₁₀	4
79	Gorakhpur	Satisfactory	55	PM _{2.5}	1
80	Greater Noida	Satisfactory	63	PM ₁₀	1
81	Gummidipoondi	Satisfactory	70	PM ₁₀	1
82	Gurugram	Satisfactory	97	PM _{2.5} , CO	3
83	Guwahati	Good	45	PM ₁₀	1
84	Gwalior	Satisfactory	73	PM ₁₀ , PM _{2.5}	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hajipur	Satisfactory	72	O ₃	1
86	Haldia	Good	32	03	1
87	Hanumangarh	Good	41	PM ₁₀	1
88	Hapur	Good	50	со	1
89	Hassan	Satisfactory	52	PM ₁₀	1
90	Haveri	Good	39	со	1
91	Hisar	Moderate	131	PM ₁₀	1
92	Hosur	Good	27	PM ₁₀	1
93	Howrah	Good	35	PM ₁₀	3
94	Hubballi	Satisfactory	56	PM ₁₀ , CO	2
95	Hyderabad	Satisfactory	60	PM ₁₀ , NO ₂	8
96	Indore	Satisfactory	54	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jabalpur	Satisfactory	79	PM ₁₀	3
98	Jaipur	Satisfactory	51	O ₃ , CO	6
99	Jaisalmer	Good	34	PM ₁₀	1
100	Jalandhar	Satisfactory	59	PM ₁₀	1
101	Jalgaon	Moderate	120	PM ₁₀	1
102	Jalna	Good	44	03	1
103	Jhalawar	Good	39	PM ₁₀	1
104	Jhansi	Satisfactory	87	PM ₁₀	1
105	Jhunjhunu	Satisfactory	53	O ₃	1
106	Jind	Satisfactory	78	со	1
107	Jodhpur	Good	33	PM ₁₀	4
108	Kaithal	Good	49	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kannur	Satisfactory	70	PM ₁₀	1
110	Kanpur	Satisfactory	59	PM ₁₀	3
111	Karnal	Good	41	PM ₁₀	1
112	Kashipur	Satisfactory	59	PM ₁₀	1
113	Katihar	Satisfactory	87	PM _{2.5}	1
114	Katni	Good	41	PM ₁₀	1
115	Keonjhar	Satisfactory	57	PM ₁₀	1
116	Khanna	Good	39	PM ₁₀	1
117	Khurja	Satisfactory	60	PM _{2.5}	1
118	Kishanganj	Satisfactory	80	PM ₁₀	1
119	Kochi	Satisfactory	62	со	1
120	Kohima	Satisfactory	53	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolhapur	Good	24	PM ₁₀	2
122	Kolkata	Good	29	CO, O ₃	7
123	Kollam	Good	45	PM ₁₀	1
124	Korba	Good	22	NO ₂	1
125	Kota	Good	45	PM ₁₀	3
126	Kunjemura	Moderate	125	PM ₁₀	1
127	Kurukshetra	Good	45	PM ₁₀	1
128	Latur	Good	39	PM ₁₀	1
129	Lucknow	Satisfactory	76	PM _{2.5} , PM ₁₀	5
130	Ludhiana	Satisfactory	75	PM ₁₀	1
131	Madikeri	Good	39	PM _{2.5}	1
132	Mahad	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Maihar	Good	34	СО	1
134	Mandi Gobindgarh	Satisfactory	79	PM _{2.5}	1
135	Mandideep	Satisfactory	83	PM ₁₀	1
136	Manesar	Satisfactory	57	PM _{2.5}	1
137	Mangalore	Good	49	PM ₁₀	1
138	Manguraha	Good	46	NO ₂	1
139	Meerut	Good	47	со	3
140	Moradabad	Satisfactory	70	PM ₁₀	5
141	Motihari	Good	50	PM ₁₀	1
142	Mumbai	Satisfactory	53	CO, PM ₁₀	21
143	Munger	Moderate	105	PM _{2.5}	1
144	Muzaffarnagar	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarpur	Satisfactory	78	NO ₂	2
146	Mysuru	Good	41	03	1
147	Nagaon	Satisfactory	55	PM ₁₀	1
148	Nagaur	Good	33	03	1
149	Nagpur	Satisfactory	62	PM ₁₀	4
150	Nalbari	Satisfactory	75	со	1
151	Nanded	Satisfactory	69	PM ₁₀	1
152	Narnaul	Moderate	139	со	1
153	Nashik	Good	31	PM ₁₀ , PM _{2.5}	4
154	Navi Mumbai	Good	33	PM ₁₀	5
155	Noida	Satisfactory	58	PM ₁₀	3
156	Ooty	Good	25	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pali	Satisfactory	98	со	1
158	Palwal	Satisfactory	53	PM _{2.5}	1
159	Panchkula	Satisfactory	57	03	1
160	Panipat	Satisfactory	70	PM ₁₀	1
161	Parbhani	Good	46	PM ₁₀	1
162	Patiala	Good	39	PM ₁₀	1
163	Patna	Satisfactory	76	PM ₁₀ , CO	6
164	Pimpri Chinchwad	Good	48	O ₃ , PM _{2.5}	3
165	Pithampur	Good	42	PM ₁₀	1
166	Pratapgarh	Good	33	03	1
167	Prayagraj	Satisfactory	85	PM _{2.5} , PM ₁₀	3
168	Puducherry	Good	49	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pune	Satisfactory	77	NO ₂ , PM ₁₀	8
170	Raipur	Satisfactory	54	PM ₁₀	4
171	Rairangpur	Good	33	PM ₁₀	1
172	Rajamahendravaram	Satisfactory	52	PM ₁₀	1
173	Rajgir	Satisfactory	75	03	1
174	Rajsamand	Good	38	со	1
175	Ramanagara	Good	30	PM ₁₀	1
176	Ramanathapuram	Good	30	со	1
177	Ratlam	Good	25	PM ₁₀	1
178	Rishikesh	Good	26	PM _{2.5}	1
179	Rohtak	Satisfactory	65	PM _{2.5}	1
180	Rourkela	Good	47	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rupnagar	Satisfactory	77	PM ₁₀	1
182	Sagar	Satisfactory	51	со	2
183	Saharsa	Good	45	PM ₁₀	1
184	Salem	Satisfactory	80	SO ₂	1
185	Sangli	Good	20	03	1
186	Sasaram	Good	27	со	1
187	Satna	Satisfactory	90	PM ₁₀	1
188	Sawai Madhopur	Good	49	03	1
189	Shillong	Satisfactory	53	PM ₁₀	1
190	Shivamogga	Satisfactory	51	PM ₁₀	1
191	Sikar	Good	39	03	1
192	Siliguri	Good	42	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Singrauli	Satisfactory	63	SO ₂	1
194	Sirohi	Good	35	03	1
195	Sirsa	Satisfactory	80	03	1
196	Sivasagar	Good	26	PM _{2.5}	1
197	Siwan	Satisfactory	80	PM _{2.5}	1
198	Solapur	Satisfactory	55	PM ₁₀	3
199	Sonipat	Satisfactory	93	PM _{2.5}	1
200	Sri Ganganagar	Satisfactory	60	со	1
201	Suakati	Satisfactory	88	PM ₁₀	1
202	Surat	Poor	210	PM _{2.5}	1
203	Talcher	Satisfactory	66	со	1
204	Tensa	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thane	Good	46	NO ₂	2
206	Thiruvananthapuram	Good	26	со	2
207	Thoothukudi	Good	32	PM ₁₀	1
208	Thrissur	Satisfactory	58	PM ₁₀	1
209	Tirupati	Good	37	со	1
210	Tonk	Satisfactory	56	PM ₁₀	1
211	Udaipur	Good	44	PM ₁₀	1
212	Ujjain	Satisfactory	63	со	1
213	Ulhasnagar	Satisfactory	52	PM ₁₀	1
214	Vapi	Satisfactory	97	со	1
215	Varanasi	Good	28	SO ₂	4
216	Vatva	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vijayapura	Good	46	PM ₁₀	1
218	Vijayawada	Satisfactory	51	PM ₁₀ , NO ₂	2
219	Visakhapatnam	Satisfactory	75	PM ₁₀	1
220	Vrindavan	Good	30	SO ₂	1
221	Yadgir	Good	29	со	1
222	Yamunanagar	Satisfactory	72	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts N

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Barmer, Bathinda, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal,
Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigul, Dungarpur, Durgapur,
Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kalyan,
Kanchipuram, Karauli, Kolar, Koppal, Kozhikode, Malegaon, Mandikhera,
Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur,
Purnia, Raichur, Samastipur, Silchar, Srinagar, Tirupur, Tumakuru, Tumidih,
Udupi, Virar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.