Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	91	$PM_{2.5}$	1
2	Agra	Satisfactory	76	O_3	6
3	Ahmedabad	Moderate	124	PM_{10}	7
4	Aizawl	Good	35	PM_{10}	1
5	Alwar	Satisfactory	62	NO_2	1
6	Amaravati	Satisfactory	78	PM_{10}	1
7	Ambala	Good	37	O_3	1
8	Amritsar	Satisfactory	68	PM_{10}	1
9	Ankleshwar	Satisfactory	53	PM_{10}	1
10	Araria	Satisfactory	98	PM_{10}	1
11	Ariyalur	Good	41	NO_2	1
12	Arrah	Moderate	119	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	109	PM_{10}	1
14	Aurangabad (Bihar)	Moderate	113	PM_{10}	1
15	Aurangabad (Maharashtra)	Satisfactory	80	PM_{10}	1
16	Bagalkot	Good	46	PM_{10}	1
17	Baghpat	Satisfactory	89	O_3	1
18	Bahadurgarh	Satisfactory	63	PM_{10}	1
19	Ballabgarh	Satisfactory	56	PM_{10}	1
20	Baripada	Moderate	113	O_3	1
21	Barmer	Moderate	188	PM_{10}	1
22	Bathinda	Moderate	123	$PM_{2.5}$	1
23	Begusarai	Poor	232	$PM_{2.5}$	1
24	Belgaum	Good	48	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	54	CO, PM_{10}	12
26	Bettiah	Moderate	155	PM_{10}	1
27	Bhagalpur	Moderate	103	PM_{10}	2
28	Bharatpur	Satisfactory	68	O_3	1
29	Bhilai	Satisfactory	51	PM_{10}, O_3	3
30	Bhiwadi	Satisfactory	94	PM_{10}	1
31	Bhiwani	Satisfactory	65	$PM_{2.5}$	1
32	Bhopal	Satisfactory	84	PM_{10}	3
33	Bihar Sharif	Moderate	113	PM_{10}	1
34	Bikaner	Moderate	133	PM_{10}	1
35	Bilaspur	Satisfactory	70	CO	1
36	Bulandshahr	Satisfactory	61	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bundi	Moderate	161	CO	1
38	Chamarajanagar	Good	42	PM_{10}	1
39	Chandigarh	Satisfactory	74	O_3, PM_{10}	3
40	Chandrapur	Moderate	109	PM_{10}	1
41	Charkhi Dadri	Satisfactory	69	$PM_{2.5}$	1
42	Chengalpattu	Satisfactory	92	PM_{10}	1
43	Chennai	Satisfactory	67	CO, PM_{10}	8
44	Chhal	Satisfactory	64	PM_{10}	1
45	Chhapra	Moderate	195	PM_{10}	1
46	Chikkaballapur	Good	46	PM_{10}	1
47	Chikkamagaluru	Satisfactory	52	PM_{10}	1
48	Chittoor	Satisfactory	75	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bileipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Moderate	109	PM_{10}	1
50	Churu	Satisfactory	68	O_3	1
51	Cuddalore	Good	27	$PM_{2.5}$	1
52	Damoh	Good	16	PM_{10}	1
53	Dausa	Satisfactory	87	CO	1
54	Davanagere	Good	33	$PM_{2.5}$	1
55	Dehradun	Good	27	PM_{10}	1
56	Delhi	Moderate	106	O_3	35
57	Dewas	Moderate	110	PM_{10}	1
58	Dhanbad	Moderate	198	CO	1
59	Dharwad	Satisfactory	63	PM_{10}	1
60	Dholpur	Satisfactory	80	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Satisfactory	89	PM_{10}	1
62	Faridabad	Satisfactory	78	$PM_{2.5}$	4
63	Firozabad	Satisfactory	65	PM_{10}	2
64	Gadag	Good	47	SO_2	1
65	Gandhinagar	Satisfactory	100	$PM_{2.5}$, PM_{10}	3
66	Gangtok	Good	48	CO	1
67	Gaya	Satisfactory	92	$PM_{2.5}$	3
68	Ghaziabad	Moderate	109	O_3	4
69	Gorakhpur	Satisfactory	92	$PM_{2.5}$	1
70	Greater Noida	Poor	250	O_3	2
71	Gummidipoondi	Moderate	125	PM_{10}	1
72	Gurugram	Moderate	103	$PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Guwahati	Satisfactory	87	PM_{10}	3
74	Gwalior	Satisfactory	83	O_3	1
75	Hajipur	Satisfactory	80	PM_{10}	1
76	Haldia	Good	47	PM_{10}	1
77	Hanumangarh	Moderate	108	PM_{10}	1
78	Hapur	Satisfactory	79	O_3	1
79	Hassan	Satisfactory	71	PM_{10}	1
80	Haveri	Good	40	PM_{10}	1
81	Howrah	Satisfactory	59	PM_{10}	3
82	Hubballi	Satisfactory	71	PM_{10}	2
83	Hyderabad	Satisfactory	80	PM_{10}	8
84	Indore	Satisfactory	72	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Satisfactory	91	PM_{10}	1
86	Jaipur	Satisfactory	56	O_3, PM_{10}	4
87	Jaisalmer	Poor	277	PM_{10}	1
88	Jalandhar	Satisfactory	76	PM_{10}	1
89	Jhalawar	Satisfactory	63	PM_{10}	1
90	Jhansi	Good	50	SO_2	1
91	Jhunjhunu	Poor	245	O_3	1
92	Jind	Satisfactory	85	CO	1
93	Jodhpur	Moderate	104	PM_{10}	3
94	Kadapa	Satisfactory	53	O_3	1
95	Kaithal	Good	49	PM_{10}	1
96	Kalaburgi	Satisfactory	71	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Satisfactory	74	PM_{10}	1
98	Kanchipuram	Good	46	PM_{10}	1
99	Kanpur	Satisfactory	68	CO	4
100	Karauli	Moderate	106	O_3	1
101	Karnal	Satisfactory	51	PM_{10}	1
102	Katihar	Satisfactory	91	$PM_{2.5}$	1
103	Katni	Moderate	108	PM_{10}	1
104	Keonjhar	Satisfactory	74	PM_{10}	1
105	Khanna	Satisfactory	52	PM_{10}	1
106	Khurja	Good	48	$PM_{2.5}$	1
107	Kishanganj	Satisfactory	79	PM_{10}	1
108	Kochi	Satisfactory	68	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bileipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kohima	Good	39	PM_{10}	1
110	Kolhapur	Satisfactory	52	O_3	2
111	Kolkata	Satisfactory	61	O_3, PM_{10}	7
112	Kollam	Satisfactory	63	PM_{10}	1
113	Koppal	Satisfactory	86	O_3	1
114	Korba	Moderate	104	$PM_{2.5}$, PM_{10}	2
115	Kota	Satisfactory	81	PM_{10}	3
116	Kurukshetra	Satisfactory	59	O_3	1
117	Lucknow	Satisfactory	84	PM_{10}	6
118	Ludhiana	Satisfactory	67	PM_{10}	1
119	Madikeri	Good	27	O_3	1
120	Mandideep	Satisfactory	96	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Good	43	PM_{10}	1
122	Manesar	Satisfactory	81	PM_{10}	1
123	Mangalore	Good	47	PM_{10}	1
124	Manguraha	Satisfactory	81	O_3	1
125	Meerut	Satisfactory	86	O_3, PM_{10}	3
126	Milupara	Good	45	PM_{10}	1
127	Moradabad	Satisfactory	84	$PM_{2.5}$	6
128	Motihari	Moderate	107	PM_{10}	1
129	Mumbai	Satisfactory	68	PM_{10}	18
130	Munger	Moderate	146	PM_{10}	1
131	Muzaffarnagar	Satisfactory	78	PM_{10}	1
132	Muzaffarpur	Moderate	156	O_3	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mysuru	Good	46	PM_{10}	1
134	Nagaon	Satisfactory	96	O_3	1
135	Nagpur	Satisfactory	91	PM_{10}	1
136	Naharlagun	Good	32	PM_{10}	1
137	Nalbari	Satisfactory	96	PM_{10}	1
138	Nandesari	Good	44	$PM_{2.5}$	1
139	Narnaul	Good	43	PM_{10}	1
140	Nashik	Satisfactory	54	PM_{10}	3
141	Navi Mumbai	Satisfactory	70	NO_2, CO	2
142	Noida	Moderate	120	O_3, NO_2	4
143	Ooty	Satisfactory	89	PM_{10}	1
144	Pali	Moderate	124	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palkalaiperur	Satisfactory	62	SO_2	1
146	Palwal	Good	50	PM_{10}	1
147	Panchkula	Satisfactory	64	CO	1
148	Panipat	Satisfactory	64	PM_{10}	1
149	Patiala	Satisfactory	64	O_3	1
150	Patna	Moderate	135	$PM_{2.5}$	5
151	Pimpri Chinchwad	Satisfactory	88	$PM_{2.5}$	2
152	Pithampur	Satisfactory	99	PM_{10}	1
153	Pratapgarh	Moderate	101	PM_{10}	1
154	Prayagraj	Satisfactory	70	PM_{10}	3
155	Puducherry	Good	49	O_3	1
156	Pune	Satisfactory	94	NO_2, $PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Purnia	Moderate	140	PM_{10}	1
158	Raipur	Satisfactory	62	$PM_{2.5}$, NO_2	4
159	Rairangpur	Satisfactory	78	O_3	1
160	Rajamahendravaram	Satisfactory	78	PM_{10}	1
161	Rajgir	Satisfactory	93	PM_{10}	1
162	Rajsamand	Satisfactory	82	PM_{10}	1
163	Ramanagara	Satisfactory	60	O_3	1
164	Ratlam	Satisfactory	99	PM_{10}	1
165	Rishikesh	Good	31	O_3	1
166	Rohtak	Good	39	O_3	1
167	Rourkela	Satisfactory	91	PM_{10}	2
168	Rupnagar	Satisfactory	69	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sagar	Satisfactory	71	O_3	1
170	Saharsa	Moderate	165	PM_{10}	1
171	Samastipur	Moderate	181	PM_{10}	1
172	Sasaram	Moderate	129	O_3	1
173	Satna	Satisfactory	81	PM_{10}	1
174	Shillong	Good	35	$PM_{2.5}$	1
175	Shivamogga	Satisfactory	52	PM_{10}	1
176	Sikar	Satisfactory	83	O_3	1
177	Silchar	Good	47	CO	1
178	Siliguri	Satisfactory	57	PM_{10}	1
179	Singrauli	Poor	266	PM_{10}	1
180	Sivasagar	Good	23	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bileipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siwan	Moderate	118	PM_{10}	1
182	Solapur	Moderate	120	PM_{10}	2
183	Sonipat	Satisfactory	78	PM_{10}	1
184	Sri Ganganagar	Moderate	184	PM_{10}	1
185	Srinagar	Good	42	PM_{10}	1
186	Suakati	Satisfactory	85	PM_{10}	1
187	Surat	Poor	210	PM_{10}	1
188	Thiruvananthapuram	Good	24	PM_{10}, O_3	2
189	Thoothukudi	Good	35	PM_{10}	1
190	Thrissur	Satisfactory	60	PM_{10}	1
191	Tirupati	Satisfactory	61	$PM_{2.5}$, PM_{10}	2
192	Tonk	Good	50	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tumakuru	Satisfactory	79	PM_{10}	1
194	Tumidih	Moderate	160	PM_{10}	1
195	Udaipur	Moderate	111	PM_{10}	1
196	Vapi	Satisfactory	57	PM_{10}	1
197	Varanasi	Satisfactory	67	PM_{10}, $PM_{2.5}$	4
198	Vatva	Moderate	118	PM_{10}	1
199	Vijayapura	Good	49	PM_{10}	1
200	Visakhapatnam	Moderate	108	PM_{10}	1
201	Vrindavan	Good	45	O_3	1
202	Yadgir	Satisfactory	55	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Anantapur, Baddi, Banswara, Baran, Bareilly, Bhilwara, Bidar, Bilcipada, Brajrajnagar, Buxar, Byrnihat, Coimbatore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Fatehabad, Hisar, Hosur, Imphal, Jorapokhar, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Mandi Gobindgarh, Nagaur, Nayagarh, Raichur, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Sirsa, Talcher, Tensa, Thane, Tirupur, Udupi, Ujjain, Vijayawada, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.