

(Average of past 24 hours)

| S.No | City       | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|------------|--------------|-------------|---------------------|--|
| 1    | Agartala   | Moderate     | 150         | PM <sub>2.5</sub>   | 1  |
| 2    | Agra       | Good         | 47          | O <sub>3</sub>      | 5  |
| 3    | Ahmedabad  | Satisfactory | 77          | PM <sub>10</sub>    | 8  |
| 4    | Aizawl     | Good         | 49          | PM <sub>10</sub>    | 1  |
| 5    | Ajmer      | Satisfactory | 63          | PM <sub>10</sub>    | 1  |
| 6    | Alwar      | Satisfactory | 59          | PM <sub>10</sub>    | 1  |
| 7    | Amaravati  | Satisfactory | 63          | СО                  | 1  |
| 8    | Ambala     | Satisfactory | 55          | O <sub>3</sub>      | 1  |
| 9    | Anantapur  | Good         | 33          | СО                  | 1  |
| 10   | Ankleshwar | Good         | 46          | PM <sub>10</sub>    | 1  |
| 11   | Araria     | Moderate     | 187         | PM <sub>10</sub>    | 1  |
| 12   | Ariyalur   | Good         | 34          | NO <sub>2</sub>     | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,

## Notes:

#### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

### Aurangabad (Maharashtra), Bareilly, Begusarai, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City               | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 13   | Asansol            | Satisfactory | 70          | PM <sub>10</sub>    | 1  |
| 14   | Aurangabad (Bihar) | Satisfactory | 61          | O <sub>3</sub>      | 1  |
| 15   | Baddi              | Satisfactory | 83          | PM <sub>2.5</sub>   | 1  |
| 16   | Bagalkot           | Good         | 46          | PM <sub>10</sub>    | 1  |
| 17   | Baghpat            | Satisfactory | 62          | PM <sub>2.5</sub>   | 1  |
| 18   | Bahadurgarh        | Satisfactory | 65          | PM <sub>2.5</sub>   | 1  |
| 19   | Ballabgarh         | Good         | 36          | PM <sub>10</sub>    | 1  |
| 20   | Banswara           | Satisfactory | 82          | O <sub>3</sub>      | 1  |
| 21   | Baripada           | Satisfactory | 62          | 03                  | 1  |
| 22   | Barmer             | Satisfactory | 74          | O <sub>3</sub>      | 1  |
| 23   | Bathinda           | Satisfactory | 53          | PM <sub>10</sub>    | 1  |
| 24   | Belgaum            | Good         | 49          | PM <sub>10</sub>    | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah, Aurangabad (Maharashtra), Bareilly, Begusarai, Bidar, Bilasp

## Notes: De

#### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City         | Air Quality  | Index Value | Prominent Pollutant                | Based on Number<br>of Monitoring<br>Stations |
|------|--------------|--------------|-------------|------------------------------------|--|
| 25   | Bengaluru    | Satisfactory | 59          | NO <sub>2</sub> , PM <sub>10</sub> | 11   |
| 26   | Bettiah      | Moderate     | 113         | PM <sub>10</sub>                   | 1  |
| 27   | Bhagalpur    | Moderate     | 114         | PM <sub>10</sub>                   | 2  |
| 28   | Bharatpur    | Satisfactory | 86          | со                                 | 1  |
| 29   | Bhilai       | Good         | 25          | со                                 | 3  |
| 30   | Bhiwadi      | Satisfactory | 90          | NO <sub>2</sub>                    | 1  |
| 31   | Bhiwani      | Poor         | 236         | NO <sub>2</sub>                    | 1  |
| 32   | Bhopal       | Moderate     | 105         | PM <sub>10</sub> , CO              | 3  |
| 33   | Bihar Sharif | Satisfactory | 89          | PM <sub>10</sub>                   | 1  |
| 34   | Bikaner      | Satisfactory | 95          | PM <sub>10</sub>                   | 1  |
| 35   | Bileipada    | Satisfactory | 100         | PM <sub>10</sub>                   | 1  |
| 36   | Bulandshahr  | Satisfactory | 61          | 03                                 | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,

## Notes: Del

## Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

Aurangabad (Maharashtra), Bareilly, Begusarai, Bidar, Bilaspur,
Brajrajnagar, Bundi, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City           | Air Quality  | Index Value | Prominent Pollutant                | Based on Number<br>of Monitoring<br>Stations |
|------|----------------|--------------|-------------|------------------------------------|--|
| 37   | Byrnihat       | Poor         | 281         | PM <sub>2.5</sub>                  | 1  |
| 38   | Chamarajanagar | Good         | 46          | PM <sub>10</sub>                   | 1  |
| 39   | Chandigarh     | Satisfactory | 58          | O <sub>3</sub> , PM <sub>2.5</sub> | 3  |
| 40   | Chandrapur     | Satisfactory | 99          | 03                                 | 1  |
| 41   | Charkhi Dadri  | Moderate     | 163         | PM <sub>2.5</sub>                  | 1  |
| 42   | Chennai        | Satisfactory | 58          | CO, O <sub>3</sub>                 | 5  |
| 43   | Chhal          | Good         | 29          | PM <sub>10</sub>                   | 1  |
| 44   | Chhapra        | Moderate     | 178         | PM <sub>10</sub>                   | 1  |
| 45   | Chikkaballapur | Good         | 26          | NO <sub>2</sub>                    | 1  |
| 46   | Chikkamagaluru | Good         | 31          | 03                                 | 1  |
| 47   | Chittorgarh    | Satisfactory | 89          | 03                                 | 1  |
| 48   | Churu          | Satisfactory | 82          | 03                                 | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,

## Notes: Dehr

#### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City       | Air Quality  | Index Value | Prominent Pollutant                  | Based on Number<br>of Monitoring<br>Stations |
|------|------------|--------------|-------------|--------------------------------------|--|
| 49   | Cuddalore  | Satisfactory | 74          | NO <sub>2</sub>                      | 2  |
| 50   | Damoh      | Good         | 16          | со                                   | 1  |
| 51   | Dausa      | Moderate     | 105         | PM <sub>10</sub>                     | 1  |
| 52   | Davanagere | Good         | 42          | PM <sub>10</sub>                     | 1  |
| 53   | Delhi      | Satisfactory | 76          | PM <sub>2.5</sub> , PM <sub>10</sub> | 38   |
| 54   | Dewas      | Satisfactory | 63          | PM <sub>2.5</sub>                    | 1  |
| 55   | Dhanbad    | Moderate     | 147         | PM <sub>2.5</sub>                    | 1  |
| 56   | Dharuhera  | Moderate     | 111         | PM <sub>2.5</sub>                    | 1  |
| 57   | Dholpur    | Satisfactory | 66          | O <sub>3</sub>                       | 1  |
| 58   | Durgapur   | Satisfactory | 94          | PM <sub>10</sub>                     | 1  |
| 59   | Eloor      | Satisfactory | 75          | PM <sub>10</sub>                     | 1  |
| 60   | Faridabad  | Satisfactory | 75          | PM <sub>10</sub>                     | 3  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,

#### Notes:

# Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

#### Aurangabad (Maharashtra), Bareilly, Begusarai, Bidar, Bilaspu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City          | Air Quality  | Index Value | Prominent Pollutant                  | Based on Number<br>of Monitoring<br>Stations |
|------|---------------|--------------|-------------|--------------------------------------|--|
| 61   | Fatehabad     | Moderate     | 153         | PM <sub>10</sub>                     | 1  |
| 62   | Firozabad     | Satisfactory | 58          | O <sub>3</sub>                       | 2  |
| 63   | Gadag         | Satisfactory | 80          | PM <sub>10</sub>                     | 1  |
| 64   | Gandhinagar   | Satisfactory | 60          | PM <sub>2.5</sub> , PM <sub>10</sub> | 3  |
| 65   | Gangtok       | Good         | 32          | SO <sub>2</sub>                      | 1  |
| 66   | Gaya          | Satisfactory | 83          | СО                                   | 3  |
| 67   | Ghaziabad     | Satisfactory | 67          | PM <sub>2.5</sub> , PM <sub>10</sub> | 4  |
| 68   | Gorakhpur     | Satisfactory | 65          | SO <sub>2</sub>                      | 1  |
| 69   | Greater Noida | Satisfactory | 99          | NO <sub>2</sub> , O <sub>3</sub>     | 2  |
| 70   | Gummidipoondi | Satisfactory | 57          | PM <sub>10</sub>                     | 1  |
| 71   | Gurugram      | Satisfactory | 82          | PM <sub>2.5</sub>                    | 4  |
| 72   | Guwahati      | Satisfactory | 94          | PM <sub>10</sub> , PM <sub>2.5</sub> | 4  |

Notes:

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,



(Average of past 24 hours)

| S.No | City      | Air Quality  | Index Value | Prominent Pollutant              | Based on Number<br>of Monitoring<br>Stations |
|------|-----------|--------------|-------------|----------------------------------|--|
| 73   | Gwalior   | Satisfactory | 70          | O <sub>3</sub> , CO              | 4  |
| 74   | Hajipur   | Satisfactory | 70          | PM <sub>10</sub>                 | 1  |
| 75   | Haldia    | Good         | 42          | PM <sub>10</sub>                 | 1  |
| 76   | Hapur     | Satisfactory | 51          | 03                               | 1  |
| 77   | Haveri    | Good         | 38          | со                               | 1  |
| 78   | Howrah    | Satisfactory | 62          | PM <sub>10</sub>                 | 2  |
| 79   | Hubballi  | Satisfactory | 82          | PM <sub>10</sub>                 | 2  |
| 80   | Hyderabad | Satisfactory | 66          | PM <sub>10</sub> , CO            | 8  |
| 81   | Imphal    | Satisfactory | 60          | SO <sub>2</sub>                  | 2  |
| 82   | Indore    | Satisfactory | 99          | PM <sub>10</sub>                 | 2  |
| 83   | Jabalpur  | Satisfactory | 57          | O <sub>3</sub>                   | 1  |
| 84   | Jaipur    | Satisfactory | 81          | O <sub>3</sub> , NO <sub>2</sub> | 6  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah, <del>ngabad (Maharashtra), Bareilly, Begusarai, Bidar, Bila</del>

Brajrajnagar, Bundi, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Hanumangarh, Hassan, Hisar, Hosur, Notes: Jaisalmer, Kannur, Kashipur, Khurja, Kolar, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Narnaul, Nayagarh, Pali, Pimpri Chinchwad, Raichur, Ramanathapuram, Salem, Sasaram, Sonipat, Srinagar, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

#### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |



(Average of past 24 hours)

| S.No | City        | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 85   | Jalandhar   | Good         | 42          | PM <sub>10</sub>    | 1  |
| 86   | Jhalawar    | Satisfactory | 73          | PM <sub>10</sub>    | 1  |
| 87   | Jhansi      | Satisfactory | 72          | PM <sub>10</sub>    | 1  |
| 88   | Jhunjhunu   | Poor         | 295         | 03                  | 1  |
| 89   | Jind        | Satisfactory | 74          | со                  | 1  |
| 90   | Jodhpur     | Moderate     | 124         | 03                  | 3  |
| 91   | Jorapokhar  | Satisfactory | 92          | PM <sub>10</sub>    | 1  |
| 92   | Kadapa      | Good         | 31          | O <sub>3</sub>      | 1  |
| 93   | Kaithal     | Good         | 49          | PM <sub>10</sub>    | 1  |
| 94   | Kalaburgi   | Good         | 43          | PM <sub>10</sub>    | 1  |
| 95   | Kalyan      | Satisfactory | 82          | PM <sub>10</sub>    | 1  |
| 96   | Kanchipuram | Good         | 19          | SO <sub>2</sub>     | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,

## Notes:

#### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

#### <del>ngabad (Maharashtra), Bareilly, Begusarai, Bidar, Bila</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City       | Air Quality  | Index Value | Prominent Pollutant               | Based on Number<br>of Monitoring<br>Stations |
|------|------------|--------------|-------------|-----------------------------------|--|
| 97   | Kanpur     | Good         | 47          | со                                | 4  |
| 98   | Karauli    | Satisfactory | 88          | 03                                | 1  |
| 99   | Karnal     | Good         | 30          | PM <sub>10</sub>                  | 1  |
| 100  | Katihar    | Satisfactory | 86          | NO <sub>2</sub>                   | 1  |
| 101  | Katni      | Satisfactory | 58          | 03                                | 1  |
| 102  | Keonjhar   | Satisfactory | 94          | PM <sub>10</sub>                  | 1  |
| 103  | Khanna     | Good         | 38          | PM <sub>10</sub>                  | 1  |
| 104  | Kishanganj | Moderate     | 135         | PM <sub>10</sub>                  | 1  |
| 105  | Kochi      | Satisfactory | 58          | со                                | 1  |
| 106  | Kohima     | Satisfactory | 61          | PM <sub>2.5</sub>                 | 1  |
| 107  | Kolhapur   | Satisfactory | 55          | 03                                | 2  |
| 108  | Kolkata    | Satisfactory | 68          | O <sub>3</sub> , PM <sub>10</sub> | 6  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,

## Notes: Dehra

#### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

#### <del>Aurangabad (Maharashtra), Bareilly, Begusarai, Bidar, Bilaspur,</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City             | Air Quality  | Index Value | Prominent Pollutant                | Based on Number<br>of Monitoring<br>Stations |
|------|------------------|--------------|-------------|------------------------------------|--|
| 109  | Kollam           | Satisfactory | 75          | PM <sub>10</sub>                   | 1  |
| 110  | Koppal           | Satisfactory | 94          | 03                                 | 1  |
| 111  | Korba            | Good         | 50          | NO <sub>2</sub> , PM <sub>10</sub> | 2  |
| 112  | Kota             | Satisfactory | 80          | 03                                 | 3  |
| 113  | Kurukshetra      | Good         | 44          | 03                                 | 1  |
| 114  | Lucknow          | Satisfactory | 69          | NO <sub>2</sub> , PM <sub>10</sub> | 6  |
| 115  | Ludhiana         | Satisfactory | 72          | PM <sub>10</sub>                   | 1  |
| 116  | Madikeri         | Good         | 43          | SO <sub>2</sub>                    | 1  |
| 117  | Mandi Gobindgarh | Good         | 38          | NO <sub>2</sub>                    | 1  |
| 118  | Mandideep        | Moderate     | 112         | PM <sub>10</sub>                   | 1  |
| 119  | Mandikhera       | Satisfactory | 51          | PM <sub>10</sub>                   | 1  |
| 120  | Manesar          | Satisfactory | 61          | PM <sub>2.5</sub>                  | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah, <del>ngabad (Maharashtra), Bareilly, Begusarai, Bidar, Bila</del>

Notes:

Brajrajnagar, Bundi, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Hanumangarh, Hassan, Hisar, Hosur, Jaisalmer, Kannur, Kashipur, Khurja, Kolar, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Narnaul, Nayagarh, Pali, Pimpri Chinchwad, Raichur, Ramanathapuram, Salem, Sasaram, Sonipat, Srinagar, Tumidih, Udupi,

Vijayawada, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

#### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |



(Average of past 24 hours)

| S.No | City          | Air Quality  | Index Value | Prominent Pollutant   | Based on Number<br>of Monitoring<br>Stations |
|------|---------------|--------------|-------------|-----------------------|--|
| 121  | Mangalore     | Satisfactory | 55          | co                    | 1  |
| 122  | Manguraha     | Satisfactory | 80          | O <sub>3</sub>        | 1  |
| 123  | Meerut        | Good         | 48          | 03                    | 3  |
| 124  | Milupara      | Good         | 29          | NO <sub>2</sub>       | 1  |
| 125  | Moradabad     | Satisfactory | 56          | CO, PM <sub>2.5</sub> | 5  |
| 126  | Motihari      | Moderate     | 123         | NO <sub>2</sub>       | 1  |
| 127  | Mumbai        | Satisfactory | 78          | CO, PM <sub>10</sub>  | 18   |
| 128  | Munger        | Poor         | 275         | PM <sub>2.5</sub>     | 1  |
| 129  | Muzaffarnagar | Good         | 48          | PM <sub>2.5</sub>     | 1  |
| 130  | Muzaffarpur   | Moderate     | 190         | O <sub>3</sub>        | 3  |
| 131  | Mysuru        | Satisfactory | 51          | O <sub>3</sub>        | 1  |
| 132  | Nagaon        | Satisfactory | 92          | O <sub>3</sub>        | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,

## Notes:

## Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

#### <del>ngabad (Maharashtra), Bareilly, Begusarai, Bidar, Bila</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City          | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 133  | Nagpur        | Good         | 46          | PM <sub>2.5</sub>   | 1  |
| 134  | Nalbari       | Poor         | 228         | PM <sub>2.5</sub>   | 1  |
| 135  | Nashik        | Good         | 34          | PM <sub>10</sub>    | 1  |
| 136  | Navi Mumbai   | Satisfactory | 66          | PM <sub>10</sub>    | 1  |
| 137  | Noida         | Satisfactory | 66          | со                  | 4  |
| 138  | Ooty          | Good         | 49          | SO <sub>2</sub>     | 1  |
| 139  | Palkalaiperur | Satisfactory | 100         | со                  | 1  |
| 140  | Palwal        | Satisfactory | 80          | PM <sub>10</sub>    | 1  |
| 141  | Panchkula     | Good         | 44          | PM <sub>2.5</sub>   | 1  |
| 142  | Panipat       | Good         | 33          | 03                  | 1  |
| 143  | Patiala       | Good         | 44          | 03                  | 1  |
| 144  | Patna         | Moderate     | 117         | PM <sub>2.5</sub>   | 6  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah, <del>ngabad (Maharashtra), Bareilly, Begusarai, Bidar, Bila</del>

Possible Health Impacts Notes:

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City              | Air Quality  | Index Value | Prominent Pollutant                | Based on Number<br>of Monitoring<br>Stations |
|------|-------------------|--------------|-------------|------------------------------------|--|
| 145  | Pithampur         | Satisfactory | 64          | PM <sub>10</sub>                   | 1  |
| 146  | Pratapgarh        | Satisfactory | 77          | PM <sub>10</sub>                   | 1  |
| 147  | Prayagraj         | Good         | 46          | SO <sub>2</sub>                    | 3  |
| 148  | Puducherry        | Good         | 30          | 03                                 | 1  |
| 149  | Pune              | Moderate     | 123         | NO <sub>2</sub> , PM <sub>10</sub> | 3  |
| 150  | Purnia            | Moderate     | 162         | PM <sub>10</sub>                   | 1  |
| 151  | Raipur            | Good         | 50          | NO <sub>2</sub>                    | 4  |
| 152  | Rairangpur        | Satisfactory | 62          | O <sub>3</sub>                     | 1  |
| 153  | Rajamahendravaram | Good         | 26          | СО                                 | 1  |
| 154  | Rajgir            | Poor         | 217         | O <sub>3</sub>                     | 1  |
| 155  | Rajsamand         | Satisfactory | 52          | PM <sub>10</sub>                   | 1  |
| 156  | Ramanagara        | Satisfactory | 55          | O <sub>3</sub>                     | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,

## Notes: Dehrad

### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

#### Aurangabad (Maharashtra), Bareilly, Begusarai, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City           | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|----------------|--------------|-------------|---------------------|--|
| 157  | Ratlam         | Satisfactory | 76          | NO <sub>2</sub>     | 1  |
| 158  | Rishikesh      | Good         | 23          | PM <sub>10</sub>    | 1  |
| 159  | Rohtak         | Moderate     | 128         | PM <sub>2.5</sub>   | 1  |
| 160  | Rourkela       | Satisfactory | 72          | PM <sub>10</sub>    | 3  |
| 161  | Rupnagar       | Satisfactory | 57          | со                  | 1  |
| 162  | Sagar          | Satisfactory | 83          | O <sub>3</sub>      | 1  |
| 163  | Saharsa        | Poor         | 276         | PM <sub>2.5</sub>   | 1  |
| 164  | Samastipur     | Poor         | 219         | PM <sub>2.5</sub>   | 1  |
| 165  | Satna          | Satisfactory | 72          | СО                  | 1  |
| 166  | Sawai Madhopur | Satisfactory | 59          | O <sub>3</sub>      | 1  |
| 167  | Shillong       | Good         | 39          | SO <sub>2</sub>     | 1  |
| 168  | Shivamogga     | Good         | 46          | PM <sub>10</sub>    | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,

## Notes: D

#### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

#### Aurangabad (Maharashtra), Bareilly, Begusarai, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City           | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|----------------|--------------|-------------|---------------------|--|
| 169  | Sikar          | Satisfactory | 91          | O <sub>3</sub>      | 1  |
| 170  | Silchar        | Good         | 28          | PM <sub>10</sub>    | 1  |
| 171  | Siliguri       | Satisfactory | 77          | PM <sub>10</sub>    | 1  |
| 172  | Singrauli      | Moderate     | 117         | NO <sub>2</sub>     | 1  |
| 173  | Sirohi         | Satisfactory | 72          | PM <sub>10</sub>    | 1  |
| 174  | Sirsa          | Good         | 49          | 03                  | 1  |
| 175  | Sivasagar      | Good         | 24          | PM <sub>2.5</sub>   | 1  |
| 176  | Siwan          | Satisfactory | 72          | PM <sub>10</sub>    | 1  |
| 177  | Solapur        | Moderate     | 111         | PM <sub>10</sub>    | 1  |
| 178  | Sri Ganganagar | Moderate     | 162         | PM <sub>2.5</sub>   | 1  |
| 179  | Suakati        | Good         | 40          | PM <sub>10</sub>    | 1  |
| 180  | Surat          | Satisfactory | 74          | со                  | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah, <del>ngabad (Maharashtra), Bareilly, Begusarai, Bidar, Bila</del>

#### Brajrajnagar, Bundi, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga,

Notes:

Dehradun, Dharwad, Dindigul, Ernakulam, Hanumangarh, Hassan, Hisar, Hosur, Jaisalmer, Kannur, Kashipur, Khurja, Kolar, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Narnaul, Nayagarh, Pali, Pimpri Chinchwad, Raichur, Ramanathapuram, Salem, Sasaram, Sonipat, Srinagar, Tumidih, Udupi,

Vijayawada, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

#### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |



(Average of past 24 hours)

| S.No | City               | Air Quality  | Index Value | Prominent Pollutant                | Based on Number<br>of Monitoring<br>Stations |
|------|--------------------|--------------|-------------|------------------------------------|--|
| 181  | Talcher            | Moderate     | 110         | PM <sub>2.5</sub>                  | 1  |
| 182  | Tensa              | Good         | 38          | 03                                 | 1  |
| 183  | Thane              | Moderate     | 110         | PM <sub>10</sub>                   | 1  |
| 184  | Thiruvananthapuram | Good         | 25          | 03                                 | 2  |
| 185  | Thoothukudi        | Good         | 32          | 03                                 | 1  |
| 186  | Thrissur           | Good         | 50          | PM <sub>10</sub>                   | 1  |
| 187  | Tirupati           | Good         | 44          | PM <sub>10</sub> , NO <sub>2</sub> | 2  |
| 188  | Tirupur            | Good         | 28          | SO <sub>2</sub>                    | 1  |
| 189  | Tonk               | Satisfactory | 75          | PM <sub>10</sub>                   | 1  |
| 190  | Tumakuru           | Satisfactory | 61          | PM <sub>10</sub>                   | 1  |
| 191  | Udaipur            | Satisfactory | 98          | PM <sub>10</sub>                   | 1  |
| 192  | Ujjain             | Satisfactory | 68          | PM <sub>10</sub>                   | 1  |

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah, Aurangabad (Maharashtra), Bareilly, Begusarai, Bidar, Bilasp

## Notes: Dehra

### Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

Brajrajnagar, Bundi, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Hanumangarh, Hassan, Hisar, Hosur, Jaisalmer, Kannur, Kashipur, Khurja, Kolar, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Narnaul, Nayagarh, Pali, Pimpri Chinchwad, Raichur, Ramanathapuram, Salem, Sasaram, Sonipat, Srinagar, Tumidih, Udupi,

Vijayawada, vellore as data was not available.
# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City          | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 193  | Vapi          | Satisfactory | 90          | PM <sub>2.5</sub>   | 1  |
| 194  | Varanasi      | Good         | 49          | O <sub>3</sub>      | 4  |
| 195  | Vatva         | Satisfactory | 76          | PM <sub>10</sub>    | 1  |
| 196  | Vijayapura    | Good         | 46          | PM <sub>10</sub>    | 1  |
| 197  | Visakhapatnam | Moderate     | 115         | PM <sub>10</sub>    | 1  |
| 198  | Vrindavan     | Moderate     | 145         | PM <sub>10</sub>    | 1  |
| 199  | Yadgir        | Good         | 30          | со                  | 1  |
| 200  | Yamunanagar   | Good         | 50          | PM <sub>10</sub>    | 1  |

### Possible Health Impacts Notes:

| Good         | Minimal Impact  |  |  |
|--------------|---|--|--|
| Satisfactory | Minor breathing discomfort to sensitive people                            |  |  |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |  |  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |  |  |
| Very Poor    | Respiratory illness on prolonged exposure                                 |  |  |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |  |  |

## Aurangabad (Maharashtra), Bareilly, Begusarai, Bidar, Bilaspu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Amritsar, Arrah,