

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	73	PM _{2.5}	1
2	Ahmedabad	Satisfactory	86	PM ₁₀	1
3	Ajmer	Satisfactory	96	03	1
4	Alwar	Satisfactory	57	03	1
5	Amaravati	Satisfactory	53	03	1
6	Ambala	Good	48	O ₃	1
7	Ankleshwar	Moderate	102	PM ₁₀	1
8	Asanol	Satisfactory	58	PM ₁₀	1
9	Aurangabad	Good	50	03	1
10	Ballabgarh	Satisfactory	59	PM ₁₀	1
11	Bathinda	Satisfactory	97	со	1
12	Bengaluru	Satisfactory	54	O ₃ , PM _{2.5}	9

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bahadurgarh, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Manesar, Moradabad, Ratlam, Rupnagar, Shillong, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Satisfactory	76	PM ₁₀	1
14	Bhiwani	Satisfactory	88	SO ₂	1
15	Bhopal	Moderate	101	PM ₁₀	1
16	Bulandshahr	Moderate	121	03	1
17	Chandigarh	Good	26	03	1
18	Chandrapur	Moderate	112	PM _{2.5}	2
19	Chennai	Good	42	O ₃ , PM _{2.5} , CO	4
20	Chikkaballapur	Satisfactory	80	03	1
21	Damoh	Good	38	PM _{2.5}	1
22	Delhi	Satisfactory	86	O ₃ , PM _{2.5} , PM ₁₀	33
23	Dewas	Moderate	159	O ₃	1
24	Dharuhera	Satisfactory	74	03	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Brajrajnagar, Chikkamagaluru, Coimbatore,
 Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Manesar,
 Moradabad, Ratlam, Rupnagar, Shillong, Vapi, Vijayapura, Yadgir as
 data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Eloor	Satisfactory	52	PM ₁₀	1
26	Ernakulam	Satisfactory	61	со	1
27	Faridabad	Moderate	103	O ₃ , PM ₁₀	3
28	Fatehabad	Satisfactory	99	03	1
29	Gandhinagar	Satisfactory	85	PM ₁₀	1
30	Gaya	Moderate	122	O ₃ , PM _{2.5}	2
31	Ghaziabad	Satisfactory	86	PM ₁₀ , O ₃	4
32	Greater Noida	Satisfactory	92	CO, PM ₁₀	2
33	Gurugram	Satisfactory	96	O ₃ , PM ₁₀	4
34	Guwahati	Moderate	141	PM _{2.5}	1
35	Gwalior	Satisfactory	94	O ₃ , PM _{2.5}	2
36	Hajipur	Satisfactory	76	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Brajrajnagar, Chikkamagaluru, Coimbatore,
 Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Manesar,
 Moradabad, Ratlam, Rupnagar, Shillong, Vapi, Vijayapura, Yadgir as
 data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Moderate	110	PM ₁₀	1
38	Hisar	Satisfactory	73	PM ₁₀	1
39	Howrah	Satisfactory	66	O ₃ , PM ₁₀	3
40	Hyderabad	Satisfactory	63	PM ₁₀ , NO ₂	4
41	Indore	Moderate	117	PM ₁₀	1
42	Jabalpur	Satisfactory	81	O ₃	1
43	Jaipur	Satisfactory	71	O ₃ , PM ₁₀	3
44	Jalandhar	Good	38	PM ₁₀	1
45	Jind	Satisfactory	68	PM _{2.5}	1
46	Jodhpur	Satisfactory	98	O ₃	1
47	Jorapokhar	Satisfactory	94	PM ₁₀	1
48	Kaithal	Good	48	PM ₁₀	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Brajrajnagar, Chikkamagaluru, Coimbatore,
 Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Manesar,
 Moradabad, Ratlam, Rupnagar, Shillong, Vapi, Vijayapura, Yadgir as
 data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kannur	Good	48	PM ₁₀	1
50	Kanpur	Satisfactory	67	O ₃	1
51	Karnal	Satisfactory	68	PM ₁₀	1
52	Katni	Satisfactory	90	03	1
53	Khanna	Good	46	PM ₁₀	1
54	Kochi	Good	45	со	1
55	Kolkata	Satisfactory	91	03	7
56	Kota	Satisfactory	84	PM ₁₀	1
57	Kozhikode	Good	50	PM ₁₀	1
58	Kurukshetra	Satisfactory	56	PM ₁₀	1
59	Lucknow	Satisfactory	99	PM _{2.5} , O ₃	4
60	Ludhiana	Good	38	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Brajrajnagar, Chikkamagaluru, Coimbatore,
 Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Manesar,
 Moradabad, Ratlam, Rupnagar, Shillong, Vapi, Vijayapura, Yadgir as
 data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Good	38	PM ₁₀	1
62	Mandideep	Satisfactory	52	PM _{2.5}	1
63	Mandikhera	Satisfactory	79	PM ₁₀	1
64	Meerut	Moderate	116	PM _{2.5} , PM ₁₀	2
65	Mumbai	Satisfactory	94	PM ₁₀	7
66	Muzaffarnagar	Moderate	103	PM ₁₀	1
67	Muzaffarpur	Moderate	177	PM _{2.5}	1
68	Mysuru	Satisfactory	71	O ₃	1
69	Nagpur	Moderate	103	O ₃	1
70	Nandesari	Moderate	197	СО	1
71	Narnaul	Satisfactory	63	PM ₁₀	1
72	Nashik	Satisfactory	68	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Aizawl, Amritsar, Bagalkot, Bahadurgarh, Brajrajnagar, Chikkamagaluru, Coimbatore, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Manesar, Moradabad, Ratlam, Rupnagar, Shillong, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Moderate	104	PM ₁₀	2
74	Noida	Satisfactory	80	O ₃ , CO, PM ₁₀	4
75	Pali	Satisfactory	79	O ₃	1
76	Palwal	Satisfactory	86	PM ₁₀	1
77	Panchkula	Good	38	PM _{2.5}	1
78	Panipat	Moderate	101	PM ₁₀	1
79	Patiala	Good	40	PM ₁₀	1
80	Patna	Moderate	138	NO ₂ , PM ₁₀ , CO	5
81	Pithampur	Moderate	126	PM ₁₀	1
82	Pune	Satisfactory	61	PM _{2.5}	1
83	Rajamahendravaram	Satisfactory	88	O ₃	1
84	Ramanagara	Good	35	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Brajrajnagar, Chikkamagaluru, Coimbatore,
 Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Manesar,
 Moradabad, Ratlam, Rupnagar, Shillong, Vapi, Vijayapura, Yadgir as
 data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Satisfactory	67	PM _{2.5}	1
86	Sagar	Satisfactory	67	PM ₁₀	1
87	Satna	Satisfactory	59	PM ₁₀	1
88	Siliguri	Moderate	152	PM _{2.5}	1
89	Singrauli	Moderate	128	O ₃	1
90	Sirsa	Satisfactory	57	PM ₁₀	1
91	Solapur	Satisfactory	76	PM ₁₀	1
92	Sonipat	Satisfactory	80	NO ₂	1
93	Talcher	Moderate	108	03	1
94	Thane	Good	34	со	1
95	Thiruvananthapuram	Good	47	O ₃ , CO	2
96	Tirupati	Good	48	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Brajrajnagar, Chikkamagaluru, Coimbatore,
 Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Manesar,
 Moradabad, Ratlam, Rupnagar, Shillong, Vapi, Vijayapura, Yadgir as
 data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Satisfactory	76	PM ₁₀	1
98	Ujjain	Moderate	114	PM ₁₀	1
99	Varanasi	Moderate	162	O ₃	1
100	Vatva	Satisfactory	61	PM ₁₀	1
101	Visakhapatnam	Good	45	PM ₁₀	1
102	Yamunanagar	Satisfactory	76	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achites t calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Brajrajnagar, Chikkamagaluru, Coimbatore,
 Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Manesar,
 Moradabad, Ratlam, Rupnagar, Shillong, Vapi, Vijayapura, Yadgir as
 data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.