

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	56	PM ₁₀	2
2	Agra	Moderate	178	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	101	PM _{2.5} , PM ₁₀ , CO	7
4	Aizawl	Good	40	PM ₁₀	1
5	Ajmer	Satisfactory	95	PM ₁₀	1
6	Alwar	Moderate	120	PM ₁₀	1
7	Amaravati	Good	42	O ₃	1
8	Ambala	Moderate	177	PM ₁₀	1
9	Amritsar	Poor	235	PM _{2.5}	1
10	Araria	Satisfactory	92	PM _{2.5}	1
11	Arrah	Moderate	139	PM ₁₀	1
12	Asansol	Satisfactory	69	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Poor	212	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	58	PM _{2.5}	1
15	Baddi	Moderate	182	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Baghpat	Moderate	196	PM ₁₀	1
18	Bahadurgarh	Poor	222	PM _{2.5}	1
19	Ballabgarh	Poor	247	PM _{2.5}	1
20	Bareilly	Satisfactory	96	PM _{2.5}	1
21	Bathinda	Moderate	140	PM ₁₀	1
22	Begusarai	Satisfactory	90	PM ₁₀	1
23	Bengaluru	Satisfactory	68	PM ₁₀ , CO	9
24	Bettiah	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Moderate	148	PM ₁₀	2
26	Bhiwadi	Very Poor	310	PM _{2.5}	1
27	Bhiwani	Poor	286	PM _{2.5}	1
28	Bhopal	Moderate	106	PM ₁₀	1
29	Bihar Sharif	Very Poor	320	PM ₁₀	1
30	Bilaspur	Satisfactory	63	СО	1
31	Bulandshahr	Poor	296	PM ₁₀	1
32	Buxar	Poor	236	PM _{2.5}	1
33	Chandigarh	Poor	208	O ₃ , PM _{2.5} , PM ₁₀	3
34	Chandrapur	Satisfactory	96	PM ₁₀ , PM _{2.5}	2
35	Charkhi Dadri	Poor	242	PM _{2.5}	1
36	Chennai	Satisfactory	69	SO ₂ , PM ₁₀ , CO	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Moderate	126	PM ₁₀	1
38	Chikkaballapur	Good	29	со	1
39	Coimbatore	Good	32	PM ₁₀	1
40	Damoh	Good	46	PM ₁₀	1
41	Darbhanga	Satisfactory	71	PM _{2.5}	1
42	Davanagere	Good	19	PM ₁₀	1
43	Dehradun	Poor	204	03	1
44	Delhi	Poor	256	PM ₁₀	34
45	Dewas	Moderate	120	PM ₁₀	1
46	Durgapur	Moderate	124	PM ₁₀	1
47	Eloor	Satisfactory	56	PM _{2.5}	1
48	Faridabad	Poor	221	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	150	PM ₁₀	2
50	Gandhinagar	Satisfactory	92	PM _{2.5} , PM ₁₀	3
51	Gaya	Moderate	147	O ₃ , PM _{2.5}	3
52	Ghaziabad	Very Poor	313	PM ₁₀	4
53	Greater Noida	Very Poor	303	PM ₁₀	2
54	Gummidipoondi	Good	16	PM ₁₀	1
55	Gurugram	Poor	292	PM ₁₀ , PM _{2.5}	4
56	Guwahati	Satisfactory	61	PM ₁₀	1
57	Gwalior	Moderate	129	PM ₁₀	1
58	Hajipur	Moderate	139	PM _{2.5}	1
59	Haldia	Satisfactory	64	PM ₁₀	1
60	Hapur	Very Poor	379	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	42	PM ₁₀	1
62	Hisar	Poor	237	PM _{2.5}	1
63	Howrah	Satisfactory	74	PM ₁₀	2
64	Hubballi	Satisfactory	51	со	1
65	Hyderabad	Satisfactory	63	O ₃ , PM ₁₀ , PM _{2.5}	13
66	Imphal	Satisfactory	70	SO ₂ , PM ₁₀	2
67	Indore	Moderate	109	PM ₁₀	1
68	Jabalpur	Moderate	110	PM ₁₀	1
69	Jaipur	Moderate	126	PM ₁₀	3
70	Jalandhar	Moderate	135	PM ₁₀	1
71	Jhansi	Moderate	140	PM ₁₀	1
72	Jind	Poor	278	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	114	PM ₁₀	1
74	Kaithal	Very Poor	332	PM ₁₀	1
75	Kalaburgi	Good	41	O ₃	1
76	Kalyan	Good	37	PM ₁₀	1
77	Kannur	Satisfactory	53	PM _{2.5}	1
78	Kanpur	Moderate	180	PM _{2.5}	3
79	Karnal	Moderate	164	PM ₁₀	1
80	Katihar	Moderate	141	PM ₁₀	1
81	Katni	Moderate	121	PM ₁₀	1
82	Khanna	Moderate	147	PM _{2.5}	1
83	Khurja	Poor	201	PM ₁₀	1
84	Kishanganj	Satisfactory	87	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Satisfactory	91	со	1
86	Kohima	Satisfactory	75	PM ₁₀	1
87	Kolkata	Satisfactory	70	PM ₁₀	6
88	Kollam	Satisfactory	51	PM _{2.5}	1
89	Kota	Satisfactory	96	PM ₁₀	1
90	Kozhikode	Satisfactory	64	PM ₁₀	1
91	Kurukshetra	Very Poor	313	PM _{2.5}	1
92	Lucknow	Poor	206	PM _{2.5} , PM ₁₀	5
93	Ludhiana	Poor	212	PM _{2.5}	1
94	Madikeri	Good	19	PM ₁₀	1
95	Maihar	Satisfactory	51	со	1
96	Mandi Gobindgarh	Poor	242	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Moderate	132	PM ₁₀	1
98	Manglore	Satisfactory	58	со	1
99	Meerut	Very Poor	350	PM ₁₀	2
100	Moradabad	Moderate	181	PM ₁₀	4
101	Motihari	Moderate	119	03	1
102	Mumbai	Satisfactory	59	O ₃ , PM ₁₀ , CO	17
103	Munger	Moderate	194	PM ₁₀	1
104	Muzaffarnagar	Poor	295	PM ₁₀	1
105	Muzaffarpur	Satisfactory	98	PM ₁₀ , PM _{2.5}	3
106	Mysuru	Good	28	PM ₁₀	1
107	Nagpur	Satisfactory	97	O ₃	1
108	Nandesari	Moderate	147	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Moderate	138	PM ₁₀	1
110	Navi Mumbai	Satisfactory	64	со	3
111	Noida	Very Poor	336	PM ₁₀	4
112	Pali	Satisfactory	98	PM _{2.5}	1
113	Palwal	Moderate	161	PM ₁₀	1
114	Panchkula	Moderate	197	PM _{2.5}	1
115	Panipat	Very Poor	324	PM ₁₀	1
116	Patiala	Poor	202	PM ₁₀	1
117	Patna	Moderate	143	PM _{2.5} , PM ₁₀	5
118	Pithampur	Moderate	117	PM ₁₀	1
119	Prayagraj	Moderate	149	PM ₁₀	3
120	Puducherry	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Satisfactory	79	SO ₂ , CO	5
122	Purnia	Poor	268	PM _{2.5}	1
123	Raichur	Good	46	со	1
124	Rajamahendravaram	Satisfactory	55	PM ₁₀	1
125	Rajgir	Moderate	120	PM ₁₀	1
126	Ramanagara	Good	29	SO ₂	1
127	Ratlam	Satisfactory	74	PM ₁₀	1
128	Rohtak	Very Poor	312	PM _{2.5}	1
129	Rupnagar	Satisfactory	98	PM ₁₀	1
130	Sagar	Moderate	199	NO ₂	1
131	Saharsa	Moderate	170	PM ₁₀	1
132	Sasaram	Moderate	162	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Good	44	O ₃	1
134	Shillong	Satisfactory	66	PM ₁₀	1
135	Shivamogga	Good	50	PM ₁₀	1
136	Siliguri	Good	42	PM ₁₀	1
137	Singrauli	Moderate	122	PM ₁₀	1
138	Sirsa	Poor	264	PM ₁₀	1
139	Solapur	Satisfactory	94	PM ₁₀	1
140	Sonipat	Moderate	191	PM ₁₀	1
141	Srinagar	Good	37	PM ₁₀	1
142	Talcher	Good	46	PM _{2.5}	1
143	Thane	Satisfactory	63	O ₃	1
144	Thiruvananthapuram	Good	30	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Good	27	PM ₁₀	1
146	Udaipur	Satisfactory	66	PM ₁₀	1
147	Ujjain	Moderate	112	PM ₁₀	1
148	Varanasi	Moderate	104	PM ₁₀	4
149	Vatva	Satisfactory	79	PM _{2.5}	1
150	Vijayapura	Satisfactory	56	PM ₁₀	1
151	Visakhapatnam	Moderate	121	PM ₁₀	1
152	Vrindavan	Moderate	165	PM ₁₀	1
153	Yadgir	Good	32	со	1
154	Yamunanagar	Poor	257	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Dharuhera, Ernakulam, Fatehabad, Gadag, Gangtok, Gorakhpur, Haveri, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manguraha, Naharlagun, Nashik, Samastipur, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.