

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	115	PM _{2.5}	1
2	Agra	Moderate	154	PM _{2.5}	1
3	Ahmedabad	Moderate	162	PM ₁₀	1
4	Aizawl	Moderate	112	PM ₁₀	1
5	Ajmer	Satisfactory	90	PM ₁₀	1
6	Alwar	Moderate	112	PM ₁₀	1
7	Amaravati	Satisfactory	78	PM ₁₀	1
8	Ambala	Satisfactory	84	PM ₁₀	1
9	Amritsar	Satisfactory	85	PM ₁₀	1
10	Ankleshwar	Moderate	188	NO ₂	1
11	Asansol	Moderate	159	PM ₁₀	1
12	Aurangabad	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal,
 Panipat, Ramanagara, Rupnagar, Shillong as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	75	PM _{2.5}	1
14	Baghpat	Poor	202	PM _{2.5}	1
15	Bahadurgarh	Moderate	187	PM _{2.5}	1
16	Ballabgarh	Moderate	180	PM _{2.5}	1
17	Bathinda	Moderate	154	PM ₁₀	1
18	Bengaluru	Moderate	109	PM _{2.5} , CO, PM ₁₀	7
19	Bhiwadi	Moderate	177	PM ₁₀	1
20	Bhiwani	Moderate	122	PM ₁₀	1
21	Bhopal	Moderate	125	PM ₁₀	1
22	Brajrajnagar	Moderate	170	PM ₁₀	1
23	Bulandshahr	Poor	210	PM ₁₀	1
24	Chamarajanagar	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	erate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore, Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar, Shillong as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	103	PM ₁₀	1
26	Chandrapur	Poor	214	PM _{2.5}	1
27	Charkhi Dadri	Moderate	162	PM ₁₀	1
28	Chennai	Satisfactory	67	PM ₁₀ , PM _{2.5}	6
29	Chikkaballapur	Moderate	116	PM _{2.5}	1
30	Chikkamagaluru	Satisfactory	72	PM ₁₀	1
31	Damoh	Satisfactory	55	PM _{2.5}	1
32	Delhi	Poor	229	PM ₁₀ , PM _{2.5}	37
33	Dewas	Moderate	117	PM ₁₀	1
34	Dharuhera	Moderate	192	PM ₁₀	1
35	Durgapur	Very Poor	325	PM ₁₀	1
36	Ernakulam	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal,
 Panipat, Ramanagara, Rupnagar, Shillong as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	207	PM ₁₀ , PM _{2.5}	4
38	Fatehabad	Moderate	140	PM ₁₀	1
39	Gandhinagar	Moderate	106	PM ₁₀	1
40	Gaya	Satisfactory	93	O ₃ , CO	2
41	Ghaziabad	Poor	252	PM ₁₀ , PM _{2.5}	4
42	Greater Noida	Poor	214	PM ₁₀	2
43	Gurugram	Poor	208	PM _{2.5} , PM ₁₀	4
44	Guwahati	Very Poor	332	PM _{2.5}	2
45	Gwalior	Moderate	107	PM ₁₀	1
46	Hajipur	Moderate	194	PM ₁₀	1
47	Hapur	Moderate	170	PM ₁₀	1
48	Hisar	Poor	217	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	erate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal,
 Panipat, Ramanagara, Rupnagar, Shillong as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Poor	216	PM _{2.5}	1
50	Hubballi	Moderate	138	PM _{2.5}	1
51	Hyderabad	Moderate	135	PM _{2.5} , PM ₁₀	6
52	Indore	Moderate	147	PM ₁₀	1
53	Jabalpur	Moderate	138	PM ₁₀	1
54	Jaipur	Moderate	137	PM ₁₀	3
55	Jalandhar	Moderate	110	PM ₁₀	1
56	Jind	Moderate	194	PM _{2.5}	1
57	Jodhpur	Moderate	165	PM _{2.5}	1
58	Jorapokhar	Good	47	со	1
59	Kaithal	Moderate	104	PM ₁₀	1
60	Kalaburgi	Moderate	142	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal,
 Panipat, Ramanagara, Rupnagar, Shillong as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	152	PM ₁₀	1
62	Kannur	Satisfactory	84	PM ₁₀	1
63	Kanpur	Moderate	108	PM _{2.5}	2
64	Karnal	Moderate	117	PM ₁₀	1
65	Katni	Poor	213	PM ₁₀	1
66	Khanna	Moderate	113	PM ₁₀	1
67	Kochi	Satisfactory	85	PM _{2.5}	1
68	Kohima	Poor	244	PM _{2.5}	1
69	Kolkata	Moderate	174	PM _{2.5} , O ₃ , PM ₁₀	6
70	Kollam	Moderate	127	PM _{2.5}	1
71	Koppal	Satisfactory	98	PM ₁₀	1
72	Kota	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	erate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal,
 Panipat, Ramanagara, Rupnagar, Shillong as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	83	PM ₁₀	1
74	Kurukshetra	Moderate	110	PM ₁₀	1
75	Lucknow	Moderate	154	PM _{2.5} , PM ₁₀	4
76	Ludhiana	Satisfactory	75	PM ₁₀	1
77	Maihar	Satisfactory	62	PM ₁₀	1
78	Mandi Gobindgarh	Moderate	161	PM ₁₀	1
79	Mandideep	Moderate	129	PM ₁₀	1
80	Mandikhera	Moderate	107	PM ₁₀	1
81	Manesar	Moderate	188	PM _{2.5}	1
82	Manglore	Satisfactory	87	PM _{2.5}	1
83	Medikeri	Satisfactory	58	PM ₁₀	1
84	Meerut	Moderate	170	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal,
 Panipat, Ramanagara, Rupnagar, Shillong as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	208	PM _{2.5}	1
86	Mumbai	Moderate	127	PM _{2.5} , PM ₁₀	17
87	Muzaffarnagar	Moderate	150	PM ₁₀	1
88	Muzaffarpur	Poor	216	PM _{2.5} , PM ₁₀	2
89	Mysuru	Satisfactory	87	03	1
90	Nandesari	Moderate	118	PM _{2.5}	1
91	Narnaul	Moderate	193	PM ₁₀	1
92	Nashik	Satisfactory	79	PM _{2.5}	1
93	Navi Mumbai	Moderate	157	PM ₁₀ , PM _{2.5}	3
94	Noida	Poor	201	PM ₁₀ , PM _{2.5}	3
95	Pali	Moderate	132	PM ₁₀	1
96	Panchkula	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal,
 Panipat, Ramanagara, Rupnagar, Shillong as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	112	PM ₁₀	1
98	Patna	Moderate	191	PM _{2.5} , PM ₁₀	5
99	Pithampur	Moderate	127	PM ₁₀	1
100	Puducherry	Satisfactory	58	PM _{2.5}	1
101	Pune	Satisfactory	93	PM _{2.5} , PM ₁₀	6
102	Raichur	Moderate	159	PM ₁₀	1
103	Rajamahendravaram	Satisfactory	79	PM ₁₀	1
104	Ratlam	Moderate	104	PM ₁₀	1
105	Rohtak	Moderate	179	PM _{2.5}	1
106	Sagar	Satisfactory	83	PM _{2.5}	1
107	Satna	Satisfactory	83	PM ₁₀	1
108	Shivamogga	Satisfactory	65	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore, Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar, Shillong as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Very Poor	339	PM _{2.5}	1
110	Singrauli	Satisfactory	71	PM _{2.5}	1
111	Sirsa	Moderate	145	PM _{2.5}	1
112	Solapur	Moderate	137	PM ₁₀	1
113	Sonipat	Moderate	146	PM ₁₀	1
114	Srinagar	Good	48	PM _{2.5}	1
115	Talcher	Moderate	165	PM ₁₀	1
116	Thane	Poor	272	PM ₁₀	1
117	Thiruvananthapuram	Satisfactory	52	PM _{2.5}	1
118	Thoothukudi	Satisfactory	72	PM ₁₀	1
119	Thrissur	Satisfactory	84	O ₃	1
120	Tirupati	Satisfactory	96	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal,
 Panipat, Ramanagara, Rupnagar, Shillong as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Moderate	116	PM ₁₀	1
122	Udupi	Poor	270	03	1
123	Ujjain	Moderate	132	PM ₁₀	1
124	Vapi	Moderate	128	PM ₁₀	1
125	Varanasi	Moderate	159	PM _{2.5}	1
126	Vatva	Poor	251	PM _{2.5}	1
127	Vijayapura	Satisfactory	57	PM ₁₀	1
128	Visakhapatnam	Moderate	124	PM ₁₀	1
129	Yadgir	Satisfactory	90	O ₃	1
130	Yamunanagar	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Nagpur, Palwal,
 Panipat, Ramanagara, Rupnagar, Shillong as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.