

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	48	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	28	O <sub>3</sub> , CO, PM <sub>2.5</sub>	6
3	Ahmedabad	Satisfactory	71	PM <sub>10</sub>	1
4	Aizawl	Good	31	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	84	PM <sub>10</sub>	1
6	Alwar	Satisfactory	54	PM <sub>10</sub>	1
7	Amaravati	Good	22	03	1
8	Ambala	Satisfactory	53	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	92	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	102	со	1
11	Araria	Satisfactory	57	PM <sub>10</sub>	1
12	Asansol	Moderate	143	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	83	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Good	50	PM <sub>10</sub>	1
15	Baddi	Satisfactory	80	PM <sub>10</sub>	1
16	Bagalkot	Good	42	PM <sub>10</sub>	1
17	Bahadurgarh	Good	31	03	1
18	Ballabgarh	Good	39	со	1
19	Bareilly	Good	45	PM <sub>10</sub>	1
20	Bathinda	Good	26	NO <sub>2</sub>	1
21	Begusarai	Poor	265	PM <sub>10</sub>	1
22	Bengaluru	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
23	Bhagalpur	Good	49	PM <sub>2.5</sub>	1
24	Bhiwadi	Satisfactory	69	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Satisfactory	76	O <sub>3</sub>	1
26	Bhopal	Satisfactory	72	СО	1
27	Bihar Sharif	Moderate	200	PM <sub>2.5</sub>	1
28	Bilaspur	Moderate	113	со	1
29	Brajrajnagar	Good	49	со	1
30	Bulandshahr	Good	42	PM <sub>10</sub>	1
31	Buxar	Moderate	106	со	1
32	Chamarajanagar	Good	38	PM <sub>10</sub>	1
33	Chandigarh	Satisfactory	53	CO, PM <sub>10</sub>	3
34	Chandrapur	Satisfactory	61	CO, PM <sub>10</sub>	2
35	Charkhi Dadri	Good	48	PM <sub>10</sub>	1
36	Chennai	Satisfactory	51	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	8

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Satisfactory	71	со	1
38	Chikkaballapur	Satisfactory	56	PM <sub>10</sub>	1
39	Chikkamagaluru	Satisfactory	65	PM <sub>10</sub>	1
40	Coimbatore	Good	32	PM <sub>10</sub>	1
41	Damoh	Good	22	со	1
42	Darbhanga	Satisfactory	53	со	1
43	Davanagere	Good	25	со	1
44	Dehradun	Good	35	03	1
45	Delhi	Satisfactory	71	PM <sub>10</sub> , CO	35
46	Dewas	Satisfactory	59	PM <sub>10</sub>	1
47	Durgapur	Moderate	112	PM <sub>10</sub>	1
48	Eloor	Satisfactory	57	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Good	49	NO <sub>2</sub>	1
50	Faridabad	Satisfactory	84	SO <sub>2</sub> , PM <sub>2.5</sub>	2
51	Firozabad	Good	44	O <sub>3</sub> , PM <sub>2.5</sub>	2
52	Gandhinagar	Good	38	PM <sub>10</sub>	1
53	Gangtok	Good	19	03	1
54	Gaya	Moderate	133	PM <sub>2.5</sub> , NO <sub>2</sub>	3
55	Ghaziabad	Satisfactory	68	CO, PM <sub>10</sub>	4
56	Gorakhpur	Good	47	SO <sub>2</sub>	1
57	Greater Noida	Satisfactory	62	со	2
58	Gurugram	Satisfactory	99	PM <sub>10</sub>	1
59	Guwahati	Satisfactory	72	PM <sub>10</sub>	2
60	Gwalior	Good	44	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Satisfactory	91	PM <sub>10</sub>	1
62	Hapur	Satisfactory	62	со	1
63	Hassan	Satisfactory	55	SO <sub>2</sub>	1
64	Haveri	Good	44	со	1
65	Hisar	Satisfactory	64	03	1
66	Howrah	Satisfactory	62	PM <sub>10</sub> , CO	3
67	Hubballi	Good	49	со	1
68	Hyderabad	Satisfactory	75	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	13
69	Imphal	Satisfactory	60	O <sub>3</sub> , SO <sub>2</sub>	2
70	Indore	Satisfactory	82	PM <sub>10</sub>	1
71	Jabalpur	Satisfactory	51	со	1
72	Jaipur	Satisfactory	60	PM <sub>10</sub> , NO <sub>2</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	51	PM <sub>10</sub>	1
74	Jind	Good	42	со	1
75	Jodhpur	Satisfactory	68	PM <sub>10</sub>	1
76	Kaithal	Good	42	PM <sub>2.5</sub>	1
77	Kalyan	Moderate	108	PM <sub>10</sub>	1
78	Kannur	Satisfactory	54	PM <sub>10</sub>	1
79	Kanpur	Good	29	PM <sub>10</sub>	4
80	Karnal	Good	36	PM <sub>2.5</sub>	1
81	Katihar	Moderate	104	PM <sub>10</sub>	1
82	Katni	Satisfactory	68	PM <sub>10</sub>	1
83	Khanna	Good	46	PM <sub>10</sub>	1
84	Kishanganj	Satisfactory	68	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Satisfactory	56	PM <sub>2.5</sub>	1
86	Kohima	Satisfactory	53	SO <sub>2</sub>	1
87	Kolkata	Good	45	PM <sub>10</sub> , O <sub>3</sub> , NO <sub>2</sub>	7
88	Kollam	Satisfactory	54	PM <sub>10</sub>	1
89	Kota	Good	50	PM <sub>10</sub>	1
90	Kozhikode	Satisfactory	63	PM <sub>10</sub>	1
91	Kurukshetra	Good	34	03	1
92	Lucknow	Satisfactory	52	NO <sub>2</sub> , CO, PM <sub>10</sub>	6
93	Ludhiana	Satisfactory	54	PM <sub>10</sub>	1
94	Madikeri	Good	35	03	1
95	Mandi Gobindgarh	Good	46	PM <sub>10</sub>	1
96	Mandideep	Satisfactory	52	03	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Moderate	101	СО	1
98	Manesar	Good	44	PM <sub>2.5</sub>	1
99	Manglore	Good	49	со	1
100	Meerut	Good	41	O <sub>3</sub> , PM <sub>10</sub>	3
101	Moradabad	Satisfactory	61	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	5
102	Motihari	Good	46	PM <sub>2.5</sub>	1
103	Mumbai	Satisfactory	81	PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub>	17
104	Munger	Satisfactory	91	PM <sub>10</sub>	1
105	Muzaffarnagar	Satisfactory	64	PM <sub>2.5</sub>	1
106	Muzaffarpur	Satisfactory	62	O <sub>3</sub> , PM <sub>10</sub>	2
107	Mysuru	Good	48	PM <sub>10</sub>	1
108	Nagpur	Satisfactory	66	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Naharlagun	Good	29	PM <sub>2.5</sub>	1
110	Narnaul	Good	28	NO <sub>2</sub>	1
111	Nashik	Good	36	PM <sub>10</sub>	1
112	Navi Mumbai	Satisfactory	89	CO, PM <sub>10</sub>	3
113	Noida	Satisfactory	62	CO, PM <sub>10</sub> , NO <sub>2</sub>	4
114	Pali	Satisfactory	61	PM <sub>10</sub>	1
115	Palwal	Satisfactory	86	PM <sub>10</sub>	1
116	Panchkula	Good	34	PM <sub>2.5</sub>	1
117	Patiala	Good	37	PM <sub>10</sub>	1
118	Patna	Satisfactory	90	CO, PM <sub>10</sub>	6
119	Pithampur	Satisfactory	80	PM <sub>10</sub>	1
120	Prayagraj	Satisfactory	66	SO <sub>2</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	146	PM <sub>2.5</sub>	1
122	Raichur	Satisfactory	76	СО	1
123	Rajamahendravaram	Good	41	PM <sub>10</sub>	1
124	Rajgir	Good	38	PM <sub>10</sub>	1
125	Ramanagara	Good	48	PM <sub>10</sub>	1
126	Ratlam	Satisfactory	72	PM <sub>2.5</sub>	1
127	Rohtak	Good	38	NO <sub>2</sub>	1
128	Sagar	Satisfactory	51	со	1
129	Samastipur	Moderate	110	PM <sub>10</sub>	1
130	Satna	Satisfactory	51	PM <sub>10</sub>	1
131	Shillong	Good	32	PM <sub>2.5</sub>	2
132	Shivamogga	Good	43	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Good	28	PM <sub>10</sub>	1
134	Singrauli	Satisfactory	85	NO <sub>2</sub>	1
135	Sirsa	Satisfactory	67	03	1
136	Siwan	Satisfactory	53	NO <sub>2</sub>	1
137	Sonipat	Good	47	PM <sub>10</sub>	1
138	Srinagar	Good	33	PM <sub>10</sub>	1
139	Talcher	Moderate	108	со	1
140	Thane	Satisfactory	75	PM <sub>10</sub>	1
141	Thiruvananthapuram	Satisfactory	58	со	1
142	Thoothukudi	Good	28	PM <sub>10</sub>	1
143	Thrissur	Good	38	NO <sub>2</sub>	1
144	Tirupati	Satisfactory	54	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari, Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Satisfactory	65	PM <sub>10</sub>	1
146	Ujjain	Satisfactory	79	PM <sub>10</sub>	1
147	Varanasi	Good	40	PM <sub>10</sub>	4
148	Vatva	Satisfactory	83	PM <sub>10</sub>	1
149	Vijayapura	Good	39	PM <sub>10</sub>	1
150	Visakhapatnam	Satisfactory	88	PM <sub>10</sub>	1
151	Vrindavan	Good	43	SO <sub>2</sub>	1
152	Yadgir	Good	30	СО	1
153	Yamunanagar	Satisfactory	84	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
  Bhilai, Bidar, Dharuhera, Fatehabad, Gadag, Gummidipoondi, Haldia, Jhansi,
  Jorapokhar, Kalaburgi, Khurja, Kolar, Koppal, Maihar, Manguraha, Nandesari,
  Panipat, Puducherry, Pune, Rupnagar, Saharsa, Sasaram, Solapur, Udupi, Vapi
  as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.