Air Quality Index on Dec 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Poor	229	$PM_{2.5}$	1
2	Ajmer	Satisfactory	96	PM_{10}	1
3	Alwar	Satisfactory	96	PM_{10}	1
4	Amaravati	Moderate	181	$PM_{2.5}$	1
5	Ambala	Poor	277	$PM_{2.5}$	1
6	Amritsar	Moderate	192	$PM_{2.5}$	1
7	Asanol	Moderate	162	$PM_{2.5}$	1
8	Aurangabad	Moderate	116	$PM_{2.5}$	1
9	Baghpat	Very Poor	378	$PM_{2.5}$	1
10	Bahadurgarh	Poor	247	$PM_{2.5}$	1
11	Ballabgarh	Very Poor	400	PM_{10}	1
12	Bathinda	Moderate	105	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Mandikhera, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Sonipat, Vapi, Varanasi, Vijayawada, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	82	CO, PM_{10}	9
14	Bhiwadi	Very Poor	367	$PM_{2.5}$	1
15	Bhiwani	Very Poor	312	$PM_{2.5}$	1
16	Bhopal	Poor	210	$PM_{2.5}$	1
17	Brajrajnagar	Satisfactory	94	PM_{10}	1
18	Bulandshahr	Very Poor	337	$PM_{2.5}$	1
19	Chandigarh	Poor	209	$PM_{2.5}$	1
20	Chandrapur	Moderate	108	$PM_{2.5}$, PM_{10}	2
21	Chennai	Moderate	111	$PM_{2.5}$	4
22	Chikkaballapur	Satisfactory	81	PM_{10}	1
23	Coimbatore	Satisfactory	88	NO_2	1
24	Damoh	Moderate	186	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Mandikhera, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Sonipat, Vapi, Varanasi, Vijayawada, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Severe	432	$PM_{2.5}$	35
26	Dewas	Satisfactory	99	$PM_{2.5}$	1
27	Dharuhera	Very Poor	314	$PM_{2.5}$	1
28	Eloor	Good	29	CO	1
29	Faridabad	Severe	420	$PM_{2.5}$	1
30	Fatehabad	Satisfactory	87	PM_{10}	1
31	GandhiNagar	Moderate	111	$PM_{2.5}$	1
32	Gaya	Moderate	192	$PM_{2.5}$	1
33	Ghaziabad	Severe	444	$PM_{2.5}$	2
34	Greater_Noida	Severe	427	$PM_{2.5}$	2
35	Gurugram	Very Poor	306	$PM_{2.5}$	1
36	Guwahati	Poor	278	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Mandikhera, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Sonipat, Vapi, Varanasi, Vijayawada, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Moderate	106	PM_{10}	1
38	Hapur	Poor	202	PM_{10}	1
39	Hisar	Very Poor	302	$PM_{2.5}$	1
40	Howrah	Very Poor	328	$PM_{2.5}$	1
41	Hubballi	Satisfactory	85	PM_{10}	1
42	Hyderabad	Moderate	151	$PM_{2.5}$	5
43	Indore	Moderate	170	$PM_{2.5}$	1
44	Jabalpur	Poor	243	$PM_{2.5}$	1
45	Jaipur	Moderate	117	PM_{10}	3
46	Jalandhar	Moderate	118	$PM_{2.5}$	1
47	Jind	Very Poor	320	$PM_{2.5}$	1
48	Jodhpur	Moderate	140	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Mandikhera, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Sonipat, Vapi, Varanasi, Vijayawada, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	138	$PM_{2.5}$	1
50	Kaithal	Poor	203	PM_{10}	1
51	Kalaburagi	Moderate	146	$PM_{2.5}$	1
52	Kalyan	Moderate	173	PM_{10}	1
53	Kanpur	Very Poor	366	$PM_{2.5}$	1
54	Karnal	Very Poor	334	$PM_{2.5}$	1
55	Katni	Poor	236	$PM_{2.5}$	1
56	Khanna	Moderate	141	PM_{10}	1
57	Kolkata	Moderate	172	$PM_{2.5}$, PM_{10}	7
58	Kota	Moderate	141	$PM_{2.5}$	1
59	Kurukshetra	Very Poor	313	$PM_{2.5}$	1
60	Lucknow	Very Poor	327	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Mandikhera, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Sonipat, Vapi, Varanasi, Vijayawada, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Moderate	151	$PM_{2.5}$	1
62	Maihar	Moderate	108	$PM_{2.5}$	1
63	Mandi Gobindgarh	Poor	288	$PM_{2.5}$	1
64	Mandideep	Moderate	126	PM_{10}	1
65	Manesar	Poor	280	$PM_{2.5}$	1
66	Meerut	Very Poor	320	$PM_{2.5}$	2
67	Mumbai	Moderate	197	$PM_{2.5}$, O_3	10
68	Muzaffarpur	Very Poor	325	$PM_{2.5}$	1
69	Mysuru	Good	47	PM_{10}	1
70	Nagpur	Satisfactory	76	PM_{10}	1
71	Narnaul	Poor	227	$PM_{2.5}$	1
72	Nashik	Moderate	153	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Mandikhera, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Sonipat, Vapi, Varanasi, Vijayawada, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Poor	209	$PM_{2.5}$	2
74	Noida	Severe	463	$PM_{2.5}$	3
75	Pali	Moderate	104	PM_{10}	1
76	Palwal	Very Poor	321	$PM_{2.5}$	1
77	Panchkula	Moderate	156	$PM_{2.5}$	1
78	Panipat	Severe	404	PM_{10}	1
79	Patiala	Moderate	181	$PM_{2.5}$	1
80	Patna	Very Poor	352	$PM_{2.5}$	1
81	Pithampur	Moderate	162	$PM_{2.5}$	1
82	Pune	Poor	214	$PM_{2.5}$	1
83	Rajamahendravaram	Moderate	140	$PM_{2.5}$	1
84	Ratlam	Moderate	168	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Mandikhera, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Sonipat, Vapi, Varanasi, Vijayawada, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Poor	298	$PM_{2.5}$	1
86	Rupnagar	Moderate	120	$PM_{2.5}$	1
87	Satna	Moderate	118	PM_{10}	1
88	Siliguri	Poor	217	$PM_{2.5}$	1
89	Sirsa	Satisfactory	97	PM_{10}	1
90	Solapur	Moderate	136	PM_{10}	1
91	Talcher	Poor	220	PM_{10}	1
92	Thane	Satisfactory	91	PM_{10}	1
93	Thiruvananthapuram	Satisfactory	89	CO	1
94	Tirupati	Satisfactory	75	PM_{10}	1
95	Udaipur	Moderate	133	$PM_{2.5}$	1
96	Ujjain	Poor	205	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Mandikhera, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Sonipat, Vapi, Varanasi, Vijayawada, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vatva	Poor	240	PM_{10}	1
98	Visakhapatnam	Moderate	135	$PM_{2.5}$	1
99	Yamunanagar	Poor	247	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes