

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	138	PM _{2.5}	1
2	Agra	Moderate	178	PM _{2.5}	1
3	Ahmedabad	Satisfactory	86	PM _{2.5}	1
4	Aizawl	Good	27	PM ₁₀	1
5	Ajmer	Satisfactory	80	PM _{2.5}	1
6	Alwar	Moderate	117	PM ₁₀	1
7	Amaravati	Moderate	149	PM _{2.5}	1
8	Ambala	Moderate	151	PM _{2.5}	1
9	Amritsar	Good	38	PM ₁₀	1
10	Ankleshwar	Satisfactory	83	PM ₁₀	1
11	Asansol	Poor	266	PM _{2.5}	1
12	Bagalkot	Satisfactory	74	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Coimbatore, Dharuhera, Kalaburgi, Kalyan, Nagpur, Nandesari, Ramanagara, Thane, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Severe	402	PM _{2.5}	1
14	Bahadurgarh	Poor	285	PM _{2.5}	1
15	Ballabgarh	Poor	226	PM _{2.5}	1
16	Bathinda	Good	32	PM _{2.5}	1
17	Bengaluru	Satisfactory	83	O ₃ , PM ₁₀ , PM _{2.5}	10
18	Bhiwadi	Poor	259	PM _{2.5}	1
19	Bhiwani	Moderate	121	PM ₁₀	1
20	Bhopal	Satisfactory	62	PM _{2.5}	1
21	Brajrajnagar	Moderate	137	PM _{2.5}	1
22	Bulandshahr	Severe	402	PM _{2.5}	1
23	Chandigarh	Moderate	115	PM ₁₀	1
24	Chandrapur	Moderate	126	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad,
 Chamarajanagar, Coimbatore, Dharuhera, Kalaburgi, Kalyan, Nagpur,
 Nandesari, Ramanagara, Thane, Vatva as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	166	PM ₁₀	1
26	Chennai	Moderate	105	PM _{2.5} , PM ₁₀	6
27	Chikkaballapur	Satisfactory	64	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	54	03	1
29	Damoh	Satisfactory	66	PM _{2.5}	1
30	Delhi	Very Poor	356	PM _{2.5}	37
31	Dewas	Moderate	106	O ₃	1
32	Eloor	Good	45	O ₃	1
33	Ernakulam	Satisfactory	82	PM _{2.5}	1
34	Faridabad	Very Poor	348	PM ₁₀ , PM _{2.5}	3
35	Fatehabad	Satisfactory	91	PM ₁₀	1
36	Gandhinagar	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Coimbatore, Dharuhera, Kalaburgi, Kalyan, Nagpur, Nandesari, Ramanagara, Thane, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Poor	214	PM _{2.5}	2
38	Ghaziabad	Severe	415	PM ₁₀ , PM _{2.5}	3
39	Greater Noida	Severe	404	PM _{2.5}	2
40	Gurugram	Poor	296	PM _{2.5}	3
41	Guwahati	Poor	241	PM _{2.5}	1
42	Gwalior	Satisfactory	77	PM _{2.5}	1
43	Hajipur	Poor	201	PM ₁₀	1
44	Hapur	Moderate	113	PM _{2.5}	1
45	Hisar	Moderate	145	PM _{2.5}	1
46	Howrah	Very Poor	303	PM _{2.5}	3
47	Hubballi	Satisfactory	90	PM ₁₀	1
48	Hyderabad	Moderate	115	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Coimbatore, Dharuhera, Kalaburgi, Kalyan, Nagpur, Nandesari, Ramanagara, Thane, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Satisfactory	78	PM _{2.5}	1
50	Jabalpur	Moderate	119	PM ₁₀	1
51	Jaipur	Satisfactory	81	PM _{2.5}	3
52	Jalandhar	Good	49	PM ₁₀	1
53	Jind	Moderate	180	PM _{2.5}	1
54	Jodhpur	Moderate	157	PM ₁₀	1
55	Jorapokhar	Satisfactory	99	со	1
56	Kaithal	Moderate	125	PM ₁₀	1
57	Kannur	Satisfactory	95	PM _{2.5}	1
58	Kanpur	Severe	404	PM _{2.5}	1
59	Karnal	Moderate	137	PM _{2.5}	1
60	Katni	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad,
 Chamarajanagar, Coimbatore, Dharuhera, Kalaburgi, Kalyan, Nagpur,
 Nandesari, Ramanagara, Thane, Vatva as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Satisfactory	94	PM ₁₀	1
62	Kochi	Good	49	PM ₁₀	1
63	Kohima	Moderate	111	PM _{2.5}	1
64	Kolkata	Very Poor	310	PM _{2.5}	7
65	Kollam	Moderate	113	PM _{2.5}	1
66	Kota	Satisfactory	76	PM ₁₀	1
67	Kozhikode	Satisfactory	62	СО	1
68	Kurukshetra	Poor	228	PM _{2.5}	1
69	Lucknow	Very Poor	331	PM _{2.5} , PM ₁₀	4
70	Ludhiana	Satisfactory	94	PM ₁₀	1
71	Maihar	Satisfactory	57	PM ₁₀	1
72	Mandi Gobindgarh	Moderate	157	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Coimbatore, Dharuhera, Kalaburgi, Kalyan, Nagpur, Nandesari, Ramanagara, Thane, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Satisfactory	71	PM ₁₀	1
74	Mandikhera	Moderate	112	PM ₁₀	1
75	Manesar	Poor	240	PM _{2.5}	1
76	Medikeri	Good	48	03	1
77	Meerut	Very Poor	354	PM _{2.5}	3
78	Moradabad	Poor	287	PM _{2.5}	1
79	Mumbai	Moderate	139	PM _{2.5} , PM ₁₀	15
80	Muzaffarnagar	Poor	261	PM _{2.5}	1
81	Muzaffarpur	Poor	299	PM _{2.5} , PM ₁₀	2
82	Mysuru	Good	43	03	1
83	Narnaul	Moderate	196	PM _{2.5}	1
84	Nashik	Satisfactory	83	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Coimbatore, Dharuhera, Kalaburgi, Kalyan, Nagpur, Nandesari, Ramanagara, Thane, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Moderate	181	PM _{2.5}	3
86	Noida	Very Poor	393	PM _{2.5}	4
87	Pali	Moderate	109	PM ₁₀	1
88	Palwal	Moderate	151	PM ₁₀	1
89	Panchkula	Poor	224	PM _{2.5}	1
90	Panipat	Very Poor	325	PM ₁₀	1
91	Patiala	Satisfactory	86	PM ₁₀	1
92	Patna	Very Poor	317	PM _{2.5} , PM ₁₀	6
93	Pithampur	Satisfactory	91	PM _{2.5}	1
94	Pune	Moderate	138	PM _{2.5}	5
95	Rajamahendravaram	Moderate	140	PM ₁₀	1
96	Ratlam	Satisfactory	61	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Coimbatore, Dharuhera, Kalaburgi, Kalyan, Nagpur, Nandesari, Ramanagara, Thane, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rohtak	Poor	269	PM _{2.5}	1
98	Rupnagar	Satisfactory	60	PM ₁₀	1
99	Sagar	Good	49	со	1
100	Satna	Satisfactory	78	PM ₁₀	1
101	Shillong	Satisfactory	63	PM _{2.5}	1
102	Shivamogga	Satisfactory	70	PM ₁₀	1
103	Siliguri	Poor	253	PM _{2.5}	1
104	Singrauli	Moderate	198	PM _{2.5}	1
105	Sirsa	Satisfactory	77	NO ₂	1
106	Solapur	Moderate	104	PM ₁₀	1
107	Sonipat	Very Poor	350	PM ₁₀	1
108	Talcher	Moderate	135	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad,
 Chamarajanagar, Coimbatore, Dharuhera, Kalaburgi, Kalyan, Nagpur,
 Nandesari, Ramanagara, Thane, Vatva as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Satisfactory	56	PM ₁₀ , CO	2
110	Thoothukudi	Satisfactory	67	PM ₁₀	1
111	Thrissur	Satisfactory	89	PM ₁₀	1
112	Tirupati	Satisfactory	85	PM _{2.5}	1
113	Udaipur	Moderate	105	PM _{2.5}	1
114	Ujjain	Moderate	163	03	1
115	Vapi	Satisfactory	100	PM ₁₀	1
116	Varanasi	Very Poor	326	PM _{2.5}	1
117	Vijayapura	Satisfactory	58	PM ₁₀	1
118	Visakhapatnam	Poor	261	PM _{2.5}	1
119	Yadgir	Satisfactory	78	03	1
120	Yamunanagar	Poor	260	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Coimbatore, Dharuhera, Kalaburgi, Kalyan, Nagpur, Nandesari, Ramanagara, Thane, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.