

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	77	PM ₁₀	4
2	Ahmedabad	Satisfactory	95	PM ₁₀ , PM _{2.5}	6
3	Aizawl	Good	24	SO ₂	1
4	Ajmer	Satisfactory	90	PM ₁₀	1
5	Alwar	Satisfactory	65	PM ₁₀	1
6	Amaravati	Good	23	03	1
7	Ambala	Moderate	113	PM ₁₀	1
8	Amritsar	Satisfactory	76	PM ₁₀	1
9	Ankleshwar	Moderate	123	PM ₁₀	1
10	Asansol	Good	27	со	1
11	Bagalkot	Satisfactory	53	PM _{2.5}	1
12	Baghpat	Moderate	116	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore, Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal, Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	89	PM ₁₀	1
14	Ballabgarh	Moderate	141	PM _{2.5}	1
15	Bengaluru	Satisfactory	70	CO, PM _{2.5} , PM ₁₀	9
16	Bhiwadi	Satisfactory	97	PM ₁₀	1
17	Bhiwani	Satisfactory	78	PM _{2.5}	1
18	Bhopal	Satisfactory	57	03	1
19	Bidar	Good	48	СО	1
20	Bilaspur	Satisfactory	67	PM ₁₀	1
21	Bulandshahr	Moderate	142	PM _{2.5}	1
22	Chamarajanagar	Good	44	PM ₁₀	1
23	Chandigarh	Moderate	102	PM _{2.5} , PM ₁₀	2
24	Chandrapur	Good	45	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore, Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal, Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Satisfactory	72	PM ₁₀	1
26	Chennai	Good	41	PM ₁₀ , CO, O ₃	6
27	Chikkaballapur	Good	29	со	1
28	Damoh	Good	46	PM _{2.5}	1
29	Davanagere	Good	19	03	1
30	Delhi	Moderate	125	PM ₁₀ , PM _{2.5}	37
31	Dharuhera	Satisfactory	71	СО	1
32	Durgapur	Satisfactory	65	PM ₁₀	1
33	Eloor	Good	50	СО	1
34	Ernakulam	Good	50	со	1
35	Faridabad	Moderate	159	O ₃ , PM _{2.5} , PM ₁₀	3
36	Fatehabad	Satisfactory	77	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore, Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal, Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Satisfactory	71	PM _{2.5}	1
38	Gandhinagar	Satisfactory	85	PM _{2.5} , PM ₁₀ , CO	3
39	Gaya	Satisfactory	63	со	1
40	Ghaziabad	Moderate	180	PM _{2.5} , PM ₁₀	3
41	Greater Noida	Poor	204	O ₃ , PM ₁₀	2
42	Gummidipoondi	Good	48	PM ₁₀	1
43	Gurugram	Moderate	118	PM _{2.5} , PM ₁₀	3
44	Guwahati	Satisfactory	78	SO ₂ , PM ₁₀	2
45	Gwalior	Satisfactory	56	PM ₁₀	2
46	Hajipur	Satisfactory	62	03	1
47	Haldia	Good	24	PM ₁₀	1
48	Hapur	Moderate	160	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore, Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal, Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Good	28	SO ₂	1
50	Hisar	Moderate	107	PM _{2.5}	1
51	Howrah	Good	42	CO, PM ₁₀	3
52	Hubballi	Good	30	PM ₁₀	1
53	Hyderabad	Satisfactory	52	NO ₂ , PM ₁₀ , PM _{2.5}	4
54	Indore	Satisfactory	60	O ₃	1
55	Jabalpur	Satisfactory	71	PM ₁₀	1
56	Jaipur	Satisfactory	58	PM ₁₀	2
57	Jalandhar	Satisfactory	74	PM ₁₀	1
58	Jind	Moderate	104	PM _{2.5}	1
59	Jodhpur	Satisfactory	72	PM ₁₀	1
60	Kaithal	Moderate	127	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore, Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal, Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Satisfactory	92	PM ₁₀	1
62	Kannur	Good	41	PM _{2.5}	1
63	Kanpur	Satisfactory	52	O ₃ , NO ₂ , PM ₁₀	4
64	Karnal	Satisfactory	81	PM _{2.5}	1
65	Katni	Satisfactory	89	PM ₁₀	1
66	Khanna	Satisfactory	83	PM ₁₀	1
67	Kochi	Satisfactory	54	со	1
68	Kolar	Good	46	PM ₁₀	1
69	Kolkata	Good	48	PM ₁₀ , CO	5
70	Kollam	Satisfactory	90	со	1
71	Kota	Satisfactory	82	PM _{2.5}	1
72	Kozhikode	Good	48	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore, Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal, Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Satisfactory	100	PM _{2.5}	1
74	Lucknow	Satisfactory	58	PM ₁₀ , CO, NO ₂	6
75	Mandi Gobindgarh	Moderate	185	PM _{2.5}	1
76	Mandideep	Good	44	PM ₁₀	1
77	Mandikhera	Good	29	PM ₁₀	1
78	Manesar	Satisfactory	95	PM _{2.5}	1
79	Manglore	Satisfactory	57	NO ₂	1
80	Medikeri	Good	40	O ₃	1
81	Meerut	Moderate	144	PM _{2.5}	2
82	Moradabad	Moderate	142	PM _{2.5}	1
83	Mumbai	Satisfactory	77	O ₃ , PM ₁₀ , CO	18
84	Muzaffarnagar	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad,
 Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore,
 Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal,
 Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun,
 Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Good	43	NO ₂	1
86	Nashik	Good	38	PM _{2.5}	1
87	Navi Mumbai	Satisfactory	83	PM ₁₀	3
88	Noida	Moderate	121	PM ₁₀ , PM _{2.5}	4
89	Pali	Satisfactory	67	NO ₂	1
90	Panchkula	Moderate	157	PM _{2.5}	1
91	Panipat	Moderate	134	PM _{2.5}	1
92	Patiala	Satisfactory	78	PM ₁₀	1
93	Patna	Satisfactory	51	CO, PM ₁₀ , O ₃	5
94	Pithampur	Good	50	O ₃	1
95	Prayagraj	Good	38	PM ₁₀	3
96	Puducherry	Good	30	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: B

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad,
 Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore,
 Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal,
 Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun,
 Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Satisfactory	67	CO, PM ₁₀	5
98	Raichur	Good	47	PM ₁₀	1
99	Rajamahendravaram	Good	20	PM ₁₀	1
100	Ratlam	Good	26	PM ₁₀	1
101	Rohtak	Moderate	111	NO ₂	1
102	Rupnagar	Satisfactory	93	PM ₁₀	1
103	Sagar	Good	27	PM _{2.5}	1
104	Satna	Satisfactory	54	PM ₁₀	1
105	Shillong	Good	17	SO ₂	1
106	Siliguri	Satisfactory	74	PM ₁₀	1
107	Singrauli	Satisfactory	54	СО	1
108	Sirsa	Moderate	175	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore, Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal, Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Moderate	128	PM ₁₀	1
110	Srinagar	Good	32	PM ₁₀	1
111	Talcher	Good	37	PM ₁₀	1
112	Thiruvananthapuram	Good	50	PM ₁₀ , CO	2
113	Thoothukudi	Good	43	PM ₁₀	1
114	Thrissur	Satisfactory	80	SO ₂	1
115	Tirupati	Good	34	СО	1
116	Udaipur	Good	48	NO ₂	1
117	Udupi	Moderate	103	со	1
118	Ujjain	Satisfactory	62	PM ₁₀	1
119	Varanasi	Good	22	NO ₂ , CO, SO ₂	3
120	Vatva	Moderate	128	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad,
 Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore,
 Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal,
 Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun,
 Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Good	46	PM ₁₀	1
122	Visakhapatnam	Good	48	PM ₁₀	1
123	Yadgir	Good	31	SO ₂	1
124	Yamunanagar	Poor	208	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Coimbatore, Darbhanga, Dewas, Gadag, Gorakhpur, Jorapokhar, Kalaburgi, Kohima, Koppal, Ludhiana, Maihar, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Nandesari, Palwal, Ramanagara, Shivamogga, Solapur, Thane, Vapi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.