Air Quality Index on Jan 06, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	318	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	87	PM_{10}	1
3	Ajmer	Satisfactory	77	PM_{10}	1
4	Alwar	Satisfactory	82	PM_{10}	1
5	Amaravati	Satisfactory	56	O_3	1
6	Ambala	Moderate	107	O_3	1
7	Amritsar	Satisfactory	66	$PM_{2.5}$	1
8	Asanol	Moderate	125	$PM_{2.5}$	1
9	Aurangabad	Satisfactory	89	PM_{10}	1
10	Baghpat	Very Poor	342	$PM_{2.5}$	1
11	Bahadurgarh	Moderate	167	$PM_{2.5}$	1
12	Ballabgarh	Very Poor	349	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, GandhiNagar, Haldia, Kalaburagi, Maihar, Manesar, Moradabad, Palwal, Shillong, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 06, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	88	CO	1
14	Bengaluru	Satisfactory	67	CO, $PM_{2.5}$, PM_{10}	8
15	Bhiwadi	Poor	271	$PM_{2.5}$	1
16	Bhiwani	Poor	261	$PM_{2.5}$	1
17	Bhopal	Satisfactory	100	$PM_{2.5}$	1
18	Brajrajnagar	Moderate	107	$PM_{2.5}$	1
19	Bulandshahr	Very Poor	324	$PM_{2.5}$	1
20	Chandigarh	Satisfactory	81	PM_{10}	1
21	Chandrapur	Satisfactory	64	PM_{10}, $PM_{2.5}$	2
22	Chennai	Satisfactory	52	CO, O_3, $PM_{2.5}$	4
23	Coimbatore	Satisfactory	61	$PM_{2.5}$	1
24	Damoh	Moderate	167	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, GandhiNagar, Haldia, Kalaburagi, Maihar, Manesar, Moradabad, Palwal, Shillong, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 06, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Very Poor	325	$PM_{2.5}$	31
26	Dewas	Satisfactory	68	$PM_{2.5}$	1
27	Dharuhera	Moderate	175	PM_{10}	1
28	Eloor	Moderate	109	PM_{10}	1
29	Faridabad	Very Poor	304	$PM_{2.5}$	1
30	Fatehabad	Moderate	142	$PM_{2.5}$	1
31	Gaya	Moderate	121	$PM_{2.5}$	1
32	Ghaziabad	Very Poor	351	$PM_{2.5}$	4
33	Greater_Noida	Very Poor	326	$PM_{2.5}$	2
34	Gurugram	Poor	290	$PM_{2.5}$	2
35	Guwahati	Moderate	143	$PM_{2.5}$	1
36	Hapur	Moderate	195	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, GandhiNagar, Haldia, Kalaburagi, Maihar, Manesar, Moradabad, Palwal, Shillong, Singrauli as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 06, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	297	$PM_{2.5}$	1
38	Howrah	Poor	263	$PM_{2.5}$	3
39	Hubballi	Satisfactory	85	PM_{10}	1
40	Hyderabad	Moderate	116	$PM_{2.5}$, PM_{10}	5
41	Indore	Satisfactory	92	PM_{10}	1
42	Jabalpur	Moderate	173	$PM_{2.5}$	1
43	Jaipur	Moderate	122	$PM_{2.5}$, PM_{10}	3
44	Jalandhar	Satisfactory	100	$PM_{2.5}$	1
45	Jind	Poor	296	$PM_{2.5}$	1
46	Jodhpur	Poor	217	$PM_{2.5}$	1
47	Jorapokhar	Moderate	121	PM_{10}	1
48	Kaithal	Moderate	111	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, GandhiNagar, Haldia, Kalaburagi, Maihar, Manesar, Moradabad, Palwal, Shillong, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 06, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Moderate	160	PM_{10}	1
50	Kanpur	Poor	288	$PM_{2.5}$	1
51	Karnal	Moderate	183	$PM_{2.5}$	1
52	Katni	Poor	265	$PM_{2.5}$	1
53	Khanna	Moderate	120	$PM_{2.5}$	1
54	Kolkata	Poor	209	$PM_{2.5}$	6
55	Kota	Moderate	101	PM_{10}	1
56	Kurukshetra	Moderate	156	$PM_{2.5}$	1
57	Lucknow	Poor	264	$PM_{2.5}$, NO_2	4
58	Ludhiana	Satisfactory	63	PM_{10}	1
59	Mandi Gobindgarh	Moderate	174	$PM_{2.5}$	1
60	Mandideep	Satisfactory	95	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, GandhiNagar, Haldia, Kalaburagi, Maihar, Manesar, Moradabad, Palwal, Shillong, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 06, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandikhera	Moderate	195	$PM_{2.5}$	1
62	Meerut	Poor	284	$PM_{2.5}$	3
63	Mumbai	Moderate	137	$PM_{2.5}$, PM_{10}	9
64	Muzaffarpur	Very Poor	317	$PM_{2.5}$	1
65	Mysuru	Satisfactory	51	$PM_{2.5}$	1
66	Nagpur	Satisfactory	77	PM_{10}	1
67	Narnaul	Poor	223	$PM_{2.5}$	1
68	Nashik	Satisfactory	78	PM_{10}	1
69	Navi Mumbai	Moderate	121	$PM_{2.5}$, CO	2
70	Noida	Very Poor	340	$PM_{2.5}$	4
71	Pali	Moderate	127	$PM_{2.5}$	1
72	Panchkula	Moderate	117	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, GandhiNagar, Haldia, Kalaburagi, Maihar, Manesar, Moradabad, Palwal, Shillong, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 06, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panipat	Poor	252	$PM_{2.5}$	1
74	Patiala	Satisfactory	81	PM_{10}	1
75	Patna	Moderate	115	PM_{10}	2
76	Pithampur	Satisfactory	88	PM_{10}	1
77	Pune	Moderate	170	$PM_{2.5}$	1
78	Rajamahendravaram	Satisfactory	75	O_3	1
79	Ramanagara	Good	43	PM_{10}	1
80	Ratlam	Moderate	108	$PM_{2.5}$	1
81	Rohtak	Poor	254	$PM_{2.5}$	1
82	Rupnagar	Satisfactory	100	$PM_{2.5}$	1
83	Satna	Moderate	156	PM_{10}	1
84	Siliguri	Poor	216	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, GandhiNagar, Haldia, Kalaburagi, Maihar, Manesar, Moradabad, Palwal, Shillong, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 06, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sirsa	Moderate	120	PM_{10}	1
86	Solapur	Moderate	107	PM_{10}	1
87	Sonipat	Poor	221	PM_{10}	1
88	Talcher	Poor	249	$PM_{2.5}$	1
89	Thane	Satisfactory	89	PM_{10}	1
90	Thiruvananthapuram	Satisfactory	77	PM_{10}	1
91	Tirupati	Good	35	PM_{10}	1
92	Udaipur	Moderate	117	PM_{10}	1
93	Ujjain	Satisfactory	94	$PM_{2.5}$	1
94	Vapi	Poor	260	$PM_{2.5}$	1
95	Varanasi	Moderate	188	$PM_{2.5}$	1
96	Vatva	Moderate	105	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, GandhiNagar, Haldia, Kalaburagi, Maihar, Manesar, Moradabad, Palwal, Shillong, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 06, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Visakhapatnam	Satisfactory	66	PM_{10}	1
98	Yadgir	Satisfactory	99	$PM_{2.5}$	1
99	Yamunanagar	Moderate	118	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, GandhiNagar, Haldia, Kalaburagi, Maihar, Manesar, Moradabad, Palwal, Shillong, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.