

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	66	PM ₁₀ , NO ₂	6
2	Ahmedabad	Satisfactory	70	PM ₁₀	7
3	Aizawl	Good	13	со	1
4	Ajmer	Satisfactory	82	PM ₁₀	1
5	Akola	Satisfactory	60	PM ₁₀	1
6	Alwar	Satisfactory	66	NO ₂	1
7	Amaravati	Good	49	PM ₁₀	1
8	Ambala	Satisfactory	96	со	1
9	Amravati	Satisfactory	53	PM ₁₀	2
10	Anantapur	Satisfactory	67	PM ₁₀	1
11	Araria	Satisfactory	72	O ₃	1
12	Ariyalur	Good	37	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	90	PM _{2.5}	1
14	Asansol	Satisfactory	53	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Good	38	СО	3
16	Baddi	Satisfactory	66	PM ₁₀	1
17	Badlapur	Good	40	PM ₁₀	1
18	Baghpat	Moderate	101	PM ₁₀	1
19	Bahadurgarh	Satisfactory	70	PM ₁₀	1
20	Ballabgarh	Satisfactory	65	СО	1
21	Banswara	Satisfactory	89	PM ₁₀	1
22	Baran	Satisfactory	91	PM ₁₀	1
23	Bareilly	Good	42	PM ₁₀ , SO ₂	2
24	Baripada	Satisfactory	64	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

Dharwad, Dindigul, Eloor, Ernakulam, Hapur, Hassan, Haveri, Hisar, Imphal, Jalna, Jind, Jorapokhar, Kannur, Kohima, Kollam, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Satisfactory	86	PM ₁₀	1
26	Bathinda	Satisfactory	83	PM ₁₀	1
27	Belapur	Satisfactory	63	PM ₁₀	1
28	Belgaum	Satisfactory	52	PM ₁₀	1
29	Bengaluru	Good	50	PM ₁₀	10
30	Bettiah	Satisfactory	68	со	1
31	Bhagalpur	Satisfactory	79	CO, PM ₁₀	2
32	Bharatpur	Moderate	104	PM ₁₀	1
33	Bhilai	Good	48	PM ₁₀	2
34	Bhiwadi	Satisfactory	77	PM ₁₀	1
35	Bhiwandi	Good	42	PM ₁₀	1
36	Bhiwani	Satisfactory	74	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

Boisar, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Hapur, Hassan, Haveri, Hisar, Imphal, Jalna, Jind, Jorapokhar, Kannur, Kohima, Kollam, Kozhikode, Kunjemura,

Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun,

Nandesari, Raichur, Rairangpur, Rupnagar, Saharsa, Salem, Sasaram, Tensa, Tirupur, Tumakuru, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	73	PM ₁₀	3
38	Bidar	Good	43	PM ₁₀	1
39	Bihar Sharif	Moderate	127	03	1
40	Bikaner	Moderate	120	PM ₁₀	1
41	Bilaspur	Satisfactory	63	со	1
42	Bileipada	Satisfactory	82	PM ₁₀	1
43	Brajrajnagar	Good	33	SO ₂	1
44	Bulandshahr	Satisfactory	71	PM ₁₀	1
45	Bundi	Moderate	116	PM ₁₀	1
46	Byrnihat	Moderate	118	PM ₁₀	1
47	Chamarajanagar	Good	41	PM ₁₀	1
48	Chandigarh	Good	50	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Good	35	PM ₁₀	1
50	Charkhi Dadri	Satisfactory	67	PM ₁₀	1
51	Chennai	Satisfactory	56	PM _{2.5}	6
52	Chhal	Good	36	PM ₁₀	1
53	Chhapra	Satisfactory	84	PM _{2.5}	1
54	Chikkaballapur	Good	37	PM ₁₀	1
55	Chikkamagaluru	Good	41	O ₃	1
56	Chittorgarh	Satisfactory	95	PM ₁₀	1
57	Churu	Satisfactory	88	PM ₁₀	1
58	Cuddalore	Moderate	138	NO ₂	2
59	Damoh	Good	47	PM ₁₀	1
60	Dausa	Moderate	122	PM ₁₀	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

Dharwad, Dindigul, Eloor, Ernakulam, Hapur, Hassan, Haveri, Hisar, Imphal, Jalna, Jind, Jorapokhar, Kannur, Kohima, Kollam, Kozhikode, Kunjemura, Notes: Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun, Nandesari, Raichur, Rairangpur, Rupnagar, Saharsa, Salem, Sasaram, Tensa, Tirupur, Tumakuru, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	42	PM ₁₀	1
62	Dehradun	Satisfactory	55	СО	1
63	Delhi	Moderate	102	PM ₁₀	34
64	Dewas	Good	39	PM ₁₀	1
65	Dharuhera	Satisfactory	95	PM ₁₀	1
66	Dholpur	Satisfactory	58	PM ₁₀	1
67	Dhule	Good	44	PM ₁₀	1
68	Durgapur	Moderate	101	PM ₁₀	1
69	Faridabad	Satisfactory	85	PM ₁₀ , PM _{2.5}	4
70	Fatehabad	Moderate	121	O ₃	1
71	Firozabad	Satisfactory	78	PM ₁₀	2
72	Gadag	Good	46	SO ₂	1

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	sfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	84	PM _{2.5} , PM ₁₀	3
74	Gangtok	Satisfactory	57	SO ₂	1
75	Gaya	Good	28	со	2
76	Ghaziabad	Moderate	102	PM ₁₀	4
77	Gorakhpur	Satisfactory	51	PM _{2.5}	1
78	Greater Noida	Moderate	127	PM ₁₀	2
79	Gummidipoondi	Satisfactory	84	PM ₁₀	1
80	Gurugram	Moderate	121	PM ₁₀ , PM _{2.5}	3
81	Guwahati	Satisfactory	82	CO, SO ₂	2
82	Gwalior	Satisfactory	64	PM ₁₀ , O ₃	4
83	Hajipur	Good	45	PM ₁₀	1
84	Haldia	Good	50	PM ₁₀	1

Notes: Jalna,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Good	34	PM _{2.5}	1
86	Hosur	Good	46	PM ₁₀	1
87	Howrah	Satisfactory	54	PM ₁₀	3
88	Hubballi	Satisfactory	76	PM ₁₀ , CO	2
89	Hyderabad	Satisfactory	61	PM ₁₀	9
90	Indore	Satisfactory	88	PM ₁₀	1
91	Jabalpur	Good	46	O ₃	1
92	Jaipur	Satisfactory	76	PM ₁₀	5
93	Jaisalmer	Moderate	119	PM ₁₀	1
94	Jalandhar	Satisfactory	77	PM ₁₀	1
95	Jalgaon	Satisfactory	61	PM ₁₀	1
96	Jhalawar	Satisfactory	88	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhansi	Satisfactory	90	PM _{2.5}	1
98	Jhunjhunu	Satisfactory	83	PM ₁₀	1
99	Jodhpur	Moderate	104	PM ₁₀	5
100	Kadapa	Good	30	PM _{2.5}	1
101	Kaithal	Moderate	122	PM _{2.5}	1
102	Kalaburgi	Good	45	PM ₁₀	1
103	Kalyan	Satisfactory	58	PM ₁₀	1
104	Kanchipuram	Good	41	PM ₁₀	1
105	Kanpur	Satisfactory	97	СО	4
106	Karauli	Satisfactory	51	O ₃	1
107	Karnal	Satisfactory	60	PM ₁₀	1
108	Kashipur	Good	46	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

Boisar, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Hapur, Hassan, Haveri, Hisar, Imphal, Jalna, Jind, Jorapokhar, Kannur, Kohima, Kollam, Kozhikode, Kunjemura,

Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun,

Nandesari, Raichur, Rairangpur, Rupnagar, Saharsa, Salem, Sasaram, Tensa, Tirupur, Tumakuru, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katihar	Satisfactory	82	СО	1
110	Katni	Satisfactory	60	PM ₁₀	1
111	Keonjhar	Good	50	PM ₁₀	1
112	Khanna	Satisfactory	88	PM ₁₀	1
113	Khurja	Satisfactory	80	PM _{2.5}	1
114	Kishanganj	Satisfactory	51	PM ₁₀	1
115	Kochi	Satisfactory	79	СО	1
116	Kolar	Good	35	PM ₁₀	1
117	Kolhapur	Good	36	PM ₁₀	2
118	Kolkata	Good	48	PM ₁₀	7
119	Koppal	Good	34	SO ₂	1
120	Korba	Good	36	PM ₁₀	2

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kota	Satisfactory	78	PM ₁₀	2
122	Kurukshetra	Satisfactory	77	03	1
123	Latur	Satisfactory	71	PM ₁₀	1
124	Lucknow	Good	50	CO, PM ₁₀	6
125	Ludhiana	Satisfactory	58	PM ₁₀	1
126	Madikeri	Good	42	PM ₁₀	1
127	Mahad	Satisfactory	62	PM ₁₀	1
128	Maihar	Good	42	со	1
129	Mandi Gobindgarh	Moderate	103	PM _{2.5}	1
130	Mandideep	Good	47	PM ₁₀	1
131	Mandikhera	Good	48	PM ₁₀	1
132	Manesar	Satisfactory	68	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

Dharwad, Dindigul, Eloor, Ernakulam, Hapur, Hassan, Haveri, Hisar, Imphal, Jalna, Jind, Jorapokhar, Kannur, Kohima, Kollam, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mangalore	Satisfactory	62	NO ₂	1
134	Meerut	Satisfactory	95	PM ₁₀	2
135	Moradabad	Satisfactory	68	PM ₁₀	5
136	Mumbai	Satisfactory	70	CO, PM ₁₀	17
137	Munger	Good	42	PM ₁₀	1
138	Muzaffarnagar	Satisfactory	89	PM ₁₀	1
139	Muzaffarpur	Satisfactory	89	NO ₂	1
140	Mysuru	Good	44	PM ₁₀	1
141	Nagaon	Good	39	03	1
142	Nagaur	Satisfactory	82	PM ₁₀	1
143	Nagpur	Good	46	PM ₁₀	4
144	Nalbari	Satisfactory	60	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

Dharwad, Dindigul, Eloor, Ernakulam, Hapur, Hassan, Haveri, Hisar, Imphal, Jalna, Jind, Jorapokhar, Kannur, Kohima, Kollam, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nanded	Good	50	O ₃	1
146	Narnaul	Satisfactory	64	PM ₁₀	1
147	Nashik	Good	39	PM ₁₀	3
148	Navi Mumbai	Satisfactory	51	CO, PM ₁₀	6
149	Nayagarh	Satisfactory	73	NO ₂	1
150	Noida	Moderate	120	со	4
151	Ooty	Good	49	SO ₂	1
152	Pali	Moderate	127	PM ₁₀	1
153	Palkalaiperur	Satisfactory	66	SO ₂	1
154	Palwal	Good	40	PM ₁₀	1
155	Panchkula	Satisfactory	59	PM _{2.5}	1
156	Panipat	Moderate	144	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

Beisar, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Hapur, Hassan, Haveri, Hisar, Imphal, Jalna, Jind, Jorapokhar, Kannur, Kohima, Kollam, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Parbhani	Good	46	PM ₁₀	1
158	Patiala	Satisfactory	67	PM ₁₀	1
159	Patna	Satisfactory	56	PM ₁₀ , CO	5
160	Pimpri Chinchwad	Satisfactory	56	PM ₁₀	3
161	Pithampur	Satisfactory	81	PM ₁₀	1
162	Pratapgarh	Satisfactory	100	PM ₁₀	1
163	Prayagraj	Satisfactory	56	PM ₁₀	3
164	Puducherry	Good	46	O ₃	1
165	Pune	Satisfactory	100	NO ₂ , PM _{2.5}	5
166	Purnia	Satisfactory	57	СО	1
167	Raipur	Good	46	PM ₁₀ , NO ₂	4
168	Rajamahendravaram	Satisfactory	57	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajgir	Good	38	O ₃	1
170	Rajsamand	Satisfactory	76	PM ₁₀	1
171	Ramanagara	Good	49	PM ₁₀	1
172	Ramanathapuram	Satisfactory	52	PM ₁₀	1
173	Ratlam	Satisfactory	67	PM ₁₀	1
174	Rishikesh	Good	31	PM ₁₀	1
175	Rohtak	Good	44	PM _{2.5}	1
176	Rourkela	Satisfactory	86	PM ₁₀	1
177	Sagar	Good	49	PM ₁₀	1
178	Samastipur	Moderate	199	PM ₁₀	1
179	Sangli	Good	31	PM ₁₀	1
180	Satna	Satisfactory	53	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

Beisar, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Dhanbad,
Dharwad, Dindigul, Eloor, Ernakulam, Hapur, Hassan, Haveri, Hisar, Imphal,
Jalna, Jind, Jorapokhar, Kannur, Kohima, Kollam, Kozhikode, Kunjemura,

Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun,

Nandesari, Raichur, Rairangpur, Rupnagar, Saharsa, Salem, Sasaram, Tensa, Tirupur, Tumakuru, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sawai Madhopur	Satisfactory	92	PM ₁₀	1
182	Shillong	Good	19	SO ₂	1
183	Shivamogga	Satisfactory	57	PM ₁₀	1
184	Sikar	Satisfactory	88	PM ₁₀	1
185	Silchar	Good	39	со	1
186	Siliguri	Good	40	PM ₁₀	1
187	Singrauli	Satisfactory	80	NO ₂	1
188	Sirohi	Satisfactory	58	PM ₁₀	1
189	Sirsa	Satisfactory	70	PM _{2.5}	1
190	Sivasagar	Good	10	PM ₁₀	1
191	Siwan	Good	36	PM ₁₀	1
192	Solapur	Satisfactory	65	PM ₁₀	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

Dharwad, Dindigul, Eloor, Ernakulam, Hapur, Hassan, Haveri, Hisar, Imphal, Jalna, Jind, Jorapokhar, Kannur, Kohima, Kollam, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sonipat	Satisfactory	100	PM ₁₀	1
194	Sri Ganganagar	Moderate	154	PM ₁₀	1
195	Srinagar	Good	20	PM ₁₀	1
196	Suakati	Satisfactory	56	PM ₁₀	1
197	Surat	Good	37	PM _{2.5}	1
198	Talcher	Satisfactory	51	со	1
199	Thane	Satisfactory	64	PM ₁₀	1
200	Thiruvananthapuram	Good	34	со	2
201	Thoothukudi	Moderate	168	03	1
202	Thrissur	Good	38	O ₃	1
203	Tirupati	Good	49	PM ₁₀	1
204	Tonk	Moderate	118	PM ₁₀	1

Possible Health Impacts Notes: Jal

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumidih	Good	21	O ₃	1
206	Udaipur	Satisfactory	76	PM ₁₀	1
207	Ujjain	Satisfactory	87	PM ₁₀	1
208	Ulhasnagar	Satisfactory	57	PM ₁₀	1
209	Vapi	Satisfactory	81	со	1
210	Varanasi	Good	24	SO ₂ , PM ₁₀	4
211	Vatva	Satisfactory	85	PM ₁₀	1
212	Vijayapura	Good	46	PM ₁₀	1
213	Vijayawada	Good	47	PM ₁₀	1
214	Visakhapatnam	Moderate	122	PM ₁₀	1
215	Yadgir	Good	31	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Amritsar, Ankleshwar, Aurangabad (Bihar), Bagalkot, Begusarai, Bhilwara,

Beisar, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Dhanbad,
Dharwad, Dindigul, Eloor, Ernakulam, Hapur, Hassan, Haveri, Hisar, Imphal,
Jalna, Jind, Jorapokhar, Kannur, Kohima, Kollam, Kozhikode, Kunjemura,
Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun,

Nandesari, Raichur, Rairangpur, Rupnagar, Saharsa, Salem, Sasaram, Tensa, Tirupur, Tumakuru, Udupi, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.