

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	229	PM _{2.5}	2
2	Agra	Moderate	157	PM _{2.5}	6
3	Ahmedabad	Moderate	142	PM _{2.5}	1
4	Aizawl	Good	19	PM ₁₀	1
5	Ajmer	Moderate	160	PM _{2.5}	1
6	Alwar	Satisfactory	79	PM ₁₀	1
7	Amaravati	Good	42	03	1
8	Ambala	Satisfactory	87	PM _{2.5}	1
9	Amritsar	Moderate	139	PM _{2.5}	1
10	Anantapur	Good	40	03	1
11	Araria	Poor	299	PM _{2.5}	1
12	Arrah	Very Poor	336	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	321	PM _{2.5}	1
14	Aurangabad (Bihar)	Very Poor	357	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	106	PM ₁₀	1
16	Baddi	Poor	219	PM _{2.5}	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Poor	236	PM _{2.5}	1
19	Bahadurgarh	Moderate	157	PM _{2.5}	1
20	Ballabgarh	Poor	283	PM _{2.5}	1
21	Bareilly	Moderate	179	PM _{2.5}	2
22	Baripada	Poor	257	PM _{2.5}	1
23	Bathinda	Satisfactory	77	PM ₁₀	1
24	Begusarai	Severe	452	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam,

Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	165	PM _{2.5}	1
26	Bengaluru	Good	24	CO, NO ₂	6
27	Bettiah	Very Poor	372	PM _{2.5}	1
28	Bhagalpur	Very Poor	354	PM _{2.5}	2
29	Bhiwadi	Moderate	196	PM ₁₀	1
30	Bhiwani	Moderate	115	PM _{2.5}	1
31	Bhopal	Moderate	188	PM _{2.5}	2
32	Bihar Sharif	Very Poor	385	PM _{2.5}	1
33	Bilaspur	Moderate	104	PM ₁₀	1
34	Bileipada	Moderate	179	PM ₁₀	1
35	Brajrajnagar	Satisfactory	98	PM ₁₀	1
36	Bulandshahr	Poor	234	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	39	PM ₁₀	1
38	Chandigarh	Moderate	165	PM _{2.5} , PM ₁₀	3
39	Chandrapur	Poor	224	PM _{2.5}	1
40	Charkhi Dadri	Poor	206	PM _{2.5}	1
41	Chengalpattu	Good	33	со	1
42	Chennai	Good	45	PM _{2.5} , CO	8
43	Chhapra	Very Poor	362	PM _{2.5}	1
44	Chikkaballapur	Good	25	03	1
45	Chikkamagaluru	Satisfactory	88	PM ₁₀	1
46	Damoh	Satisfactory	59	PM _{2.5}	1
47	Darbhanga	Very Poor	395	PM _{2.5}	1
48	Dehradun	Satisfactory	72	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Very Poor	306	PM _{2.5}	36
50	Dewas	Moderate	133	PM ₁₀	1
51	Dharuhera	Poor	224	PM _{2.5}	1
52	Durgapur	Moderate	195	PM ₁₀	1
53	Eloor	Satisfactory	72	PM ₁₀	1
54	Faridabad	Poor	275	PM _{2.5}	4
55	Fatehabad	Moderate	103	PM ₁₀	1
56	Firozabad	Satisfactory	88	PM _{2.5} , PM ₁₀	2
57	Gandhinagar	Satisfactory	77	O ₃	1
58	Gangtok	Good	44	PM ₁₀	1
59	Gaya	Very Poor	322	PM _{2.5}	3
60	Ghaziabad	Poor	270	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam,

Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	114	PM ₁₀	1
62	Greater Noida	Very Poor	306	PM _{2.5}	2
63	Gurugram	Poor	204	PM _{2.5}	3
64	Guwahati	Moderate	186	PM _{2.5}	2
65	Gwalior	Very Poor	388	PM _{2.5}	3
66	Hajipur	Poor	282	PM ₁₀	1
67	Haldia	Moderate	157	PM ₁₀	1
68	Hapur	Moderate	163	PM _{2.5}	1
69	Hassan	Good	38	PM _{2.5}	1
70	Haveri	Satisfactory	82	PM _{2.5}	1
71	Hisar	Moderate	139	PM _{2.5}	1
72	Hosur	Moderate	104	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Poor	272	PM _{2.5}	3
74	Hubballi	Satisfactory	84	PM _{2.5}	1
75	Hyderabad	Satisfactory	81	PM _{2.5} , PM ₁₀	13
76	Imphal	Satisfactory	73	SO ₂	1
77	Indore	Moderate	118	PM ₁₀	1
78	Jabalpur	Very Poor	304	PM _{2.5}	1
79	Jaipur	Satisfactory	97	PM ₁₀	2
80	Jalandhar	Satisfactory	88	PM ₁₀	1
81	Jhansi	Poor	217	PM _{2.5}	1
82	Jind	Moderate	139	PM _{2.5}	1
83	Jodhpur	Moderate	139	PM _{2.5}	1
84	Kalyan	Moderate	184	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kannur	Satisfactory	77	PM _{2.5}	1
86	Kanpur	Poor	213	PM _{2.5}	3
87	Karnal	Moderate	160	PM _{2.5}	1
88	Katihar	Very Poor	387	PM _{2.5}	1
89	Katni	Poor	300	PM _{2.5}	1
90	Keonjhar	Poor	284	PM _{2.5}	1
91	Khanna	Moderate	101	PM ₁₀	1
92	Khurja	Poor	249	PM _{2.5}	1
93	Kishanganj	Poor	233	PM _{2.5}	1
94	Kohima	Satisfactory	57	PM ₁₀	1
95	Kolkata	Poor	282	PM _{2.5}	6
96	Kollam	Satisfactory	88	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Satisfactory	82	PM ₁₀	1
98	Kota	Moderate	196	PM ₁₀	1
99	Kozhikode	Good	40	со	1
100	Kurukshetra	Moderate	170	PM _{2.5}	1
101	Lucknow	Poor	239	PM _{2.5}	6
102	Ludhiana	Satisfactory	97	PM ₁₀	1
103	Madikeri	Good	22	O ₃	1
104	Maihar	Satisfactory	90	PM ₁₀	1
105	Mandi Gobindgarh	Moderate	142	PM _{2.5}	1
106	Mandideep	Satisfactory	83	PM ₁₀	1
107	Mandikhera	Satisfactory	94	PM ₁₀	1
108	Manesar	Poor	219	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mangalore	Satisfactory	78	PM ₁₀	1
110	Manguraha	Good	48	PM ₁₀	1
111	Meerut	Moderate	186	PM _{2.5}	3
112	Moradabad	Moderate	127	PM _{2.5}	6
113	Motihari	Very Poor	305	PM ₁₀	1
114	Mumbai	Moderate	198	PM _{2.5} , PM ₁₀	18
115	Munger	Very Poor	317	PM _{2.5}	1
116	Muzaffarnagar	Poor	278	PM _{2.5}	1
117	Muzaffarpur	Very Poor	320	PM _{2.5}	3
118	Mysuru	Good	30	PM ₁₀	1
119	Nagpur	Poor	255	PM _{2.5}	1
120	Nalbari	Poor	252	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nandesari	Moderate	146	PM _{2.5}	1
122	Narnaul	Moderate	117	PM ₁₀	1
123	Navi Mumbai	Poor	212	PM _{2.5}	2
124	Nayagarh	Poor	206	PM _{2.5}	1
125	Noida	Poor	268	PM _{2.5}	4
126	Pali	Moderate	121	PM _{2.5}	1
127	Palwal	Satisfactory	88	PM ₁₀	1
128	Panchkula	Moderate	124	PM _{2.5}	1
129	Panipat	Moderate	140	PM ₁₀	1
130	Patiala	Satisfactory	93	PM ₁₀	1
131	Patna	Very Poor	375	PM ₁₀ , PM _{2.5}	6
132	Pithampur	Moderate	182	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Prayagraj	Moderate	166	PM _{2.5}	3
134	Puducherry	Good	48	PM ₁₀	1
135	Purnia	Very Poor	366	PM _{2.5}	1
136	Raichur	Good	43	PM _{2.5}	1
137	Rairangpur	Poor	296	PM _{2.5}	1
138	Rajamahendravaram	Satisfactory	55	PM _{2.5}	1
139	Rajgir	Very Poor	364	PM _{2.5}	1
140	Ramanathapuram	Satisfactory	52	PM _{2.5}	1
141	Ratlam	Moderate	111	PM ₁₀	1
142	Rohtak	Moderate	121	PM _{2.5}	1
143	Rupnagar	Satisfactory	92	PM ₁₀	1
144	Sagar	Moderate	150	PM _{2.5} , CO	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Samastipur	Very Poor	368	PM _{2.5}	1
146	Sasaram	Very Poor	374	PM _{2.5}	1
147	Satna	Satisfactory	57	PM ₁₀	1
148	Shillong	Satisfactory	64	PM _{2.5}	1
149	Shivamogga	Satisfactory	65	PM ₁₀	1
150	Siliguri	Moderate	142	PM ₁₀	1
151	Singrauli	Very Poor	371	PM _{2.5}	1
152	Sirsa	Moderate	155	O ₃	1
153	Sivasagar	Satisfactory	53	PM ₁₀	1
154	Siwan	Very Poor	385	PM _{2.5}	1
155	Sonipat	Moderate	149	PM ₁₀	1
156	Srinagar	Good	36	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Suakati	Poor	250	PM _{2.5}	1
158	Surat	Poor	222	PM _{2.5}	1
159	Talcher	Moderate	131	PM _{2.5}	1
160	Thane	Moderate	187	03	1
161	Thiruvananthapuram	Satisfactory	57	PM _{2.5} , PM ₁₀	2
162	Thoothukudi	Satisfactory	56	03	1
163	Tirupati	Satisfactory	60	NO ₂ , CO	2
164	Udaipur	Moderate	193	PM _{2.5}	1
165	Ujjain	Poor	201	PM _{2.5}	1
166	Vapi	Very Poor	317	PM _{2.5}	1
167	Varanasi	Moderate	111	PM ₁₀ , PM _{2.5}	4
168	Vatva	Moderate	106	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vijayapura	Satisfactory	68	PM ₁₀	1
170	Visakhapatnam	Moderate	164	PM _{2.5}	1
171	Vrindavan	Moderate	142	PM ₁₀	1
172	Yadgir	Satisfactory	91	PM _{2.5}	1
173	Yamunanagar	Moderate	199	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhilai, Bidar, Notes: Buxar, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kochi, Kolar, Korba, Naharlagun, Nashik, Ooty, Pune, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Solapur, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.