

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	183	PM _{2.5}	1
2	Agra	Moderate	141	PM _{2.5}	1
3	Ahmedabad	Poor	213	O ₃	1
4	Aizawl	Good	44	PM ₁₀	1
5	Ajmer	Satisfactory	78	PM ₁₀	1
6	Alwar	Satisfactory	73	PM ₁₀	1
7	Amaravati	Satisfactory	79	PM _{2.5}	1
8	Ambala	Satisfactory	82	PM ₁₀	1
9	Amritsar	Satisfactory	76	PM ₁₀	1
10	Asansol	Moderate	148	PM _{2.5}	1
11	Aurangabad	Moderate	166	PM _{2.5}	1
12	Bagalkot	Good	38	NO ₂	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	120	PM ₁₀	1
14	Bahadurgarh	Moderate	104	PM _{2.5}	1
15	Ballabgarh	Moderate	103	PM ₁₀	1
16	Bathinda	Good	47	PM ₁₀	1
17	Bengaluru	Good	43	NO ₂ , CO, PM ₁₀	9
18	Bhiwadi	Poor	219	PM _{2.5}	1
19	Bhiwani	Satisfactory	93	NO ₂	1
20	Bhopal	Moderate	145	PM _{2.5}	1
21	Brajrajnagar	Poor	202	PM _{2.5}	1
22	Bulandshahr	Moderate	181	PM _{2.5}	1
23	Chamarajanagar	Good	40	PM ₁₀	1
24	Chandigarh	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	76	PM ₁₀	2
26	Chennai	Good	43	PM _{2.5} , NO ₂ , O ₃	7
27	Chikkaballapur	Good	35	со	1
28	Chikkamagaluru	Good	39	03	1
29	Coimbatore	Good	35	NO ₂	1
30	Damoh	Moderate	132	PM _{2.5}	1
31	Delhi	Moderate	171	PM _{2.5} , O ₃	35
32	Dewas	Satisfactory	89	PM ₁₀	1
33	Dharuhera	Moderate	188	PM _{2.5}	1
34	Eloor	Good	36	со	1
35	Ernakulam	Satisfactory	91	со	1
36	Faridabad	Moderate	172	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Satisfactory	96	PM _{2.5}	1
38	Gandhinagar	Satisfactory	90	PM ₁₀	1
39	Gaya	Moderate	103	PM _{2.5}	2
40	Ghaziabad	Moderate	166	PM _{2.5}	4
41	Greater Noida	Moderate	186	PM _{2.5}	2
42	Gurugram	Poor	204	PM _{2.5}	4
43	Guwahati	Moderate	128	PM _{2.5}	1
44	Gwalior	Moderate	159	PM _{2.5}	1
45	Hajipur	Moderate	115	PM ₁₀	1
46	Hapur	Moderate	104	PM ₁₀	1
47	Hisar	Satisfactory	91	PM _{2.5}	1
48	Howrah	Poor	240	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Good	41	PM ₁₀	1
50	Hyderabad	Satisfactory	98	PM ₁₀ , PM _{2.5}	6
51	Indore	Moderate	101	PM ₁₀	1
52	Jabalpur	Poor	227	PM _{2.5}	1
53	Jaipur	Satisfactory	92	PM ₁₀ , PM _{2.5}	3
54	Jalandhar	Moderate	185	PM ₁₀	1
55	Jind	Satisfactory	89	PM _{2.5}	1
56	Jodhpur	Poor	204	PM _{2.5}	1
57	Kaithal	Satisfactory	63	PM ₁₀	1
58	Kalaburgi	Satisfactory	66	PM ₁₀	1
59	Kalyan	Moderate	142	PM _{2.5}	1
60	Kannur	Satisfactory	71	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Moderate	125	NO ₂	1
62	Karnal	Satisfactory	66	PM ₁₀	1
63	Katni	Poor	214	PM _{2.5}	1
64	Khanna	Good	47	со	1
65	Kochi	Satisfactory	94	со	1
66	Kohima	Satisfactory	80	PM ₁₀	1
67	Kolkata	Poor	222	PM _{2.5}	7
68	Kollam	Satisfactory	82	со	1
69	Kota	Moderate	108	PM _{2.5}	1
70	Kozhikode	Good	46	PM ₁₀	1
71	Kurukshetra	Satisfactory	81	PM ₁₀	1
72	Lucknow	Moderate	128	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Satisfactory	74	PM ₁₀	1
74	Maihar	Good	49	со	1
75	Mandi Gobindgarh	Satisfactory	90	PM ₁₀	1
76	Mandideep	Satisfactory	61	PM ₁₀	1
77	Mandikhera	Satisfactory	85	со	1
78	Manesar	Moderate	186	PM _{2.5}	1
79	Medikeri	Good	28	O ₃	1
80	Meerut	Moderate	144	PM _{2.5} , NO ₂ , PM ₁₀	3
81	Moradabad	Moderate	158	PM _{2.5}	1
82	Mumbai	Moderate	175	PM _{2.5} , PM ₁₀	12
83	Muzaffarnagar	Satisfactory	98	PM ₁₀	1
84	Muzaffarpur	Moderate	140	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	31	O ₃	1
86	Nagpur	Satisfactory	76	PM _{2.5}	1
87	Nandesari	Moderate	148	со	1
88	Navi Mumbai	Moderate	116	PM _{2.5}	2
89	Noida	Moderate	178	PM _{2.5}	4
90	Pali	Moderate	139	PM _{2.5}	1
91	Palwal	Satisfactory	95	PM _{2.5}	1
92	Panchkula	Satisfactory	84	СО	1
93	Panipat	Moderate	102	PM ₁₀	1
94	Patiala	Satisfactory	71	PM ₁₀	1
95	Patna	Moderate	126	PM ₁₀ , PM _{2.5}	6
96	Pithampur	Moderate	119	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Satisfactory	66	O ₃ , PM _{2.5}	2
98	Rajamahendravaram	Moderate	133	O ₃	1
99	Ramanagara	Good	34	SO ₂	1
100	Ratlam	Moderate	128	PM ₁₀	1
101	Rohtak	Moderate	102	PM _{2.5}	1
102	Rupnagar	Satisfactory	96	PM ₁₀	1
103	Sagar	Satisfactory	87	PM _{2.5}	1
104	Satna	Satisfactory	57	PM ₁₀	1
105	Shillong	Good	25	PM _{2.5}	1
106	Shivamogga	Good	38	PM ₁₀	1
107	Siliguri	Moderate	135	PM _{2.5}	1
108	Singrauli	Poor	265	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Satisfactory	84	NO ₂	1
110	Solapur	Satisfactory	76	PM ₁₀	1
111	Sonipat	Satisfactory	91	PM ₁₀	1
112	Talcher	Moderate	144	NO ₂	1
113	Thane	Moderate	125	PM ₁₀	1
114	Thiruvananthapuram	Good	48	PM ₁₀	1
115	Thoothukudi	Good	34	O ₃	1
116	Thrissur	Good	46	03	1
117	Tirupati	Good	26	NO ₂	1
118	Udaipur	Moderate	109	PM ₁₀	1
119	Ujjain	Moderate	190	03	1
120	Vapi	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Moderate	151	PM _{2.5}	1
122	Vatva	Moderate	113	PM _{2.5}	1
123	Vijayapura	Good	38	PM ₁₀	1
124	Visakhapatnam	Moderate	117	PM _{2.5}	1
125	Yamunanagar	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Jorapokhar, Narnaul, Nashik, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.