

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	36	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	37	PM <sub>10</sub> , O <sub>3</sub> , SO <sub>2</sub>	6
3	Ahmedabad	Satisfactory	81	PM <sub>10</sub>	1
4	Aizawl	Good	19	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	58	PM <sub>10</sub>	1
6	Alwar	Satisfactory	76	PM <sub>10</sub>	1
7	Amaravati	Good	44	со	1
8	Amritsar	Satisfactory	65	NO <sub>2</sub>	1
9	Ankleshwar	Satisfactory	63	PM <sub>10</sub>	1
10	Araria	Satisfactory	51	PM <sub>10</sub>	1
11	Arrah	Poor	300	03	1
12	Asansol	Satisfactory	68	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	73	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	95	PM <sub>10</sub>	1
15	Baddi	Satisfactory	79	O <sub>3</sub>	1
16	Bagalkot	Good	42	PM <sub>10</sub>	1
17	Baghpat	Satisfactory	56	O <sub>3</sub>	1
18	Bahadurgarh	Satisfactory	67	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	68	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	54	PM <sub>10</sub>	1
21	Bathinda	Good	50	PM <sub>10</sub>	1
22	Begusarai	Satisfactory	51	PM <sub>10</sub>	1
23	Bengaluru	Satisfactory	52	CO, PM <sub>10</sub>	6
24	Bhagalpur	Satisfactory	60	PM <sub>10</sub> , O <sub>3</sub>	2

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	119	PM <sub>2.5</sub>	1
26	Bhiwani	Satisfactory	57	PM <sub>10</sub>	1
27	Bhopal	Satisfactory	62	СО	1
28	Bihar Sharif	Good	25	СО	1
29	Bilaspur	Satisfactory	78	со	1
30	Bulandshahr	Satisfactory	60	PM <sub>10</sub>	1
31	Chamarajanagar	Good	35	PM <sub>10</sub>	1
32	Chandigarh	Good	47	O <sub>3</sub>	3
33	Chandrapur	Satisfactory	76	PM <sub>2.5</sub> , CO	2
34	Charkhi Dadri	Satisfactory	53	PM <sub>10</sub>	1
35	Chennai	Satisfactory	61	CO, O <sub>3</sub>	8
36	Chhapra	Satisfactory	58	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	29	со	1
38	Chikkamagaluru	Good	21	PM <sub>10</sub>	1
39	Coimbatore	Good	25	PM <sub>2.5</sub>	1
40	Davanagere	Good	17	PM <sub>10</sub>	1
41	Dehradun	Good	38	PM <sub>10</sub>	1
42	Delhi	Satisfactory	92	PM <sub>2.5</sub> , PM <sub>10</sub>	35
43	Dewas	Good	32	PM <sub>10</sub>	1
44	Dharuhera	Satisfactory	95	PM <sub>2.5</sub>	1
45	Durgapur	Satisfactory	62	PM <sub>10</sub>	1
46	Eloor	Good	48	PM <sub>2.5</sub>	1
47	Faridabad	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	2
48	Fatehabad	Satisfactory	65	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	127	O <sub>3</sub> , PM <sub>10</sub>	2
50	Gandhinagar	Satisfactory	52	PM <sub>10</sub>	1
51	Gangtok	Good	18	O <sub>3</sub>	1
52	Gaya	Satisfactory	56	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
53	Ghaziabad	Satisfactory	85	PM <sub>10</sub> , CO	4
54	Gorakhpur	Good	48	SO <sub>2</sub>	1
55	Greater Noida	Moderate	118	PM <sub>10</sub>	1
56	Gummidipoondi	Good	13	PM <sub>2.5</sub>	1
57	Gurugram	Moderate	105	PM <sub>10</sub>	3
58	Guwahati	Good	32	PM <sub>10</sub>	2
59	Hajipur	Satisfactory	75	PM <sub>10</sub>	1
60	Haldia	Good	24	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Satisfactory	61	со	1
62	Hassan	Good	34	SO <sub>2</sub>	1
63	Haveri	Good	44	со	1
64	Hisar	Satisfactory	62	PM <sub>2.5</sub>	1
65	Howrah	Good	43	CO, PM <sub>2.5</sub>	3
66	Hubballi	Satisfactory	51	со	1
67	Hyderabad	Good	48	CO, PM <sub>10</sub> , NO <sub>2</sub>	12
68	Imphal	Satisfactory	85	03	1
69	Indore	Good	45	PM <sub>10</sub>	1
70	Jabalpur	Good	43	PM <sub>10</sub>	1
71	Jaipur	Satisfactory	60	PM <sub>10</sub> , CO, O <sub>3</sub>	3
72	Jalandhar	Satisfactory	59	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Good	46	PM <sub>10</sub>	1
74	Jind	Moderate	153	СО	1
75	Jodhpur	Satisfactory	74	PM <sub>10</sub>	1
76	Kaithal	Satisfactory	80	03	1
77	Kalaburgi	Good	29	SO <sub>2</sub>	1
78	Kalyan	Satisfactory	66	PM <sub>10</sub>	1
79	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
80	Kanpur	Satisfactory	55	PM <sub>10</sub>	3
81	Karnal	Good	38	PM <sub>2.5</sub>	1
82	Katni	Good	36	PM <sub>10</sub>	1
83	Khanna	Good	36	СО	1
84	Khurja	Good	25	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Satisfactory	64	PM <sub>10</sub>	1
86	Kochi	Moderate	113	PM <sub>2.5</sub>	1
87	Kolkata	Good	36	O <sub>3</sub> , CO	6
88	Kollam	Good	44	03	1
89	Kota	Satisfactory	63	PM <sub>10</sub>	1
90	Kurukshetra	Satisfactory	55	PM <sub>2.5</sub>	1
91	Lucknow	Satisfactory	86	O <sub>3</sub> , PM <sub>10</sub>	5
92	Ludhiana	Good	48	O <sub>3</sub>	1
93	Madikeri	Good	36	SO <sub>2</sub>	1
94	Mandi Gobindgarh	Good	41	PM <sub>10</sub>	1
95	Mandideep	Satisfactory	66	O <sub>3</sub>	1
96	Mandikhera	Satisfactory	79	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Moderate	108	PM <sub>2.5</sub>	1
98	Manguraha	Good	45	со	1
99	Meerut	Satisfactory	84	CO, PM <sub>10</sub>	3
100	Moradabad	Satisfactory	73	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6
101	Motihari	Satisfactory	66	03	1
102	Mumbai	Satisfactory	85	PM <sub>10</sub> , SO <sub>2</sub>	12
103	Muzaffarnagar	Satisfactory	72	PM <sub>2.5</sub>	1
104	Muzaffarpur	Satisfactory	77	PM <sub>10</sub> , O <sub>3</sub>	2
105	Mysuru	Good	39	PM <sub>10</sub>	1
106	Nagpur	Good	22	PM <sub>2.5</sub>	1
107	Naharlagun	Good	23	SO <sub>2</sub>	1
108	Nashik	Good	36	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Satisfactory	70	CO, PM <sub>10</sub>	2
110	Noida	Satisfactory	96	CO, PM <sub>10</sub>	4
111	Pali	Satisfactory	65	PM <sub>10</sub>	1
112	Palwal	Satisfactory	91	PM <sub>10</sub>	1
113	Panchkula	Good	40	SO <sub>2</sub>	1
114	Patiala	Good	42	PM <sub>2.5</sub>	1
115	Patna	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	5
116	Pithampur	Good	38	PM <sub>10</sub>	1
117	Prayagraj	Satisfactory	68	SO <sub>2</sub> , PM <sub>10</sub>	2
118	Puducherry	Good	28	03	1
119	Pune	Satisfactory	63	со	1
120	Purnia	Satisfactory	70	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Satisfactory	56	со	1
122	Rajamahendravaram	Good	21	PM <sub>10</sub>	1
123	Rajgir	Good	34	03	1
124	Ramanagara	Good	32	PM <sub>10</sub>	1
125	Ratlam	Good	27	PM <sub>10</sub>	1
126	Rohtak	Good	47	NO <sub>2</sub>	1
127	Rupnagar	Satisfactory	65	PM <sub>10</sub>	1
128	Sagar	Satisfactory	58	со	1
129	Saharsa	Moderate	103	PM <sub>2.5</sub>	1
130	Samastipur	Satisfactory	88	со	1
131	Satna	Good	44	PM <sub>10</sub>	1
132	Shillong	Good	35	03	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Good	42	PM <sub>10</sub>	1
134	Siliguri	Good	39	PM <sub>10</sub>	1
135	Singrauli	Satisfactory	94	NO <sub>2</sub>	1
136	Sirsa	Moderate	108	03	1
137	Siwan	Satisfactory	78	PM <sub>10</sub>	1
138	Solapur	Satisfactory	70	PM <sub>10</sub>	1
139	Sonipat	Satisfactory	79	PM <sub>10</sub>	1
140	Srinagar	Satisfactory	82	PM <sub>10</sub>	1
141	Thane	Satisfactory	64	PM <sub>10</sub>	1
142	Thiruvananthapuram	Good	31	со	1
143	Thoothukudi	Good	33	PM <sub>10</sub>	1
144	Tirupati	Good	36	со	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Good	50	PM <sub>10</sub>	1
146	Ujjain	Good	45	со	1
147	Varanasi	Good	45	PM <sub>10</sub> , O <sub>3</sub> , NO <sub>2</sub>	3
148	Vatva	Good	48	PM <sub>10</sub>	1
149	Vijayapura	Good	48	PM <sub>10</sub>	1
150	Visakhapatnam	Satisfactory	83	PM <sub>10</sub>	1
151	Vrindavan	Good	41	SO <sub>2</sub>	1
152	Yamunanagar	Moderate	150	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Damoh, Darbhanga, Ernakulam, Gadag, Gwalior, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Manglore, Munger, Nandesari, Narnaul, Panipat, Sasaram, Talcher, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.